

Diamond Drilling Logs

D5, D6, D7

DD No.	Depth (m)		Thickness (m)	Core Recovery %	Core Lengths (mm)	Log
	From	To				
D5	0	1.5	1.5	97	260, 670, 50 ¹ , 410, 70 ²	Pink l.s. with numerous small cavities to 4.7m. Breaks 90° to core length probably fresh. 4.7-6.2 Slight iron staining. Angular joints below 5.9m 6.2-7.9 pink l.s. 7.9-11.5 mottled texture pink and brown honeycomb with increase in cavities below 8m. 11.5-12.2 brown honeycomb textured limestone.
	1.5	3.0	1.5	93	430, 450, 245, 200, 75 ³	
	3.0	4.5	1.5	95	695, 130, 155, 300, 145 ⁴	
	4.5	6.0	1.5	96	320, 170, 30, 260, 155 ⁵	
	6.0	7.5	1.5	91	130, 60 ⁶ , 60, 50, 130, 80 ⁷	
	7.5	9.0	1.5	95	260, 115 ⁷ , 30, 210, 75, 175 ⁸ , 245, 255	
	9.0	10.5	1.5	99	100 ⁸ , 35, 45, 130, 90, 50 ⁹ , 145, 45, 40, 285, 35, 80, 35, 210, 100 ⁹ , 50, 310, 525, 120 ¹⁰ , 110	
	10.5	11.1	0.6	93	165, 110, 105	
	11.1	11.4	0.3	nil	200, 50, 30, 50, 30, 50, 65, 85.	
	11.4	12.0	0.6		65, 85.	
	12.0	12.2	0.2	70	Cavity (300mm)	
	12.2	14.9	2.7	nil	165 ¹¹ , 185, 185	
					30, 80, 30	

D6	0	1.5	1.5	79	60, 190, 85 ¹ , 160, 260, 200, 120, 85, 30.	Pink l.s. to 1m followed by very broken core to cavity at 3.0-3.7 Relatively unweathered l.s. 3.7-5.9 with angular joints below 5m 5.9-10.5 brown honeycomb textured l.s.
	1.5	3.0	1.5	30	20 fragments over 100mm. 50 ² , 50, 60, 20, 65, 70, 90 ²	
	3.0	3.7	0.7	nil	Cavity	
	3.7	4.5	0.8	100	110, 75	
	4.5	6.0	1.5	92	260, 150 ³ , 285 in 6 fragments, 440, 250	
	6.0	7.5	1.5	35	40, 12 fragments over 100mm, 100, 60, 30, 40, 30, 120, 120 ⁴ .	
	7.5	8.3	0.8	70	40, 70, 100, 60, 30, 40, 30, 80, 60, 55 ⁵ .	
	8.3	9.0	0.7	nil	Cavity	
	9.0	10.5	1.5	82	85, 50, 155, 20mm rubble 125 ⁵ , 60, 115, 125, 200 ⁶ 300.	

(Water absorption and density sample No's indicated)

				<u>Sample No.</u>		
				m	No.	
10	8.0	8.0	} 100	2.3 - 4.8	1	Broken white dolomite
8.0	10.5	2.5		4.8 - 7.2	2	Relatively unbroken dolomite
				7.2 - 10.5	3	

(Stopped at target depth)