

Goldstream – Titan Corinna Joint Venture
DRILL LOGS

Hole I.D.: LREDDH1
 Tenement: EL43/94
 Prospect: Lefroy Ridge East
 AMG: 340600mE5381850mN
 Azimuth: 102°AMG
 Dip: 50°
 Drill: LF70
 Core: HQ to 36m
 NQ to 203m
 Contractor: Almac Drilling
 Completed: 26/11/96

1. Geotechnical log

Driller's Markers							
From (m)	To (m)	Length (mm)	Recovery %	RQD %	Total Fractures	Fractures/ Joints	Induced Breaks
5.00	6.50	600	40	35	10	2	8
6.50	8.00	620	41	64	6	1	5
8.00	9.50	1010	67	84	13	2	11
9.50	11.00	960	64	78	9	1	8
11.00	12.50	800	53	56	>25	>25	-
12.50	14.00	100	7	0	-	-	-
14.00	15.00	0	0	0	-	-	-
15.00	17.00	980	49	72	>50	>50	-
17.00	18.50	700	46	75	>50	>50	-
18.50	20.00	900	60	70	>50	>50	-
20.00	21.50	1110	74	45	>50	>50	-
21.50	23.00	1280	85	52	>50	>50	-
23.00	24.50	1150	77	72	>25	>25	-
24.50	26.00	1350	90	70	>50	>50	-
26.00	27.50	1350	90	59	>25	>25	-
27.50	28.30	650	81	51	>50	>50	-
28.30	29.30	800	80	33	>50	>50	-
29.30	30.50	1010	84	25	>50	>50	-
30.50	33.20	2500	95	63	>50	>50	-
33.20	34.50	900	69	23	>100	>100	-
34.50	36.00	1250	83	43	>100	>100	-
36.00	38.00	1855	93	73	20+	16+	4
38.00	41.00	3000?	100	58	50+	44+	6
41.00	43.90	2900?	100	50	40+	35+	5
43.90	46.20	2300	100	41	>50	>35	>5
46.20	48.60	2200	96	38	>25	>21	>4
48.60	50.00	1250	89	44	13	10	3
50.00	52.30	1950	85	43	19	8	5
52.30	56.00	1850	68	46	>100	-	-
56.00	58.50	2150	86	67	>50	-	>5
58.50	61.60	3100	100	90	19	14	5
61.60	62.50	900	100	100	>25	-	-
62.50	65.80	3300	100	80	24	4	20
65.80	67.80	2000	100	95	9	2	7

Driller's Markers		Length (mm)	Recovery %	RQD %	Total Fractures	Fractures/ Joints	Induced Breaks
From (m)	To (m)						
67.80	70.90	3050	98	87	14	4	10
70.90	73.00	2100	100	29	>25	2	>23
73.00	76.00	3000	100	91	16	2	14
76.00	79.00	3000	100	90	18	3	15
79.00	82.00	3000	100	85	15	2	13
82.00	85.00	3000	100	91	16	2	14
85.00	88.00	3000	100	87	23	2	21
88.00	91.00	3000	100	92	18	2	16
91.00	94.00	3000	100	93	20	4	16
94.00	97.00	3000	100	87	14	1	13
97.00	100.00	3000	100	95	13	2	11
100.00	104.00	4000	100	98	18	3	15
104.00	107.00	3000	100	92	9	0	9
107.00	110.00	3000	100	95	16	1	15
110.00	113.00	3000	11	97	13	0	13
113.00	116.00	2800	93	85	>50	>10	>40
116.00	119.00	3000	100	100	10	3	7
119.00	122.00	3000	100	86	17	2	15
122.00	125.00	3000	100	90	13	2	11
125.00	128.00	3000	100	92	16	2	14
128.00	131.00	3000	100	91	13	2	11
131.00	134.00	3000	100	91	11	-	11
134.00	137.00	3000	100	97	13	3	10
137.00	140.00	3000	100	90	>50	>10	>40
140.00	143.00	2990	99.5	96	>25	1	>24
143.00	146.00	3000	100	88	>25	3	>22
146.00	148.70	2700	100	91	>50	>10	>40
148.70	151.80	3100	100	90	16	3	13
151.80	154.90	3100	100	97	14	1	13
154.90	158.00	3050	98	90	21	2	19
158.00	161.00	2900	97	80	>100	>10	>90
161.00	164.00	3000	100	60	>50	4	>46
164.00	167.00	3000	100	57	>50	4	>46
167.00	169.30	1850	80	52	>100	3	>97
169.30	172.10	2750	98	62	26	1	25
172.10	175.20	3100	100	89	19	4	15
175.20	178.30	3100	100	90	26	2	24
178.30	181.40	3100	100	72	33	5	28
181.40	184.50	2900	94	93	16	2	14
184.50	187.30	2800	100	77	>50	4	>46
187.30	190.40	3100	100	47	>50	3	>47
190.40	193.50	3000	97	85	>50	6	>44
193.50	196.6	3100	100	40	>100	2	>98
196.60	200.70	4100	100	64	>100	0	>100
200.70	203.00	2150	93	56	>25	0	>25

2. Assay numbers = half core; magnetic susceptibility = average of top, middle, bottom of 1m intervals, measured on a round, unsplit core.

Depth										
From (m)	To (m)	Magnetic Susceptibility	Assay Number	Au	Au(R)	Cu	Pb	Zn	Ag	As
4.3	6	0.04	GC0202	<0.008	-	83	14	143	1	12.3
6	7	0.07	GC0203	<0.008	-	185	14	484	2	10.9
7	8	0.065	GC0204	<0.008	-	210	13	69	2	4.2
8	9	0.076	GC0205	<0.008	-	245	26	532	2	9.5
9	10	0.075	GC0206	<0.008	-	14	47	206	3	2.3
10	11	0.075	GC0207	<0.008	-	309	35	324	3	1.7
11	12	0.09	GC0208	<0.008	-	184	30	677	2	<0.5
12	14	0.05	GC0209	<0.008	-	138	16	256	1	3.1
15	16	0.17	GC0210	<0.008	-	103	13	271	2	4.1
16	17	0.12	GC0210	<0.008	-	103	13	271	2	4.1
17	18	0.18	GC0210	<0.008	-	103	13	271	2	4.1
18	19	0.16	GC0210	<0.008	-	103	13	271	2	4.1
19	20	0.17	GC0211	<0.008	-	6	13	442	2	17.1
20	21	0.25	GC0212	<0.008	-	7	5	290	1	12.6
21	22	0.31	GC0213	<0.008	-	86	9	255	2	5.6
22	23	0.34	GC0214	<0.008	-	7	<3	239	1	7.5
23	24	0.34	GC0215	<0.008	-	108	8	319	1	5.5
24	25	0.37	GC0216	<0.008	-	108	6	212	2	5
25	26	0.34	GC0217	<0.008	<0.008	101	9	175	<1	7.2
26	27	0.40	GC0218	0.029	-	101	13	190	1	9.7
27	28	0.39	GC0219	0.021	-	129	9	172	1	7.2
28	29	0.40	GC0220	<0.008	-	114	12	131	1	6.6
29	30	0.45	GC0221	<0.008	-	200	18	182	2	18.9
30	31	0.40	GC0222	<0.008	-	159	21	172	1	14.7
31	32	9.90	GC0223	<0.008	-	109	15	166	1	13.3
32	33	4.93	GC0224	<0.008	-	87	22	163	2	12.4
33	34	0.59	GC0225	<0.008	-	94	10	138	1	13.5
34	35	0.49	GC0226	0.013	-	95	<3	183	1	11.6
35	36	1.11	GC0227	<0.008	-	86	<3	172	1	5.3
36	37	1.04	GC0228	<0.008	-	46	14	149	1	7.6
37	38	10.4	GC0229	<0.008	-	84	10	125	1	4.7
38	39	15.4	GC0230	<0.008	-	151	9	102	1	4
39	40	33.0	GC0231	<0.008	-	82	7	117	1	16.4
40	41	5.75	GC0232	<0.008	-	295	4	129	1	8.4
41	42	3.08	GC0233	<0.008	-	279	6	137	1	7
42	43	0.65	GC0234	<0.008	-	218	7	158	2	6.9
43	44	0.65	GC0235	<0.008	-	246	<3	185	2	5.1
44	45	0.59	GC0236	<0.008	-	104	<3	153	1	3.9
45	46	0.50	GC0237	<0.008	-	132	<3	180	2	2.8
46	47	0.50	GC0238	<0.008	-	74	<3	144	1	2.7
47	48	0.42	GC0239	<0.008	-	145	<3	113	1	3
48	49	0.45	GC0240	<0.008	-	170	<3	110	1	2.8
49	50	0.46	GC0241	<0.008	-	243	<3	111	1	16.4
50	51	0.46	GC0242	<0.008	-	110	314	96	1	10.9
51	52	0.49	GC0243	<0.008	-	128	27	96	1	16.8
52	53	0.50	GC0244	<0.008	<0.008	143	18	84	1	13.4
53	54	0.55	GC0245	<0.008	-	161	14	105	1	14.5
54	55	0.36	GC0246	<0.008	-	283	4	161	2	8.5

Depth										
From (m)	To (m)	Magnetic Susceptibility	Assay Number	Au	Au(R)	Cu	Pb	Zn	Ag	As
55	56	0.17	GC0247	<0.008	-	229	<3	169	3	16.3
56	57	0.26	GC0248	<0.008	-	47	<3	92	2	4.8
57	58	0.32	GC0249	<0.008	-	11	<3	85	2	2.3
58	59	0.28	GC0250	<0.008	-	7	<3	80	1	2
59	60	0.32	GC0251	<0.008	-	163	<3	109	2	1.8
60	61	0.27	GC0252	<0.008	-	6	<3	99	2	1.7
61	62	0.23	GC0253	<0.008	-	6	<3	93	2	1.9
62	63	0.21	GC0254	<0.008	-	6	<3	105	3	3.4
63	64	0.32	GC0255	<0.008	-	62	<3	102	2	3.2
64	65	0.23	GC0256	<0.008	-	107	<3	117	2	3
65	66	0.38	GC0257	<0.008	-	6	<3	123	3	10.2
66	67	0.40	GC0258	<0.008	-	6	<3	140	2	4.5
67	68	22.3	GC0259	<0.008	-	205	11	96	2	7.3
68	69	1.66	GC0260	<0.008	-	245	<3	95	2	4.5
69	70	6.92	GC0261	<0.008	-	244	4	92	1	6.7
70	71	5.20	GC0262	0.01	-	274	3	83	2	5
71	72	3.02	GC0263	<0.008	<0.008	204	41	108	2	4.4
72	73	3.92	GC0264	<0.008	-	213	4	109	1	5.5
73	74	15.6	GC0265	<0.008	-	220	<3	92	1	<0.5
74	75	8.60	GC0266	<0.008	-	239	<3	99	1	<0.5
75	76	15.6	GC0267	<0.008	-	232	4	98	1	<0.5
76	77	13.0	GC0268	0.015	-	243	3	111	1	<0.5
77	78	27.3	GC0269	0.155	-	238	8	91	1	<0.5
78	79	27.3	GC0270	<0.008	-	253	9	93	2	<0.5
79	80	25.7	GC0271	<0.008	-	276	8	85	1	<0.5
80	81	31.4	GC0272	<0.008	-	247	9	86	6	<0.5
81	82	34.1	GC0273	<0.008	<0.008	264	20	108	2	3.8
82	83	28.8	GC0274	<0.008	<0.008	1024	3	144	3	<0.5
83	84	13.8	GC0275	<0.008	-	785	5	150	2	<0.5
84	85	0.32	GC0276	<0.008	-	19	<3	122	1	<0.5
85	86	1.37	GC0277	<0.008	-	6	6	77	1	<0.5
86	87	0.24	GC0278	0.044	0.035	4	5	65	1	<0.5
87	88	0.33	GC0279	<0.008	-	3	<3	67	<1	<0.5
88	89	0.28	GC0280	<0.008	-	4	<3	73	1	<0.5
89	90	0.33	GC0281	<0.008	-	3	<3	71	1	<0.5
90	91	0.27	GC0282	<0.008	-	2	8	76	1	<0.5
91	92	0.19	GC0283	<0.008	-	5	5	66	1	4.3
92	93	0.19	GC0284	<0.008	-	3	<3	81	1	<0.5
93	94	0.24	GC0285	<0.008	-	<2	5	66	1	<0.5
94	95	0.17	GC0286	<0.008	-	5	<3	74	1	<0.5
95	96	0.21	GC0287	<0.008	<0.008	6	<3	94	<1	<0.5
96	97	0.25	GC0288	<0.008	-	4	3	8	1	<0.5
97	98	0.21	GC0289	<0.008	-	3	5	106	1	<0.5
98	99	0.32	GC0290	<0.008	-	3	<3	101	1	<0.5
99	100	0.36	GC0291	<0.008	-	44	<3	113	1	<0.5
100	101	0.33	GC0292	<0.008	-	10	5	119	1	<0.5
101	102	0.27	GC0293	<0.008	-	2	4	120	<1	5.3
102	103	0.25	GC0294	<0.008	-	<2	11	137	1	4.6
103	104	0.29	GC0295	<0.008	-	3	8	124	1	4.4
104	105	0.28	GC0296	<0.008	-	3	12	136	<1	4.9
105	106	0.29	GC0297	<0.008	-	<2	5	121	<1	3.9

Depth										
From (m)	To (m)	Magnetic Susceptibility	Assay Number	Au	Au(R)	Cu	Pb	Zn	Ag	As
55	56	0.17	GC0247	<0.008	-	229	<3	169	3	16.3
56	57	0.26	GC0248	<0.008	-	47	<3	92	2	4.8
57	58	0.32	GC0249	<0.008	-	11	<3	85	2	2.3
58	59	0.28	GC0250	<0.008	-	7	<3	80	1	2
59	60	0.32	GC0251	<0.008	-	163	<3	109	2	1.8
60	61	0.27	GC0252	<0.008	-	6	<3	99	2	1.7
61	62	0.23	GC0253	<0.008	-	6	<3	93	2	1.9
62	63	0.21	GC0254	<0.008	-	6	<3	105	3	3.4
63	64	0.32	GC0255	<0.008	-	62	<3	102	2	3.2
64	65	0.23	GC0256	<0.008	-	107	<3	117	2	3
65	66	0.38	GC0257	<0.008	-	6	<3	123	3	10.2
66	67	0.40	GC0258	<0.008	-	6	<3	140	2	4.5
67	68	22.3	GC0259	<0.008	-	205	11	96	2	7.3
68	69	1.66	GC0260	<0.008	-	245	<3	95	2	4.5
69	70	6.92	GC0261	<0.008	-	244	4	92	1	6.7
70	71	5.20	GC0262	0.01	-	274	3	83	2	5
71	72	3.02	GC0263	<0.008	<0.008	204	41	108	2	4.4
72	73	3.92	GC0264	<0.008	-	213	4	109	1	5.5
73	74	15.6	GC0265	<0.008	-	220	<3	92	1	<0.5
74	75	8.60	GC0266	<0.008	-	239	<3	99	1	<0.5
75	76	15.6	GC0267	<0.008	-	232	4	98	1	<0.5
76	77	13.0	GC0268	0.015	-	243	3	111	1	<0.5
77	78	27.3	GC0269	0.155	-	238	6	91	1	<0.5
78	79	27.3	GC0270	<0.008	-	253	9	93	2	<0.5
79	80	25.7	GC0271	<0.008	-	276	8	85	1	<0.5
80	81	31.4	GC0272	<0.008	-	247	9	86	6	<0.5
81	82	34.1	GC0273	<0.008	<0.008	264	20	108	2	3.8
82	83	28.8	GC0274	<0.008	<0.008	1024	3	144	3	<0.5
83	84	13.8	GC0275	<0.008	-	785	5	150	2	<0.5
84	85	0.32	GC0276	<0.008	-	19	<3	122	1	<0.5
85	86	1.37	GC0277	<0.008	-	6	6	77	1	<0.5
86	87	0.24	GC0278	0.044	0.035	4	5	65	1	<0.5
87	88	0.33	GC0279	<0.008	-	3	<3	67	<1	<0.5
88	89	0.28	GC0280	<0.008	-	4	<3	73	1	<0.5
89	90	0.33	GC0281	<0.008	-	3	<3	71	1	<0.5
90	91	0.27	GC0282	<0.008	-	2	6	76	1	<0.5
91	92	0.19	GC0283	<0.008	-	5	5	66	1	4.3
92	93	0.19	GC0284	<0.008	-	3	<3	81	1	<0.5
93	94	0.24	GC0285	<0.008	-	<2	5	66	1	<0.5
94	95	0.17	GC0286	<0.008	-	5	<3	74	1	<0.5
95	96	0.21	GC0287	<0.008	<0.008	6	<3	94	<1	<0.5
96	97	0.25	GC0288	<0.008	-	4	3	8	1	<0.5
97	98	0.21	GC0289	<0.008	-	3	5	106	1	<0.5
98	99	0.32	GC0290	<0.008	-	3	<3	101	1	<0.5
99	100	0.36	GC0291	<0.008	-	44	<3	113	1	<0.5
100	101	0.33	GC0292	<0.008	-	10	5	119	1	<0.5
101	102	0.27	GC0293	<0.008	-	2	4	120	<1	5.3
102	103	0.25	GC0294	<0.008	-	<2	11	137	1	4.6
103	104	0.29	GC0295	<0.008	-	3	8	124	1	4.4
104	105	0.28	GC0296	<0.008	-	3	12	136	<1	4.9
105	106	0.29	GC0297	<0.008	-	<2	5	121	<1	3.9

Depth										
From (m)	To (m)	Magnetic Susceptibility	Assay Number	Au	Au(R)	Cu	Pb	Zn	Ag	As
106	107	0.27	GC0298	<0.008	-	2	5	118	<1	4.4
107	108	0.22	GC0299	<0.008	-	2	4	118	<1	9.7
108	109	0.25	GC0300	<0.008	-	<2	11	123	<1	6.9
109	110	0.32	GC0301	<0.008	-	<2	4	131	<1	6.1
110	111	0.51	GC0302	<0.008	-	<2	<3	150	<1	6.5
111	112	0.30	GC0303	<0.008	-	<2	3	111	1	3.8
112	113	0.32	GC0304	<0.008	-	<2	<3	117	<1	4.9
113	114	0.33	GC0305	<0.008	-	<2	8	107	<1	5.6
114	115	0.35	GC0306	<0.008	-	<2	5	116	1	5.2
115	116	0.26	GC0307	<0.008	<0.008	5	<3	106	1	5.3
116	117	0.35	GC0308	<0.008	-	2	<3	113	1	4
117	118	0.30	GC0309	<0.008	-	<2	5	112	1	11.3
118	119	0.31	GC0310	<0.008	-	2	<3	90	1	6.2
119	120	0.39	GC0311	<0.008	-	2	<3	115	1	6.2
120	121	0.32	GC0312	<0.008	-	2	6	125	1	5.8
121	122	0.31	GC0313	<0.008	-	6	9	104	1	3.9
122	123	19.6	GC0314	<0.008	-	261	7	136	3	6.9
123	124	24.7	GC0315	<0.008	-	222	10	154	2	5.2
124	125	12.2	GC0316	<0.008	-	135	3	114	2	2.3
125	126	10.6	GC0317	<0.008	-	167	3	107	2	1.7
126	127	2.65	GC0318	<0.008	-	130	7	124	2	2.6
127	128	0.39	GC0319	<0.008	-	3	12	107	1	8.6
128	129	0.32	GC0320	<0.008	-	3	13	102	1	4.4
129	130	0.12	GC0321	<0.008	-	2	7	120	1	3.3
130	131	0.33	GC0322	<0.008	-	11	12	134	1	2.6
131	132	0.35	GC0323	<0.008	-	4	10	121	<1	2.2
132	133	1.40	GC0324	<0.008	-	3	8	110	1	1.8
133	134	28.2	GC0325	<0.008	-	8	4	135	1	3.6
134	135	29.5	GC0326	<0.008	-	7	<3	236	1	11.4
135	136	40.7	GC0327	<0.008	-	24	9	220	3	3.6
136	137	38.3	GC0328	<0.008	-	189	<3	216	2	1.5
137	138	24.8	GC0329	<0.008	-	254	15	234	3	<0.5
138	139	9.92	GC0330	<0.008	-	220	8	342	3	<0.5
139	140	31.7	GC0331	0.008	-	262	12	282	3	<0.5
140	141	39.0	GC0332	0.011	-	244	9	229	3	<0.5
141	142	23.0	GC0333	<0.008	-	26	4	218	1	<0.5
142	143	35.4	GC0334	<0.008	-	36	4	191	2	<0.5
143	144	16.1	GC0335	<0.008	-	34	11	219	3	10.8
144	145	1.35	GC0336	<0.008	-	7	4	144	2	0.7
145	146	0.39	GC0337	0.013	-	5	<3	179	1	1
146	147	0.53	GC0338	<0.008	-	9	<3	187	2	<0.5
147	148	0.92	GC0339	<0.008	-	7	<3	243	2	0.7
148	149	3.73	GC0340	<0.008	-	9	3	257	3	0.5
149	150	17.5	GC0341	0.008	-	9	5	254	3	7.5
150	151	21.5	GC0342	<0.008	<0.008	32	9	262	3	2
151	152	62.2	GC0343	<0.008	-	388	6	214	2	0.7
152	153	39.2	GC0344	0.018	0.02	1891	5	164	2	<0.5
153	154	5.03	GC0345	0.138	0.12	2679	7	147	2	<0.5
154	155	0.70	GC0346	<0.005	-	2	<3	124	1	0.9
155	156	0.60	GC0347	<0.005	-	5	<3	166	2	0.9
156	157	1.12	GC0348	<0.005	-	7	<3	200	1	0.6

Depth										
From (m)	To (m)	Magnetic Susceptibility	Assay Number	Au	Au(R)	Cu	Pb	Zn	Ag	As
157	158	7.57	GC0349	<0.005	-	78	4	221	2	1.2
158	159	9.26	GC0350	<0.005	-	29	7	182	2	9.4
159	160	0.33	GC0351	<0.005	-	60	7	101	2	2.9
160	161	0.28	GC0352	<0.005	-	131	4	111	2	1.8
161	162	0.65	GC0353	<0.005	-	243	15	161	2	2.3
162	163	0.51	GC0354	<0.005	-	101	8	113	2	2
163	164	0.35	GC0355	<0.005	-	9	5	82	1	<0.5
164	165	0.35	GC0356	<0.005	-	25	11	76	2	0.8
165	166	0.31	GC0357	<0.005	<0.005	50	7	87	2	0.8
166	167	0.31	GC0358	<0.005	-	47	6	90	2	<0.5
167	168	0.73	GC0359	<0.005	-	47	14	91	2	1.4
168	169	0.27	GC0360	<0.005	-	94	48	83	2	8.9
169	170	0.26	GC0361	<0.005	-	99	33	84	2	4.8
170	171	0.26	GC0362	<0.005	-	63	21	79	3	1.1
171	172	0.34	GC0363	<0.005	-	461	12	67	2	<0.5
172	173	0.33	GC0364	<0.005	<0.005	5	6	73	1	2
173	174	0.36	GC0365	<0.005	-	3	6	70	2	3
174	175	0.30	GC0366	<0.005	-	<2	7	71	1	1.8
175	176	0.27	GC0367	<0.005	<0.005	3	9	73	1	2.1
176	177	0.37	GC0368	<0.005	-	3	13	103	2	2
177	178	0.35	GC0369	<0.005	-	3	8	73	2	1.6
178	179	0.36	GC0370	<0.005	-	<2	8	77	1	11.4
179	180	0.30	GC0371	<0.005	-	20	10	68	1	4.8
180	181	0.24	GC0372	<0.005	-	13	9	50	1	2.8
181	182	0.47	GC0373	<0.005	-	19	7	69	1	3.9
182	183	0.41	GC0374	<0.005	-	10	13	68	1	3.5
183	184	0.43	GC0375	0.021	-	5	12	72	1	4.8
184	185	0.33	GC0376	<0.005	-	4	6	77	2	4.2
185	186	0.30	GC0377	<0.005	-	11	10	65	1	7.3
186	187	0.25	GC0378	<0.005	-	16	12	64	1	4.5
187	188	0.24	GC0379	<0.005	-	103	<3	85	1	4.8
188	189	0.21	GC0380	<0.005	-	56	10	78	1	3
189	190	0.28	GC0381	<0.005	-	19	4	81	1	3.1
190	191	0.27	GC0382	<0.005	<0.005	23	6	99	1	3.4
191	192	0.27	GC0383	<0.005	-	63	10	93	1	3.8
192	193	0.37	GC0384	<0.005	-	78	<3	102	2	2.6
193	194	0.25	GC0385	<0.005	-	220	6	82	1	1.7
194	195	0.35	GC0386	<0.005	-	108	9	90	1	12.9
195	196	0.31	GC0387	<0.005	-	264	6	77	2	5.5
196	197	0.30	GC0388	<0.005	-	59	7	76	1	3.1
197	198	0.26	GC0389	<0.005	-	7	9	81	1	3.1
198	199	0.40	GC0390	<0.005	-	79	6	87	2	2.7
199	200	0.35	GC0391	<0.005	-	54	5	80	1	2.7
200	201	0.37	GC0392	<0.005	<0.005	36	<3	72	1	9.6
201	202	0.32	GC0393	<0.005	-	32	5	77	1	4.6
202	203	0.24	GC0394	<0.005	-	116	14	62	1	2.9

3. Camera Surveys

Hole	Depth (m)	Azimuth (AMG)	Dip
LREDDH1	44	100.5	52
LREDDH1	74	98	52
LREDDH1	104	98.5	51
LREDDH1	134	100	50
LREDDH1	164	102	50
LREDDH1	194	103	50

4. Summary lithological log

Depth (m)	Lithology
0-6.5	Tertiary granule gravel and sand cemented by brown organic material and ?iron minerals.
6.5-8	Brown, gritty clay (?Tertiary). Progressive change from clay displaying relict bedrock texture at 8m to relatively fresh rock at 36m.
8-32.7	Fairly massive, fine grained mafic metamorphic rock comprising ferromagnesian minerals (?epidote, ?actinolite, ?chlorite) and feldspar (?albite) with minor disseminated sulphide. Mineral grains aligned in a foliation subparallel to the core axis. Veins of grey and white quartz at 14m, 15.5m. See samples G079, 080 in Appendix 4.
32.7-35	Mafic schist including material rich in disseminated pyrite. Quartz veins carrying pyrite and ?galena. Sample G081, Appendix 4.
35-40.8	Fairly massive mafic rock with thin interval of black pyritic schist at 37.5-35.8m. Sample G082, Appendix 4.
40.8-41.7	Mafic schist comprising mainly chlorite with subordinate feldspar.
41.7-43	Fairly massive mafic rock.
43-49.5	Interbands of schistose and fairly massive mafic material. Dark green chlorite (?and talc) schist with about 10% pyrite disseminated and in seams at 45.6m = G083, Appendix 4.
49.5-53	Fairly massive mafic rock. Fractures containing quartz, pyrite and hematite at 51.7m. Minor (<1%) disseminated pyrite present. Sample G084, Appendix 4.
53-67	Mafic schist. Boudinaged quartz, rhodochrosite, cream carbonate veins. White (?albitic) metamorphic segregation laminae locally abundant. Sample G085, Appendix 4.
67-82	Fairly massive mafic rock with relatively few boudins. Epidote veins present. Approximately 3-5% disseminated magnetite with subordinate pyrite at 80.2m. Quartz-rhodochrosite veins present. See samples G086, G087, Appendix 4.
82-85.3	Fairly massive and schistose, mafic interbands.
85.3-130.9	Schistose mafic rock with abundant, irregular, white (?albitic) metamorphic segregation laminae. Scattered quartz, rhodochrosite, chlorite (?talc) veins. Metamorphic foliation folded at 126.5m with axial surfaces (S2) parallel core axis. Samples G088, G089 in Appendix 4.
130.9-136	Fairly massive and schistose, mafic interbands.
136-138.7	Mostly relatively massive mafic material. White carbonate, quartz and rhodochrosite veinlets. Sample G091, Appendix 4.
138.7-140.8	Fairly massive and schistose, mafic interbands.
140.8-200	Mafic schist with abundant white (?albitic) metamorphic segregation laminae. Chalcopyrite on fractures and in patches through rock at 150.22m. Quartz, rhodochrosite veins present. Some carbonate in veins is orange. Samples G092-097 in Appendix 3.
	Note: Below 45m the metamorphic lamination (S1) is oblique by 30°-75° to the core axis whilst S2 is subparallel or slightly oblique to the axis.