

BORE No. 7

Collar at R.L. 671.0'

Inclination 50° bearing 10° 32 1/2'

BORE No. 8

Collar at R.L. 671.0'

Inclination 60° bearing 190° 32 1/2'

BORE No. 9

Collar at R.L. 724.1'

Inclination 70° bearing 350° 57'

BORE No. 10

Collar at R.L. 725.1'

Inclination 60° bearing 170° 57'

BORE No. 11

Collar at R.L. 771.1'

Inclination 70° bearing 11° 43'

BORE No. 12

Collar at R.L. 771.6'

Inclination 60° bearing 11° 43'

Table for Bore No. 7 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 671.00 to 517.78.

Table for Bore No. 8 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 667.10 to 582.65.

Table for Bore No. 9 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 725.10 to 559.66.

Table for Bore No. 10 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 725.10 to 579.62.

Table for Bore No. 11 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 771.16 to 581.28.

Table for Bore No. 12 with columns: Reduced Level, Thickness (line in ft) of Ca Co3, Description. Rows 771.60 to 598.42.

D.K. Dickinson QUARRY MANAGER

AUSTRALIAN COMMONWEALTH CARBIDE Co. LTD.

20.12.47 Additions 24.7.48

IDA BAY LIMESTONE BORE DIAGRAMS SHEET No. 3. SOUTHERN SECTION

No. 5 QUARRY AREA VERTICAL SCALE 1IN. = 10 FT.

1623

696

5 cm

1623-93