



vertical  
 o—o—o—o—o—o—o—o  
 horizontal  
 x—x—x—x—x—x—x—x



50 ft spacing  
 o—o—o—o—o—o—o—o  
 100 ft spacing  
 x—x—x—x—x—x—x—x

STATION	500	450	400	350	300	250	200	150	100	50	0	50	100	150	200	250
ELEVATION	87.2	79.2	72.8	72.6	69.1	64.4	59.9	55.2	49.9	44.2	37.6	33.3	30.0	26.9	25.0	26.3
DEPTH		98	90	96	96	99	113	116	94	79	55					

STATION	500	450	400	350	300	250	200	150	100	50	0	50	100	150	200	250
ELEVATION	76.5	68.8	62.8	57.7	53.5	50.2	47.9	45.0	43.7	42.3	39.6	23.0	27.4	107		
DEPTH		92	95	94		89	98	108	102	101	100					

2600 - seismic velocity in ft/sec.

GEOPHYSICAL SURVEY  
 FOR  
 GOLIATH PORTLAND CEMENT CO. LTD.  
 RAILTON TASMANIA  
 TRAVERSES, E AND F

SCALE  
 0 50 100 150 200 250 300

1767

800

5 cm

MINES DRAWING OFFICE  
 FILE COPY  
 PLEASE RETURN