



SECTION A-A, S.E. WALL IN X-CUT FROM UNDERLAY SHAFT


0 5 10 15 FT.



SECTION B-B, (S.E. WALL)




SECTION C-C, N°2 LEVEL - N.W. FACE




SECTION D-D, (S.E. WALL)


0 5 10 15 FT.



SECTION E-E, (N.W. FACE)




SECTION F-F, (VIEW S.E.)




SECTION G-G, (S.E. WALL IN END X-CUT)


0 5 10 15 FT.




SECTION H-H, (N°3 STOPE, VIEW S.E.)




SECTION I-I, (N°3 STOPE VIEW S.E.)




SECTION J-J, (N°3 STOPE VIEW N.W.)



SECTION K-K, (N°2 STOPE, S.E. FACE)



ROOF SECTION L-L, (N°2 STOPE AT MIDPOINT VIEW S.E.)




ROOF SECTION M-M, (N°2 STOPE, N.W. END, VIEW N.W.)

LEGEND

- Quartz and quartz mica gneisen, commonly sulphide (Py, Asp, Sph, Cp) and tourmaline bearing.
- Coarse grained granite.
- Fine grained granite.
- s* Sulphide bearing.
- t* Tourmaline bearing.
- py* Pyrite bearing.

All dips indicated are true dips.



SECTION LOCALITY MAP

DEPARTMENT OF MINES - TASMANIA

ROYAL GEORGE TIN MINE
LODE SECTIONS IN LEVEL
& STOPES

DATE	January 1967	SCALE OF FEET	0 2.5 5.0 7.5
GEOLOGIST	G. Urquhart	MAP SHEET & N°	Snow Hill 55
DRAUGHTSMAN	R. Rankivell	FILE N°	
REVISIONS			

2955