

LEGEND

Pyroxenites-south of Barnes Hill

- Y 107/1 (1)
- 人 113/1A (5)
- △ 116/1 (1)

Serpentinites-south of Barnes Hill

- + 105/1 (9)
- × 106/1 (3)
- + 108/1 (6)
- × 109/1 (11)
- × 111/1 (8)
- * 112/1B (2)
- * 113/1B (5)
- * 114/1B (1)

Serpentinites -Barnes Hill

- 118/1 (2)
- ◇ 119/1 (7)
- △ 120/1 (11)
- ▽ 121/1 (4)
- ◇ 122/1 (3)
- ◇ 124/1 (4)
- SPLE38 (2)

Lateritized serpentinite -Barnes Hill


- ◎ TSA (2)
- Laterite-Tattersalls Hill
- 41/1 (1)

Cabbage Tree Formation -Beaconsfield

- 127/1 (1)
- ◆ 128/1 (4)
- ▲ 129/1 (3)

+ Average composition of mould wash

× Average composition of mould sand



COMPOSITION OF CHROMIAN SPINELS

BEACONSFIELD DISTRICT

ELECTRON PROBE MICROANALYSES

$\frac{Fe^{II} \times 100}{Fe^{II} + Mg}$

5 cm

MT FOR
Microfiling

233

4594 A

Fig. 6