


5 cm



Airborne Geophysical Survey and Compilation by




for


DEPARTMENT OF MINES TASMANIA
WEST COAST AREA TASMANIA

CONTOURS OF RESIDUAL TOTAL MAGNETIC INTENSITY

SCALE 1:63,360



SURVEY LOCATION



SHEET INDEX

The data presented is the residual magnetic intensity, after subtracting the International Geomagnetic Reference Field from the observed total magnetic intensity. The data was corrected for diurnal drift using a base station monitor at QUEENSDOWN Airfield, Latitude 42.077 S Longitude 145.529 E Altitude 259 Metres. The sensor height was 3 metres. The adopted value for this location was 62864 nT. Final detailed levelling of the data was performed using tie-line crossover analysis. A simple 3 point filter was applied to the data, which was then gridded and contoured using a 125m by 125m mesh cell.

EQUIPMENT SPECIFICATIONS
Cessna 441BSP Aircraft
SONOTEX 16551 SYSTEM
0.1 nT MAGNETOMETER
256 CHANNEL SPECTROMETER
24 Litre Wal Tih DETECTOR
KING KRAID RADAR ALTIMETER
15m Ground Track no Camera
Industry Standard 9 track
32 Run Magnetic Tape
8 Channel Analogue Recorder
3 Channel Analogue Recorder
for Magnetometer

The nominal flight line separation was 500 metres, and the nominal tie-line bearing was 0 degrees. The observed mean sample interval in the flight direction was 0 metres, achieved with a nominal aircraft speed of 100 knots, and a reading interval of 0.8 seconds. The mean sensor height was 135 metres, using a tower bird configuration. The magnetometer accuracy is 1.0 nT, and the resolution 0.1 nT.

SURVEY BOUNDARY

CONTOUR INTERVAL 5 nTesla

PROJECT NUMBER B1544 SURVEYED MAY 1981