

**LEGEND FOR GEOLOGICAL MAP OF EA SR 1987/216**

FIGURE 2

REPORT 1991/10

AUTHOR: A.V. BROWN

DIVISION OF MINES & MINERAL RESOURCES

DRAFTSPERSON: ASM .02/10/91

5382 **K**

**REFERENCE**

*Stratigraphy*

Cainozoic	Qra	Marsh and swamp deposits; alluvium; river gravels; talus.
Siluro-Devonian	S-Du	Dominantly sandstone with minor siltstone.
Middle Cambrian	Cdb	Interbedded siltstone, sandstone and conglomerate. (Brewery Junction Formation)
	Cdra	Dominantly chert derived, interbedded, conglomerate, pebbly sandstone and sandstone. (Razorback Conglomerate)
	Cdh	Interbedded siltstone and mudstone with minor sandstone. (Hodge Slate)
	Cdre	Poorly-sorted, volcanoclastic, polymic conglomerate. (Red Lead Conglomerate)
Cambrian (?)	Cvs	Interbedded black mudstone, red siltstone, grey volcanoclastic (andesitic) lithicwacke and quartz wacke.
Eocambrian	Ecc	Volcanoclastic (basaltic) lithicwacke, siltstone and mudstone with intercalated tholeiitic basalt flows. (Crimson Creek Formation)

*Igneous Rocks*

Devonian (?)	Ecc	Red and white massive quartz bodies.
Cambrian (?)	Cg	Subophitic textured gabbroic rocks.
Cambrian	Csb	Basalt, commonly with pillows and individual flows graded from coarse-grained bases to fine-grained tops.
	Csg	Massive and multiply-intrusive two-pyroxene, granular textured gabbro.
	Cspg	Serpentinised peridotite with intrusive gabbro.
	Csp	Serpentinised, orthopyroxene-rich, peridotite.
	Csd	Serpentinised, olivine-rich, peridotite.
	Csa	Undifferentiated, massive and foliated, serpentinite.

----- Geological boundary, approximate.

———— Faulted boundary, approximate.

↙ ↘ Bedding, facing known, unknown.

└ ┘ Foliation, undifferentiated, vertical.

✕ Abandoned mine or workings.