

1984/31. Offshore well data held by the Tasmania Department of Mines

P.W. Baillie  
J.W. Hudspeth

#### Abstract

Data held by the Department of Mines for each offshore well drilled in Tasmanian waters since the first well (Bass 1) was drilled in 1965 are tabulated.

#### INTRODUCTION

To date 26 offshore exploration wells have been drilled in Tasmanian waters. Of these, four have been drilled in the Otway Basin, nineteen in the Bass Basin and three in the Gippsland Basin.

The forms included as part of this report tabulate data held by the Department of Mines for each of these wells. Information includes: locality and water depth, when the well was drilled, by whom and for whom, lists of reports and the various wireline logs run. Cores taken and formation tests carried out are detailed.

Reports and logs are housed in the Department of Mines Library; cores and cuttings are stored at the Department's Mornington Core Library; thin sections and micropalaeontological and palynological preparations are housed in fire-proof storage at the Department's Rosny Park offices.

[31 May 1984]

2/27

WELL NAME AROO 1		BASIN BASS		COMPANY HEMATITE	
LOCATION Central Bass Basin		PERMIT T/3P		DRILL RIG Glomar Conception	
WELL NO. 22	OPERATOR Hematite	LAT. 39°47'30.325"S	LONG. 145°26'47.976"E	AMG	
SPUDDED 4.3.74	REACHED TD 19.4.74	RIG RELEASED 23.4.74	TD 12112'	WD 250'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15f/Sonic/GR	1	3030'	Schlumberger	2", 5"	2	-
15f/Sonic	2	9688'	Schlumberger	2", 5"	2	-
15f/Sonic/GR	3	11257'	Schlumberger	2", 5"	2	-
15f	4	11973'	Schlumberger	2", 5"	2	-
FDC/CNL/GR	2, 3	10572'	Schlumberger	2", 5"	4	-
FDC/GR	1	11982'	Schlumberger	2", 5"	2	-
CCL	1		Schlumberger	5"	1	-
CAL	1, 2	11251'	Schlumberger	5"	2	-
PML	1	9685'	Schlumberger	2", 5"	2	-
HDT	1	9694'	Schlumberger	10"	1	-
Dip(Int)	2	9694'	Schlumberger	2", 5", polar	4	-
FIT	1, 2, 3		Schlumberger		3	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG /

WELL COMPLETION-REPORT /

TIME-DEPTH CURVE /

PALYNOLOGY REPORT / PALAEOLOGY REPORT / PETROLOGY REPORT /

MUD AND CUTTINGS ANALYSIS Baroid

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED /

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (1) 9530', (2) 9133', (3) 10318', (4) 10708', (5) 10890'

CORE (1) 9515-9545', (2) 9545-9570', (3) 11782-11812'

85 SWC recovered

Core received /

OTHER Well Velocity Survey Report, Schlumberger Synergetic Logs

3/27

WELL NAME BASS 1		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG	
WELL NO. 01	OPERATOR Esso	LAT. 39°46'18"S	LONG. 145°44'3"E	AMG	
SPUDED 21.7.65	REACHED TD 8.9.65	RIG RELEASED 14.9.65	TD 7717'	WD	KB to SL 31'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1,2,3,4	7704'	Schlumberger	2", 5"	7 (No run 2-2")	8
IEL	1,2,3,4,	7708'	Schlumberger	2", 5"	8	8
BHC/GR	1,2,3,4	7696'	Schlumberger	2", 5"	8	8
CDM	1,2,3	7680'	Schlumberger	2"	3	-
Dip(Int.)	1,2,3	7680'	Schlumberger	2"	3	

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE	HOLE STATUS Plugged and abandoned
---	----------	--------------------------------------

## WELL COMPLETION-LOG

## WELL COMPLETION-REPORT /

## TIME-DEPTH CURVE

PALYNOLOGY REPORT /	PALAEONTOLOGY REPORT /	PETROLOGY REPORT /
---------------------	------------------------	--------------------

## MUD AND CUTTINGS ANALYSIS

Grapholog (Corelab)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED /
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST
-----

FIT
-----

CORE (1) 1500-1530', (2) 1998-2028', (3) 2495-2519', (4) 2617-2647', (5) 3141-3171', (6) 3665-3679', (7) 3881-3911', (8) 4405-4430', (9) 4857-4883', (10) 5382-5401', (11) 5880-5905', (12) 6405-6430', (13) 6930-6960', (14) 7419-7448', (15) 7692-7717',  
17 SWC recovered

Core received /

## OTHER

4/27

WELL NAME BASS 2		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG	
WELL NO. 02	OPERATOR Esso	LAT. 39°53'09"S	LONG. 146°18'15"S	AMG	
SPUDED 14.4.66	REACHED TD 21.5.66	RIG RELEASED 25.5.66	TD 5910'	WD 280'	KB to SL 31'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1, 2	3432'	Schlumberger	2", 5"	4	4
BHC/GR	1, 2	5904'	Schlumberger	2", 5"	4	4
IEL	1, 2, 3	5910'	Schlumberger	2", 5"	6	6
Dip (Int.)	1, 2, 3	5910'	Schlumberger	2", 5"	6	6
DRILLING CONTRACTOR Global Marine A/asia			RIG TYPE	HOLE STATUS Plugged and abandoned		
WELL COMPLETION-LOG			✓			
WELL COMPLETION-REPORT			✓			
TIME-DEPTH CURVE			✓			
PALYNOLOGY REPORT			PALAEONTOLOGY REPORT		PETROLOGY REPORT	
			✓		✓	
MUD AND CUTTINGS ANALYSIS      Grapholog (Corelab)						
DAILY REPORTS			WEEKLY REPORTS		CUTTINGS RECEIVED	
					✓	
WATER SAMPLES			OIL SAMPLES		GAS SAMPLES	
DST						
FIT						
CORE    (1) 2504-2532', (2) 3025-3055', (3) 3518-3532', (4) 3800-3828', (5) 4130-4160', (6) 4416-4444', (7) 4740-4762', (8) 5062-5092', (9) 5508-5521', (10) 5900-5910'						
14 SWC recovered					Core received	
OTHER						

5/27

WELL NAME BASS 3		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG	
WELL NO. 03	OPERATOR Esso	LAT 39°59'51"S	LONG 145°16'57"E	AMG	
SPUDED 11.2.67	REACHED TD 29.3.67	RIG RELEASED 2.4.67	TD 7978'	WD 202'	KB to SL 31'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1, 2	7979'	Schlumberger	2", 5"	4	-
BHC/GR	1, 2, 3	7976'	Schlumberger	2", 5"	6	-
IEL	1, 2	6235'	Schlumberger	2", 5"	4	-
FDC	3	7984'	Schlumberger	2", 5"	2	
Dip(Int.)	1	2069	Schlumberger	2", 5"	2	

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE	HOLE STATUS Plugged and abandoned
---	----------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT
-------------------	------------------------	------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 3000-3030', (2) 3500-3530', (3) 3997-4022', (4) 4516-4539', (5) 5009-5039', (6) 5315-5336', (7) 5620-5650', (8) 5905-5920', 6420-6442', (10) 6903-6933', (11) 7433-7453', (12) 7877-7892', (13) 7903-7914', (14) 7974-7978'		Core received ✓
26 SWC recovered		

OTHER Gas Analysis Log

6/27

WELL NAME BLUEBONE 1		BASIN GIPPSLAND		COMPANY HEMATITE	
LOCATION 20 m N of Flinders Island		PERMIT T/4P		DRILL RIG Glomar III	
WELL NO. 07	OPERATOR Esso	LAT. 39°24'24.296"S	LONG. 147°50'52.740"E	AMG	
SPUDED 26.9.69	REACHED TD 1.10.69	RIG RELEASED 1.10.69	TD 1984'	WD 158'	KB to SL 31'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IEL	1,2	1978'	Schlumberger	2", 5"	4	4
FDC	1,2	1979'	Schlumberger	2", 5"	3 (No run 2-5")	4
BHC/GR	1	1255'	Schlumberger	2", 5"	2	2
BHC/CAL	1	1969'	Schlumberger	2", 5"	2	2
Dip (Int)	1	1978'	Schlumberger	5"	1	1

DRILLING CONTRACTOR Global Marine		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG		✓	
WELL COMPLETION-REPORT		✓	
TIME-DEPTH CURVE		✓	(+ transparency)
PALYNOLOGY REPORT		✓	PALAEONTOLOGY REPORT
		✓	PETROLOGY REPORT
MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)			
DAILY REPORTS		WEEKLY REPORTS	CUTTINGS RECEIVED
			✓
WATER SAMPLES		OIL SAMPLES	GAS SAMPLES
DST			
FIT			
CORE (1) 1675-1687', (2) 1966-1984'			
21 SWC recovered			Core received
			✓
OTHER			

7/27

WELL NAME CAPE SORELL 1		BASIN OTWAY		COMPANY AMOCO	
LOCATION 8 km NW Cape Sorell		PERMIT T/12P		DRILL RIG Diamond M Epoch	
WELL NO. 26	OPERATOR Amoco	LAT 42°08'09.646"S	LONG 145°01'45.84"E	AMG 372332	
SPUDDER 3.7.82	REACHED TD 3.9.82	RIG RELEASED 14.9.82	TD 11576'	WD 309'	KB to SL 72'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
DIS/BHC/GR	1	1440'	Schlumberger	1:200, 1:500	-	2
FDC/CNL/GR	1	1437'	Schlumberger	1:200, 1:500	1 of 1:200	2
DIS/BHC/CAL/ GR/SP	2	4146'	Schlumberger	1:200, 1:500	2	2
DIL/BHC/GR	3	9025'	Schlumberger	1:200, 1:500	2	2
DLL/MSFL/GR	3	9010'	Schlumberger	1:200, 1:500	2	2
LDL/CNL/GR	3, 4	11558'	Schlumberger	1:200, 1:500	4	4
DIL/SLS/GR	4	11556'	Schlumberger	1:200, 1:500	2	2
HDT	1,2,3,4	11558'	Schlumberger	1:200	3 - (No run 3)	4
RFT	4		Schlumberger		1	1
Dip(Int)	2,3,4	11558'	Schlumberger	1:200	-	3
TEMP		4042'	Schlumberger	1:200, 1:500	2	2
CBL/UDL/GR		8990'	Schlumberger	1:200	1	1

DRILLING CONTRACTOR Diamond M Drilling Co.	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
---	------------------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

## TIME-DEPTH CURVE

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
---------------------	------------------------	--------------------

MUD AND CUTTINGS ANALYSIS Geoservices Overseas S.A.

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT (RFT) (1) 10586, (2) 10588, (3) 11240, (4) 11242, (5) 11321, (6) 11322, (7) 11336, (8) 11338, (9) 11352

CORE (1) 11420-11427'

44 SWC recovered

Core received ✓

OTHER Geochemical analysis (various); Geohistory analysis (RR); Well velocity survey; Cement Bond Log; Velocity Survey Check Shots Log; Global (CPI) Log; Seismic calibration Log; Directional Survey

8/27

WELL NAME CLAM 1		BASIN OTWAY		COMPANY HEMATITE	
LOCATION 43 m S of King Island		PERMIT T/5P		DRILL RIG	
WELL NO. 06	OPERATOR Esso	LAT. 40°51'52.419"S	LONG. 144°12'55.153"E	AMG	
SPUDED 19.7.69	REACHED TD 3.8.69	RIG RELEASED 15.8.69	TD 5323'	WD 334'	KB to SL

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IEL	1,2	5323'	Schlumberger	2", 5"	2- no 2" run 1 or 2	4
FDC	1	5318'	Schlumberger	2", 5"	2	2
BHC	1	2015'	Schlumberger	2", 5"	2	2
BHC/SP	2	5318'	Schlumberger	2", 5"	2	2
CDM	1	5314'	Schlumberger	2"	1	1
Dip(Int)	1	5314'	Schlumberger	5"	1	1
HDT(Int)	1	5314'	Schlumberger	2", 5"	2	2

DRILLING CONTRACTOR ODECO	RIG TYPE	HOLE STATUS Plugged and abandoned
------------------------------	----------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓ (+ transparency)

PALYNOLOGY REPORT ✓

PALAEOLOGY REPORT ✓

PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS

Exploration logging (+transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 1366-1370', (2) 1370-1394' (0%), (3) 2846-2849', (4) 3157-3167', (5) 4478-4508',  
(6) 5316-5323'  
68 SWC recovered

Core received ✓

OTHER Report by Geochrom Labs on K/Ar analysis - Core 6 (630±21 Ma)



9/27

WELL NAME CORMORANT 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 17.6 m NW of Bass 1		PERMIT T/3P		DRILL RIG Ocean Digger	
WELL NO. 10	OPERATOR Esso	LAT. 30°34'22.8"S	LONG. 145°31'35.7"E	AMG	
SPUDED 11.6.70	REACHED TD	RIG RELEASED 27.7.70	TD 9845'	WD 240'	KB to SL 100'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3	9834'	Schlumberger	2", 5"	6	5 (No run 2-5")
BHC/GR	1	2999'	Schlumberger	2", 5"	2	2
BHC	2	9836'	Schlumberger	2", 5"	2	2
FDC/GR	1,2	9832'	Schlumberger	2", 5"	4	4
MLL	1	6600	Schlumberger	2", 5"	2	2
CDM	1	9832'	Schlumberger	2", 5"	2	-
FIT	1,2				2	2

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
------------------------------	------------------------------	--------------------------------------

## WELL COMPLETION-LOG

## WELL COMPLETION-REPORT ✓

## TIME-DEPTH CURVE

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
---------------------	------------------------	--------------------

## MUD AND CUTTINGS ANALYSIS Exploration logging

DAILY REPORTS	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
WATER SAMPLES ✓	OIL SAMPLES ✓	GAS SAMPLES

## DST

FIT (1) 6890, (2) 7694, (3) 7462, (4) 7456, (5) 6587, (6) 4922, (7) 6588, (8) 6003, (9) 5644, (10) 4703, (11) 4711, (12) 5003, (13) 4647	
CORE (1) 2972-3002', (2) 3799-3819', (3) 4271-4289', (4) 4289-4316', (5) 4934-4963', (6) 4963-4993', (7) 5513-5543', (8) 5989-6019', (9) 6543-6563', (10) 7297-7337', (11) 8100-8116', (12) 8683-8707', (13) 9098-9128'	Core received ✓
71 SWC recovered	

## OTHER Hydrocarbon report

10/27

WELL NAME DONDU 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 8.3 m SW of Bass 2		PERMIT T/4P		DRILL RIG Glomar Conception	
WELL NO. 18	OPERATOR Esso	LAT. 39°59'12.52"S	LONG. 146°13'2.60"E	AMG 433183E 5573398N	
SPUDED 30.5.73	REACHED TD	RIG RELEASED 1.7.73	TD 9603'	WD 269'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF	1,2	9602'	Schlumberger	2", 5"	4	4
BHC	1,2	9600'	Schlumberger	2", 5"	4	4
FDC/CNL/GR	1,2	9606'	Schlumberger	2", 5"	4	4
HDT	1	9606'	Schlumberger	10"	1	-
Dip(Int)	1	9606'	Data Analysis	2", 5"	2	-
FIT	1		Schlumberger		1	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG ✓			
WELL COMPLETION-REPORT ✓			
TIME-DEPTH CURVE ✓			
PALYNOLOGY REPORT ✓		PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT
MUD AND CUTTINGS ANALYSIS Baroid			
DAILY REPORTS		WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
WATER SAMPLES		OIL SAMPLES	GAS SAMPLES
DST			
FIT (1) 9550'			
CORE (1) 7674-7733'			
56 SWC recovered			Core received ✓
OTHER			

11/27

WELL NAME DURROON 1		BASIN BASS		COMPANY HEMATITE	
LOCATION SE Bass Basin		PERMIT T/6P		DRILL RIG Glomar Conception	
WELL NO. 16	OPERATOR Esso	LAT. 40°32'2.94"S	LONG. 147°12'48.49"E	AMG 518079E 5512917N	
SPUDDED 22.10.72	REACHED TD	RIG RELEASED 24.11.72	TD 9922'	WD 225'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F/SONIC	1,2,3	9906'	Schlumberger	2", 5"	6	6
FDC/CNL/GR	1,2,3	9912'	Schlumberger	2", 5"	6	6
Dip (Int)	1,2	9914'	Data Analysis	2", 5"	4	-
FIT	1		Schlumberger		1	1
DIR	1	5174'	Schlumberger	5"	1	-

DRILLING CONTRACTOR Global Marine A/Asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
---------------------	------------------------	--------------------

MUD AND CUTTINGS ANALYSIS Baroid

DAILY REPORTS	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
---------------	------------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT  
(1) 6030

CORE (1) 1636-1678', (2) 5207-5207', (3) 5547-5566' 1 &amp; 2 not recovered

85 SWC recovered

Core received ✓

OTHER

12/27

WELL NAME KONKON 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 35 m NW Cormorant		PERMIT T/3P		DRILL RIG Glomar Conception	
WELL NO. 17	OPERATOR Esso	LAT. 39°12'19.584"S	LONG. 145°3'39.721"	AMC 332581E 5658619N	
SPUDDED 13.5.73	REACHED TD	RIG RELEASED 29.5.73	TD 5043'	WD 230'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F	1	5020'	Schlumberger	2", 5"	2	2
BHC	1	5018'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	5026'	Schlumberger	2", 5"	2	2
HDT	1	5018'	Schlumberger	10"	1	1
Dip(Int)	1	5018'	Data Analysis	2", 5"	2	2

DRILLING CONTRACTOR Global Marine A/Asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓ (+ transparency)

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS

Baroid

DAILY REPORTS WEEKLY REPORTS ✓ CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 4411-4441'

56 SWC recovered

Core received ✓

OTHER Rock log (clastics)

13/07

WELL NAME NANGKERO 1		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT T/4P		DRILL RIG Glomar Conception	
WELL NO. 23	OPERATOR Hematite	LAT. 40°04'24.161"S	LONG. 145°58'41.952"E	AMG	
SFUDDED 24.4.74	REACHED TD 12.5.74	RIG RELEASED 15.5.74	TD 9440'	WD 261'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F/GR	1,2	5400'	Schlumberger	2"	2	2
15F/SONIC	1,2	9455'	Schlumberger	5"	2	2
FDC/CNL/GR	1	9448'	Schlumberger	2", 5"	2	2
CAL	1	3245'	Schlumberger	5"	-	1
HDT	1	9448'	Schlumberger	10"	1	1
Dip(Int)	1	9448'	Schlumberger	2" + polar	4	4
FIT	1		Schlumberger		1	1

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Dry; plugged and abandoned
---	----------------------	---

WELL COMPLETION-LOG	✓
---------------------	---

WELL COMPLETION-REPORT	✓
------------------------	---

TIME-DEPTH CURVE	✓
------------------	---

PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	✓	PETROLOGY REPORT
-------------------	---	----------------------	---	------------------

MUD AND CUTTINGS ANALYSIS	Baroid (+ transparency)
---------------------------	-------------------------

DAILY REPORTS	✓	WEEKLY REPORTS	✓	CUTTINGS RECEIVED	✓
---------------	---	----------------	---	-------------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST
-----

FIT	(1) 9304, (2) 9054, (3) 7376, (4) 7370
-----	--

CORE	(1) 7393-7423'
------	----------------

58 SWC recovered

Core received	✓
---------------	---

OTHER

14/27

WELL NAME NARIMBA 1		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT T/5P		DRILL RIG Glomar Conception	
WELL NO. 20	OPERATOR Esso	LAT 40°16'18.08"S	LONG 145°43'53.581"E	AMG	
SPUDED 31.8.73	REACHED TD 1.10.73	RIG RELEASED 4.10.73	TD 11,003'	WD 253'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F	1,2,3,4,5	11003'	Schlumberger	2", 5"	6 - only Run 5 at 5"	-
15F/SONIC	1,2,3,4	10402'	Schlumberger	2", 5"	7 - No Run 1 at 2"	-
BHC	5	10982'	Schlumberger	2", 5"	2	-
HDT	1,2	10989'	Schlumberger	10"	2	-
Dip(Int)	1,2	10989'	Data Analysis	2", 5"	4	-
FDC/CNL/GR	1,2,3,4,5	10992'	Schlumberger		10	-
FIT	1,2,3		Schlumberger		3	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG		✓	
WELL COMPLETION-REPORT		✓	
TIME-DEPTH CURVE		✓	
PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	✓
		PETROLOGY REPORT	✓
MUD AND CUTTINGS ANALYSIS		Baroid	
DAILY REPORTS		WEEKLY REPORTS	CUTTINGS RECEIVED
			✓
WATER SAMPLES	✓	OIL SAMPLES	GAS SAMPLES
DST			
FIT (1) 9440 (2) 9842 (3) 9578 (4) 10,251 (5) 10,049			
CORE (1) 9278-9307, (2) 9542-9561, (3) 9750-9756			
84 SWC recovered			
			Core received
			✓

OTHER Source analysis of canned cuttings  
In 1980 Shell did a source-rock evaluation

15/27

WELL NAME MULLET 1		BASIN GIPPSLAND		COMPANY HEMATITE	
LOCATION Gippsland		PERMIT T/4P		DRILL RIG Glomar III	
WELL NO. 05	OPERATOR Esso	LAT. 39°13'02"S	LONG. 147°51'22"E	AMG	
SPUDED 9.1.69	REACHED TD	RIG RELEASED 17.1.69	TD 2643'	WD 175'	KB to SL 31'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	2456'	Schlumberger	2", 5"	4	4
BHC/GR	1,2	2457'	Schlumberger	2", 5"	4	5" only
FDC	1	2457'	Schlumberger	2", 5"	2	2
CDM	1	2453'	Schlumberger	2"	-	1
Dip(Int)	1	2453'	Schlumberger	5"	1	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT /

TIME-DEPTH CURVE /

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT	PETROLOGY REPORT
-------------------	----------------------	------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)

DAILY REPORTS	WEEKLY REPORTS /	CUTTINGS RECEIVED /
WATER SAMPLES	OIL SAMPLES	GAS SAMPLES

DST

FIT

CORE (1) 2350-2385' (2) 2391-2468' (3) 2426-2441'

45 SWC recovered

Core received

OTHER

16/27

WELL NAME PELICAN 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 39.8 m NE of Rocky Cape		PERMIT T/6P		DRILL RIG Ocean Digger	
WELL NO. 09	OPERATOR Esso	LAT. 40°20'20.8"S	LONG. 145°50'37.1"E	AMG	
SPUDED 19.3.70	REACHED TD	RIG RELEASED 1.5.70	TD 10,428'	WD 251'	KB to SL 100'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3	10414'	Schlumberger	2", 5"	6	6
LL7	1	10408'	Schlumberger	2", 5"	2	2
MLL	1,2	10414'	Schlumberger	2", 5"	4	4
BHC	3	10408'	Schlumberger	2", 5"	2	-
BHC/GR	1,2,3	10408'	Schlumberger	2", 5"	6	6
GR/N	1,2	10414'	Schlumberger	2", 5"	4	4
FDC/GR	1,2	10414'	Schlumberger	2", 5"	4	4
FDC/GR	3	10415'	Schlumberger	2", 5"	2	-
CDM	1,2	10415'	Schlumberger	2", 5"	4	-
FIT	2		Schlumberger		2	2

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

## WELL COMPLETION-LOG

## WELL COMPLETION-REPORT

✓

## TIME-DEPTH CURVE

✓

## PALYNOLOGY REPORT

✓

## PALAEOLOGY REPORT

## PETROLOGY REPORT

✓

## MUD AND CUTTINGS ANALYSIS

## Exploration logging

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED
	✓	✓
WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
✓		

## DST

FIT (1) 8557, (2) 8484, (3) 8367, (4) 8138, (5) 8115, (6) 8515, (7) 10368, (8) 10372, (9) 10333, (10) 10045, (11) 9858, (12) 9474, (13) 10041, (14) 9422, (15) 9424, (16) 9378, (17) 9167, (18) 9107, (19) 8985, (20) 8640, (21) 8367

CORE (1) 5600-5630', (2) 5840-5861', (3) 7110-7130', (4) 7749-7777', (5) 8354-8384', (6) 8540-8570', (7) 9263-9283', (8) 9426-9456', (9) 10058-10088', (10) 10386-10398'

Core received ✓

OTHER Hydro-carbon reports; Coriband Log (print + transparency)



17/27

WELL NAME PELICAN 2		BASIN BASS		COMPANY HEMATITE	
LOCATION 2.5 m NW Pelican 1		PERMIT T/5P		DRILL RIG Ocean Digger	
WELL NO. 11	OPERATOR Esso	LAT. 40°18'30.2"S	LONG. 145°49'11.59"E	AMC	
SPUDED 28.7.70	REACHED TD	RIG RELEASED 7.9.70	TD 10066'	WD 255'	KB to SL 100'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	10079'	Schlumberger	2", 5"	4	4
BHC	1, 2	10030'	Schlumberger	2", 5"	4	4
FDC/GR	1,2,3	10075'	Schlumberger	2", 5"	6	6
CDM	1	10076'	Schlumberger	2", 5"	2	-
CAL	1	10077'	Schlumberger	5"	1	-
FIT	3		Schlumberger		3	3

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

## WELL COMPLETION-LOG

WELL COMPLETION-REPORT

TIME-DEPTH CURVE

PALYNOLOGY REPORT

PALAEOLOGY REPORT

PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Exploration logging

DAILY REPORTS

WEEKLY REPORTS

CUTTINGS RECEIVED

WATER SAMPLES

OIL SAMPLES

GAS SAMPLES

DST

FIT (1) 9447, (2) 9312, (3) 9149, (4) 10007, (5) 9784, (6) 9906, (7) 9706, (8) 10006, (8) 9785, (10) 9904, (11) 9784

CORE (1) 9598-9620', (2) 9782-9812', (3) 9901-9931'

80 SWC recovered

Core received

OTHER Hydro-carbon report

18/37

WELL NAME PELICAN 3		BASIN BASS		COMPANY HEMATITE	
LOCATION Pelican field		PERMIT T/6P		DRILL RIG Glomar Conception	
WELL NO. 13	OPERATOR Esso	LAT. 40°15'44.99"S	LONG. 145°51'50.60"E	AMG 403407E 5542473N	
SPUDED 1.5.72	REACHED TD	RIG RELEASED 13.6.72	TD 9537'	WD 263'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	9517'	Schlumberger	2", 5"	4	2 - 5" only
FDC/CNL/GR	1,2	9517'	Schlumberger	2", 5"	4	2 - 5" only
MLL	1	9537'	Schlumberger	2", 5"	2	2
LL7	1	9536'	Schlumberger	2", 5"	2	2
HDT	1	9541'	Schlumberger	5"	-	1
Dip(Int)	1	9541'	Data Analysis	2", 5"	2	-
FIT	1,2,3				3	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS

Baroid

DAILY REPORTS ✓ WEEKLY REPORTS ✓ CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (1) 9191, (2) 9190, (3) 9273, (4) 9418, (5) 9425, (6) 9421, (7) 9498, (8) 9235, (9) 9425, (10) 9237, (11) 9187, (12) 9119, (13) 9234, (14) 9424, (15) 9424, (16) 8964

CORE (1) 9351-9398', (2) 9398-9460', (3) 9460-9521'

48 SWC recovered

Core received

OTHER Water Analysis report

19/27

WELL NAME PELICAN 4		BASIN BASS		COMPANY HEMATITE	
LOCATION 3.3 km SE of Pelican 1		PERMIT T/6P		DRILL RIG Ocean Endeavour	
WELL NO. 24	OPERATOR Hematite	LAT. 40°21'40.02"S	LONG. 145°52'15.36"E	AMG404131.4mE 5531533.9mN	
SPOUDED 17.1.79	REACHED TD 12.2.79	RIG RELEASED 18.2.79	TD 3051 m (10009')	WD 77.4 m 254'	KB to SL 25 m 82'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F/BHC	1,2,3	10002'	Schlumberger	2", 5"	6	6
15F	1	2855'	Schlumberger	2", 5"	2	5" only
15F/GR	2,3	9400'	Schlumberger	2", 5"	4	-
DLL	1	10003'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1,2	9987'	Schlumberger	2", 5"	3 (No Run 2 at 2")	4
HDT	1	9996'	Schlumberger	2", 5"	2	2
Dip(Int)	1	9996'	Schlumberger	2", 5"	2	2
CAL	1	2848'	Schlumberger	2", 5"	2	2
FIT	4		Schlumberger		4	4
RFT	1,2,3		Schlumberger		3	3
IES	2,3	9400'	Schlumberger	2", 5"	3 (No Run 3 at 5")	3 (No Run 3 at 5")

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

WELL COMPLETION-LOG / (Interpretive log)

WELL COMPLETION-REPORT /

TIME-DEPTH CURVE /

PALYNOLOGY REPORT PALAEOLOGY REPORT / PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED /

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (1) 8988 (2) 9164 RFT (1) 8445-9376 (2) 8254-9261  
(3) 9342 (4) 9238 (3) 9164-9920

CORE (1) 2846-2858 m (2) 2918-2931 m

89 SWC recovered

Core received /

OTHER Corelab Extended Service Well Report; Hematite Lithlog; Hematite Interpreted Log;  
Hematite Well Log Correlation (Pelican 1, 2, & 4); Hematite Pelican Field Formation Pressures;  
Synergetic Log (Schlumberger)

20/27

WELL NAME PIPIPA 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 66 km N of Wynyard		PERMIT T/5P		DRILL RIG Southern Cross	
WELL NO. 25	OPERATOR Hematite	LAT. 40°23'14"S	LONG. 145°41'45"E	AMG 389304E 5528428N	
SPUDED 4.5.82	REACHED TD 17.5.82	RIG RELEASED 23.5.82	TD 2115 m	WD 73 m	KB to SL 21 m

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
HDT	1	2110 m	Schlumberger	1:240	1	1
DIL/BHC/ MSFL/GR	1	2114 m	Schlumberger	1:240, 1:600	2	2
DIL/BHC/ CAL/GR	1	873 m	Schlumberger	1:240, 1:600	2	2
LDL/CNL/GR	1	2113 m	Schlumberger	1:240, 1:600	2	2
CST	1		Schlumberger		1	1

DRILLING CONTRACTOR Southseas Drilling Co.		RIG TYPE Semi-submersible		HOLE STATUS Plugged and abandoned	
WELL COMPLETION-LOG		✓ (Interpretive Log)			
WELL COMPLETION-REPORT		✓			
TIME-DEPTH CURVE		✓			
PALYNOLOGY REPORT		✓		PALAEOLOGY REPORT	
				PETROLOGY REPORT	
MUD AND CUTTINGS ANALYSIS		Grapholog (Corelab)			
DAILY REPORTS		✓		WEEKLY REPORTS	
				CUTTINGS RECEIVED	
				✓	
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES	
DST					
FIT					
CORE					
30 SWC recovered				Core received	
OTHER Corelab Extended Services Report; Offshore Navigation Report					

21/27

WELL NAME POON BOON 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 60 m NW of Wynyard		PERMIT T/6P		DRILL RIG Glomar Conception	
WELL NO. 14	OPERATOR Esso	LAT. 40°08'15.19"S	LONG. 145°55'01.29"E	AMG 407742E 5566398N	
SPOUDED 29.8.72	REACHED TD	RIG RELEASED 2.10.72	TD 10715'	WD 259'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F/BHC	1,2	10708'	Schlumberger	2", 5"	4	4
IES	2	10499'	Schlumberger	2", 5"	2	2
SNP	1	10714'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	8791'	Schlumberger	2", 5"	2	2
FDC/GR	2, 3	10691'	Schlumberger	2", 5"	4	3 (No Run 2 at 5")
HDT	1, 2	10691'	Schlumberger	10"	-	2
Dip(Int)	1,2	10691'	Data Analysis	2", 5"	4	-
FIT	1,2,3		Schlumberger		3	3

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating		HOLE STATUS Plugged and abandoned	
WELL COMPLETION-LOG		✓			
WELL COMPLETION-REPORT		✓			
TIME-DEPTH CURVE		✓			
PALYNOLOGY REPORT		✓		PALAEOLOGY REPORT	
		✓		PETROLOGY REPORT	
				✓	
MUD AND CUTTINGS ANALYSIS		Baroid			
DAILY REPORTS		WEEKLY REPORTS		CUTTINGS RECEIVED	
				✓	
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES	
DST					
FIT (1) 8760, (2) 10434, (3) 10181, (4) 9727, (5) 10470, (6) 10000, (7) 10427, (8) 10680					
CORE (1) 6407-6432', (2) 8096-8118', (3) 8802-8827', (4) 9954-9982', (5) 10691-10715'					
91 SWC recovered				Core received	
				✓	
OTHER					

20/27

WELL NAME PRAWN A1		BASIN OTWAY		COMPANY HEMATITE	
LOCATION NW of King Island		PERMIT 1/60		DRILL RIG Ocean Digger	
WELL NO. 04	OPERATOR Esso	LAT. 39°21'23.42"S	LONG. 143°06'41.89"E	AMG 599059E 147612N	
SPUDDED 29.12.67	REACHED TD 30.3.68	RIG RELEASED 9.4.68	TD 10477'	WD 354'	KB to SL 89'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3,4	10478'	Schlumberger	2", 5"	7 (No Run 3 at 5")	-
FDC/GR	1,2,3	8195'	Schlumberger	2", 5"	6	-
BHC	1	2784'	Schlumberger	2", 5"	2	-
BHC/GR	2	5602'	Schlumberger	2", 5"	2	-
BHC/SP	3	8198'	Schlumberger	2", 5"	2	-
Dip(Int)	1,2	8195'	Schlumberger	5"	2	-
CBL	1	10478'	Schlumberger	2"	1	-

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
------------------------------	------------------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Exploration logging

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 3621-3623' (0%), (2) 3938-3957', (3) 4254-4284', (4) 4581-4597', (5) 4935-4963', (6) 5621-5649', (7) 6145-6155', (8) 6651-6677', (9) 7147-7177', (10) 7684-7694', (11) 8217-8247', (12) 8697-8727', (13) 9289-9294', (14) 9850-9873', (15) 10168-10184', (16) 10450-10477' 117 SWC recovered

Core received ✓

OTHER BMR Report - Organic analysis of cores

23/67

WELL NAME SAILFISH 1		BASIN GIPPSLAND		COMPANY MAGELLAN	
LOCATION NE of Flinders Island		PERMIT T/1P		DRILL RIG Glomar Conception	
WELL NO. 12	OPERATOR NSW Oil & Gas	LAT. 39°27'24"S	LONG. 148°37'54.4"E	AMG	
SPUDDED 12.10.71	REACHED TD 2.11.71	RIG RELEASED 5.11.71	TD 4665'	WD 278'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
BHC/GR	1,2	4651'	Schlumberger	2", 5"	4	4
IES	1,2	4659'	Schlumberger	2", 5"	4	4
CCL	1	1000'	Schlumberger	2", 5"	2	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
-------------------	------------------------	--------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)

DAILY REPORTS ✓	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
-----------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE

Core received

OTHER Site Preparation Report

24/27

WELL NAME TAROOK 1		BASIN BASS		COMPANY HEMATITE	
LOCATION 67 m N of Wynyard		PERMIT T/5P		DRILL RIG Glomar Conception	
WELL NO. 15	OPERATOR Esso	LAT. 40°02'37.85"S	LONG. 145°40'29.52"E	AMG 386938E 5566547N	
SPUDDED 3.10.72	REACHED TD	RIG RELEASED 21.10.72	TD 9100'	WD 252'	KB to SL 32'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
15F/BHC	1	9090'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	9096'	Schlumberger	2", 5"	2	2
Dip (Int)	1	9083'	Schlumberger	2", 5"	2	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned	
WELL COMPLETION-LOG		✓		
WELL COMPLETION-REPORT		✓		
TIME-DEPTH CURVE		✓		
PALYNOLOGY REPORT		PALAEOLOGY REPORT		PETROLOGY REPORT ✓
MUD AND CUTTINGS ANALYSIS		Baroid		
DAILY REPORTS	WEEKLY REPORTS		✓	CUTTINGS RECEIVED ✓
WATER SAMPLES	OIL SAMPLES		GAS SAMPLES	
DST				
FIT				
CORE (1) 6426-6466', (2) 8544-8576', (3) 9083-9100'				
50 SWC recovered				Core received ✓
OTHER				



25/87

WELL NAME TOOLKA 1A		BASIN BASS		COMPANY HEMATITE	
LOCATION 14 m NW of Cormorant 1		PERMIT T/3P		DRILL RIG Glomar Conception	
WELL NO. 21	OPERATOR Esso	LAT. 39°24'35.678"S	LONG. 145°23'45.108"E	AMG 361896E 5636491N	
SPUDDED 14.1.74	REACHED TD	RIG RELEASED 5.2.74	TD 8907'	WD 258'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
BHC	1	8894'	Schlumberger	2", 5"	2	2
ISF	1	8896'	Schlumberger	2", 5"	2	2
CNL/FDC/GR	1	8892'	Schlumberger	2", 5"	2	2
HDT	1	8889'	Schlumberger	5"	1	1
Dip(Int)	1	8889'	Data Analysis	2", 5"	2	-
FIT	1		Schlumberger		1	1

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG	/
---------------------	---

WELL COMPLETION-REPORT	/
------------------------	---

TIME-DEPTH CURVE	/
------------------	---

PALYNOLOGY REPORT	/	PALAEONTOLOGY REPORT	/	PETROLOGY REPORT
-------------------	---	----------------------	---	------------------

MUD AND CUTTINGS ANALYSIS	Baroid
---------------------------	--------

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED	/
---------------	----------------	-------------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST
-----

FIT	(1) 7361, (2) 7224.5
-----	----------------------

CORE	(1) 5089-5119'
------	----------------

29 SWC recovered

Core received /

OTHER

26/27

WELL NAME WHELK 1		BASIN OTWAY		COMPANY HEMATITE	
LOCATION 15m W of King Island		PERMIT T/3P		DRILL RIG Ocean Digger	
WELL NO. 08	OPERATOR Esso	LAT. 39°53'57.8"S	LONG. 143°33'20.9"E	AMG	
SPUDED 6.3.70	REACHED TD	RIG RELEASED 17.3.70	TD 4810'	WD 338'	KB to SL 100'

## LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	4810'	Schlumberger	2", 5"	4	4
BHC/GR	1,2	4800'	Schlumberger	2", 5"	4	4
FDC/GR	1	4810'	Schlumberger	2", 5"	2	2
CDM	1	4810'	Schlumberger	5"	1	1
DRILLING CONTRACTOR ODECO		RIG TYPE Semi-submersible		HOLE STATUS Plugged and abandoned		

## WELL COMPLETION-LOG

## WELL COMPLETION-REPORT

TIME-DEPTH CURVE / (Transparency)

PALYNOLOGY REPORT / PALAEOLOGY REPORT PETROLOGY REPORT /

MUD AND CUTTINGS ANALYSIS Exploration logging

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED /

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 4238-4268', (2) 4478-4508'

59 SWC recovered

Core received /

OTHER

27/07

WELL NAME YURONGI 1		BASIN BASS		COMPANY HEMATITE	
LOCATION		PERMIT T/4P		DRILL RIG Giomar Conception	
WELL NO. 19	OPERATOR Esso	LAT. 39°55'29.936"S	LONG. 146°15'58.886"E	AMG 437307E 5580296N	
SPUDDED 3.7.73	REACHED TD 13.7.73	RIG RELEASED 14.7.73	TD 8000	WD 272'	KB to SL 32'

# LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
FDC/CNL/GR	1	7982'	Schlumberger	2", 5"	2	2
15F/SONIC	1	7981'	Schlumberger	2", 5"	2	2
HDT	1	7950'	Schlumberger	10"	1	1
Dip(Int)	1	7950'	Data Analysis	2", 5"	2	1 - 5" only
DIR	1	4400	Schlumberger	10"	1	1

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG		✓ (+ transparency)	
WELL COMPLETION-REPORT		✓	
TIME-DEPTH CURVE		✓	
PALYNOLOGY REPORT		PALAEONTOLOGY REPORT	PETROLOGY REPORT
✓		✓	
MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)			
DAILY REPORTS	✓	WEEKLY REPORTS	CUTTINGS RECEIVED
			✓
WATER SAMPLES		OIL SAMPLES	GAS SAMPLES
DST			
FIT			
CORE (1) 7045-7075'			
28 SWC recovered			Core received ✓
OTHER Rock log (transparency)			