

METRE		ROCK DESCRIPTION	MINERALISATION	SAMPLE No.	8-13 FROM	14-19 TO	CORE RECD	ASSAY DATA							CORE RECD	
FROM	TO							Sample Length	20-25 Pb%	26-31 Zn%	32-37 Cu%	38-43 Ag - g/t	44-49 Au - g/t	50-55 Fe%	HUN	SHORT
0	15.0	Non core drilling												15.00	NR	
15.0	19.5	Oxidised, yellow brown, medium grained volcanic wacke-rubbly and clayey in places.												17.00	1.10	
19.5	22.9	Partially oxidised, yellow brown to dark grey, fine grained volcanic wacke with some siltstone beds. cba 40												19.30	0.60	
22.9	25.0	Partially oxidised, yellow brown to dark grey medium-coarse grained volcanic wacke with numerous lithic fragments to 1cm	Minor disseminated pyrrhotite and thin pyrite coatings on fracture surfaces.											20.00	-	
25.0	29.5	Dark grey, thin bedded siltstone and fine medium grained volcanic arenite. Graded bedding and scour and fill give down hole (west) facing. cba 50	Thin heavy mineral concentrations at base of some arenite bands.											22.10	0.20	
28.5	36.0	Dark grey, fine to medium grained volcanic wacke with rare, thin siltstone beds. Siltstone fragments to 2mm in coarser units. Some thin irregular quartz-carbonate veining.	Very minor pyrrhotite in narrow breccia zone at 29.3 rehealed with quartz carbonate.											23.00	0.30	
36.0	40.1	Dark grey, fine to medium grained volcanic arenite with some siltstone beds. Arenites contain numerous pale green lithic fragments 2-4mm. Scattered, irregular quartz carbonate veins. Core broken and oxidised around 37.0												24.40	0.50	
40.1	43.7	Dark grey, medium grained volcanic arenite with lithic fragments as above. Some laminated siltstone. Core brecciated and rehealed with 5 cm quartz at 40.2, 40.5, 40.7 and 42.1. cba 40												26.00	0.20	
		41.0 Sample for thin section (4R261)												29.00	-	
														32.00	-	
														35.00	0.20	
														37.70	-	
														38.00	0.10	
														39.00	-	
														48.50	-	
														50.30	-	
														53.00	-	
														55.00	-	
														59.00	-	
														61.00	-	
														64.00	0.10	
														67.90	-	
														71.00	-	
														74.00	-	
														77.00	-	
														80.00	-	
														83.00	-	
														86.00	-	
														89.00	-	
														92.00	-	
														94.00	-	
														97.90	-	
														100.00	-	
														119.00	-	
														400	-	

549089

METRE		ROCK DESCRIPTION	MINERALISATION	SAMPLE No.	8-13 FROM	14-19 TO	CORE REC'D	ASSAY DATA							CORE REC'D		
FROM	TO							Sample Length	20-25 Pb%	26-31 Zn%	32-37 Cu%	38-43 Ag - g/t	44-49 Au - g/t	50-55 Fe%	RUN	SHORT	
115.9	117.8	Dark grey, fine grained volcanic wacke and disrupted siltstone. 20cm breccia with quartz at 117.6. cbs 30	Minor pyrite and trace chalcopyrite associated with quartz veins and veinlets.														
117.8	119.0	Dark purplish grey fine to medium grained volcanic wacke. Common irregular cross-cutting quartz veinlets. cbs 35 <u>Samples 48261 - 48263 described in CMS Report 82/11/37</u>	Minor pyrite in quartz veins at 118.0														

A11241

HOLE No. CHP 236 4 of 4

ELECTROLYTIC ZINC CO OF ASIA LTD
ROSEBERY - TASMANIA

DIAMOND DRILL CORE RECORD