

DRILL LOG SHEET

PROJECT : REDWATER

Hole No : RD 5

COLLAR CO-ORDINATES : 6100mN/10620mE

LOCATION CODE : MQ 04

COLLAR R.L. : 430m (approx.)

LOCATION :	DATE STARTED	16-2-81	HOLE SIZE		FROM	TO	TOTAL	CORE STORAGE	
	DATE FINISHED	21-3-81	NON CORE					NO OF TRAYS	26
	MAP/PHOTO REFERENCE :	TOTAL DEPTH	203.6m					SAMPLE STORAGE	
HOLE SURVEY DATA			LOGGED BY	L.D. Banwell	CORE			ASSAY LAB.	AmdeI
INSTRUMENT :			CONTRACTOR	A.D.D.	NQ	0	88m	ASSAY REPORTS	
DEPTH	INSTRUMENT		RIG	Mindrill F30	BO	88m	203.6m		115.6m
COLLAR	INCL.	AZ.	DRILL CREW	M. Blight	CASING			MIN. & PET. LAB.	
90m	60°	260°		D. Short				MIN. & PET. REPORTS	
140m	59°	261°							
198m	59°	-							
	58°	283°			CASING LEFT	PVC piping	0	88m	88m

GRAPHIC/LETTER SYMBOL LOGGING KEY

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

STRUCTURE / ALTERATION CODE

B BEDDING O OXIDATION
 J JOINTING
 C CLEAVAGE
 F FOLIATION
 s^r SHEARING
 q QUARTZ VEINS

DRILLING SUMMARY : _____

From	To	[Inter] (m)	Core Rec'd	% Rec	Sample No.	Compos No.	Assays							Weighted Assays/Ratio				
							Ag	As	Ba	Cr	Mn	Ti	Bi	Fe%				
0.00	21.89	21.89	8.58	39														
21.89	22.84	.95	.95	100														
22.84	28.21	5.37	5.37	100														
28.21	51.10	22.89	22.89	100														
51.10	53.80	1.70	1.70	100														
53.80	54.90	1.10	.82	75														
54.90	69.50	14.60	5.80	40														
69.50	74.00	4.50	2.51	56														
74.00	80.80	6.80	5.02	74														
80.80	90.00	9.20	9.20	100	1479		4	<50	<200	20	200	400	<1					
90.00	100.00	10.00	9.51	95	1480		8	<50	<200	20	200	600	<1					
100.00	110.00	10.00	9.29	93	1481		2	<50	<200	<20	200	300	<1					
110.00	120.00	10.00	8.45	85	1482		1	<50	<200	20	200	300	<1					
120.00	130.00	10.00	9.97	100	1483		2	<50	<200	40	300	400	<1					
130.00	140.00	10.00	8.62	86	1484		1	<50	<200	<20	250	300	<1					
140.00	150.00	10.00	9.05	90	1485		1	<50	<200	<20	200	300	<1					
150.00	153.00	3.00	2.56	85	1486		1	<50	<200	<20	600	400	<1					
153.00	154.20	1.20	1.20	100	2036	C8	<1	<20	<200	80	2500	3000	<10	3.10				
154.20	159.82	5.62	5.62	100	1486		1	<50	<200	<20	600	400	<1					
159.82	160.80	.98	.98	100	1494		1	110					10	2.50				
160.80	161.20	.40	.40	100	1495	C1	<1	330	200	80	500	6000	30	5.10				
161.20	161.80	.60	.54	90	1496		1	220					10	4.30				
161.80	162.30	.50	.50	100	1497		<1	70					10	3.20				
162.30	162.96	.66	.66	100	1498	C2	1	140	<200	60	100	1000	60	9.30				
162.96	164.03	1.07	1.07	100	1499	C3	1	<20	<200	20	10000	1000	120	34.4				
164.03	164.85	.82	.81	99	1500	C4	1	150	600	60	300	6000	40	5.30				
164.85	165.85	1.00	.73	73	2001		1	140					40	5.00				
165.85	166.90	1.05	.77	73	2002	C5	1	<20	<200	20	1500	3000	20	5.10				
166.90	167.40	.50	.36	73	2003		1	180					30	6.30				
167.40	167.80	.40	.29	73	2004		1	50					40	11.0				
167.80	168.20	.40	.38	95	2005	C6	1	210	<200	20	4000	800	230	31.8				
168.20	169.23	1.03	.98	95	1487		<1	<50	<200	<20	600	1000	6					
169.23	169.48	.25	.24	95	1488		<1	<50	400	<20	150	1000	<1					
169.48	176.14	6.66	6.66	100	1489		2	<50	<200	<20	100	1500	<1					
176.14	182.80	6.66	6.66	100	1490		4	<60	<200	<20	80	1500	<1					
182.80	183.81	1.01	1.01	100	2006	C7	1	<20	<200	20	2000	2000	<10	10.4				
183.81	186.28	2.47	2.47	100	1491		<1	<50	400	<20	80	1500	<1					
186.28	191.66	5.38	5.09	95	1492		4	<50	<200	<20	250	2000	<1					
191.66	203.60	11.94	11.83	99	1493		4	<50	200	<20	100	1500	<1					