

# DRILL LOG SHEET

PROJECT : RIANA NATONE

Hole No : PDH NT 1

COLLAR CO-ORDINATES : 8500 NE / 1350 N

LOCATION CODE : MQ 04

COLLAR R.L. : 305m OD Angled hole 60°N

LOCATION : <u>NATONE</u> MAP/PHOTO REFERENCE : <u>54401530 N / 4008240 E</u>	DATE STARTED	<u>14-4-82</u>	HOLE SIZE		FROM	TO	TOTAL	CORE STORAGE	DEVONPORT				
	DATE FINISHED	<u>23-4-82</u>	NON CORE	<u>6"</u>	<u>0</u>	<u>18</u>	<u>18m</u>	NO OF TRAYS	<u>3 CORE TRAYS</u>				
	TOTAL DEPTH	<u>173.59m</u>		<u>5½"</u>	<u>18</u>	<u>160</u>	<u>142m</u>	SAMPLE STORAGE	DEVONPORT				
HOLE SURVEY DATA			LOGGED BY	<u>P.A.RUXTON</u>	CORE	<u>NQ</u>	<u>160</u>	<u>173.59m</u>	<u>13.59m</u>	ASSAY LAB.	COMLABS		
INSTRUMENT : <u>EASTMAN SURVEY / CAMERA SURVEY</u>			CONTRACTOR	<u>OVERLAND DRILLING</u>						ASSAY REPORTS			
DEPTH	INSTRUMENT		ACID ETCH		REMARKS	RIG	<u>WARMAN 750</u>						
	INCL.	AZ.	INCL.	AZ.									
COLLAR													
EASTMAN	<u>167.50m</u>	<u>STRIKE</u>	<u>E-W</u>	<u>29°N</u>		DRILL CREW	<u>J. WEAVER</u> <u>R. LANCASTER</u>	CASING	<u>6"</u>	<u>0</u>	<u>18 cemented</u>	<u>18m</u>	MIN. & PET. LAB.
	<u>170.57m</u>	<u>STRIKE</u>	<u>E-W</u>	<u>35°N</u>					<u>2"</u>	<u>0</u>	<u>36m</u>	<u>36m</u>	MIN. & PET. REPORTS
								CASING LEFT					

CAMERA	<u>169.19</u>	<u>67.5° Due</u>	<u>N</u>		Deflection of
	<u>172.19</u>	<u>67.5° Due</u>	<u>N</u>		<u>7.5°</u>

### GRAPHIC / LETTER SYMBOL LOGGING KEY

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

STRUCTURE / ALTERATION CODE

B BEDDING  
J JOINTING  
C CLEAVAGE  
F FOLIATION  
sh SHEARING  
q QUARTZ VEINS

O OXIDATION

DRILLING SUMMARY : Drill hole located over Max-Min E.M., S.P., Gravity, I.P. Magnetic anomaly - no surface geochem - the anomalous zone is basalt covered.

Results 0.50m of basaltic material of Tertiary age. 50-108m dolomitic limestone with upto 60% sulphide. 108-173.59m altered limestone + sulphides (upto 45%) calcisilicate minerals. Limestone well bedded striking E-W and dipping 30-40° N.

921111



