




DEPTH	INTERVAL	DEPTH from-to : ROCK UNIT <i>capital letters, underlined</i> Depth : Description and notes <i>indented about 10mm</i>	POINT GRAPHIC LOG	MINERALISATION	ASSAYS ANALYSES	BULKED ASSAYS
-------	----------	--	-------------------------	----------------	--------------------	------------------

NOTES:  
 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D.A. BERKMAN & W.R. RYALL (ED), MONOGRAPH NO.9 AUSTRALAS INST. MIN. METALL. - 1976  
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES.

0	6.0	0 - 6.0 NOT CORED. NW Casing run to 6.0 m	N/C			
		6.0 - 7.3 QUARTZ PORPHYRY A few fragments.	1		Trace pyrite	
10	55.6	7.3 - 62.9 DOLOMITE. White to creamish white where fresh, otherwise grey to brownish decomposed dolomite, fine grained and massive.  Recoveries for whole section are very low (average less than 10%).				
20						
30						
40					Minor dolomite alteration 41.0 - 41.4	
50						
60						
		62.9 - 64.1 SILTSTONE-QUARTZITE-Pale grey thin bedded sequence.	10/1			
		<u>END OF HOLE 64.1 m</u>				



AFTER TYPING THIS SIZED FORM WILL BE PHOTO-REDUCED TO A4 SIZE  
 2 (1:1000), 120mm (1:500), 60mm (1:250)

FOR LEGEND  
SEE DRAWING  
NO.

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
120201		60	70	10	70									
02		70	105	35	630									
03		105	135	30	50									
04		135	125	90	2450									
05		125	125	60	320									
06		125	145	10	40									
07		145	315	"	160									
08		315	375	30	20									
09		375	395	20	35									
10		395	405	10	20									
11		405	420	20	10									
12		420	435	15	X									
13		435	445	10	30									
14		445	455	"	X									
15		455	465	"	55									
16		465	490	25	25									
17		490	505	15	40									
18		505	515	10	130									
19		515	540	25	30									
20		540	555	15	X									
21		555	565	10	X									
22		565	575	"	X									
23		575	585	"	X									
24		585	595	"	20									
25		595	605	"	X									
26		605	615	"	15									
27		615	629	14	15									
28		629	639	10	110									

Notes:—

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT  
 ASSAY SUMMARY SHEET HOLE NO, MBD 674  
 SAMPLE TYPE : DRILL CORE FROM 60 TO 639

832164  
151