


DEPTH	INTERVAL	DEPTH from-to : ROCK UNIT <i>capital letters, underlined</i> Depth: Description and notes <i>indented about 10mm</i>	MINERALISATION	BULKED ASSAYS
-------	----------	---	----------------	---------------

NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D.A. BERKMAN & W.R. RYALL (ED), MONOGRAPH No. 9 AUSTRALAS. INST. MIN. METALL. - 1976
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES.

AFTER TYPING THIS SIZED FORM WILL BE PHOTO-REDUCED TO A4 SIZE
 240m (1:1000), 120m (1:500), 60m (1:250)

0		0 - 3.0 NOT CORED.		
		<u>3.0 - 25.0 DOLOMITE SULPHIDE LODGE.</u> Quartz - carbonate to pyrite rich with local tourmaline rich zones. Some patches sphalerite rich. NB Because of very low recovery in this section assays should be treated carefully.	5/8	
20		<u>25.0 - 29.8 DOLOMITE.</u> Cream to grey dolomite Minor carbonate veining.	2	
		<u>29.8-31.5 DSL Serp-carb-pyrite-sph lode.</u>	4	py 5% sph 4%
		<u>31.5-32.6 DOLOMITE</u> Similar to above.	2	
		<u>32.6-33.2 DSL Quartz-carbonate-pyrite-serpentinite.</u>		
40		<u>33.2 - 42.4 DOLOMITE.</u> Fine grained massive to brecciated and slumped - locally silicified.	2	rare sphalerite
		<u>42.4 - 47.0 SHALE.</u> Dark grey to black shale with local pyritic beds.	9c	trace po
		END OF HOLE 47.0 m		



FOR LEGEND
SEE DRAWING
NO.



METALS EXPLORATION

SUMMARY DRILL LOG

Project or project

HOLE No. MBD 69

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
120237		3.0	4.5	1.5	33%									
38		4.5	7.5	3.0	180									
39		7.5	9.1	1.6	530									
40		9.1	10.5	1.4	510									
41		10.5	13.5	3.0	400									
42		13.5	15.6	2.1	300									
43		15.6	17.0	1.4	130									
44		17.0	19.1	2.1	130									
45		19.1	22.5	3.4	210									
46		22.5	24.5	2.0	15									
47		24.5	25.0	.5	200									
48		25.0	27.0	2.0	400									
49		27.0	28.0	1.0	10									
250		28.0	29.0	"	X									
51		29.0	30.0	"	60									
52		30.0	31.5	1.5	5000									
53		31.5	32.5	1.0	110									
54		32.5	33.5	"	530									
55		33.5	34.5	"	10									
56		34.5	35.5	"	X									
57		35.5	36.5	"	10									
58		36.5	37.5	"	X									
59		37.5	38.5	"	X									
260		38.5	39.5	"	15									
61		39.5	40.5	"	X									
62		40.5	41.5	"	110									
63		41.5	42.5	"										
64		42.5	43.5	"	100									

Notes:—

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT
 ASSAY SUMMARY SHEET HOLE NO. MBD 69
 SAMPLE TYPE : DRILL CORE FROM 3.0 TO 43.5

8521/0 163