


DEPTH (length from collar)	INTERVAL	DEPTH from - to : ROCK UNIT	CAPITAL LETTERS, UNDERLINED	PRINTER & CODE	GRAPHIC LOG	PRINTER & CODE	MINERALISATION	ASSAYS AVAILABLE	BULKED ASSAYS
		Depth: Description and notes INDENTED ABOUT 10mm							Ni

NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D. A. BERKMAN & W. R. RYALL (ED.), MONOGRAPH NO. 9 - AUSTRALAS. INST. MIN. METALL. - 1976
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES

0	1.5	0 - 1.5: <u>TRICONE - no core.</u>						
17.4	17.4	1.5 - 18.9: <u>SILTSTONE, lesser SHALE, minor QUARTZITE.</u> Strongly disrupted. Mainly grey siltstone and lesser darker shale. Occasional qtzite layers up to 2 cm. Occasional carbonate veins and stringers.					py >> sph trace. rare thin veins of py, some with minor sph.	
20	31.1	18.9 - 50.0: <u>SILTSTONE, QUARTZITE.</u> Moderately disrupted in parts. Fine grained qtzite and siltstone, in beds up to 20 cm. Common carbonate stringers. Occasional py veins.					py >> sph > cass? trace in veins.	
40								
60		<u>END OF HOLE 50.0 m.</u>						



FOR LEGEND
SEE DRAWING
NO.



**METALS
EXPLORATION
LIMITED**

**SUMMARY
DRILL LOG**
Scale

Prospect or project
Mt. Bischoff Tin

HOLE No. MBD 89
LOG SHEET 2 OF 2

