




DEPTH (length from collar)	DEPTH from - to : ROCK UNIT Depth: Description and notes INDENTED ABOUT 10mm	CAPITAL LETTERS, UNDERLINED	POINTER & CODE	GRAPHIC LOG	POINTER & CODE	MINERALISATION
	NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D.A. BERKMAN & W.R. RYALL (ED.), MONOGRAPH NO. 9 - AUSTRALAS. INST. MIN. METALL. 1976 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILL. METRES					
100	START OF EXTENSION = 101.0 m.					
16.7	101.0 - 117.7: <u>QUARTZITE, SHALE.</u> Fine grained massive quartzite with minor shale contact.			11/ 9		
120	2.3 117.7 - 120.0: <u>DOLOMITE SULPHIDE LODE.</u> Weakly developed OSL. Pyritic with dolomite or sericite and quartz.					pyrite 10%, trace sph, comb 80% sericite/chlorite/quartz 10%
	22.55 120.0 - 142.55: <u>SHALE - SILTSTONE.</u> Fine grained massive to bedded grey shales, locally grading to mudstones. Siltstones are locally dolomitic.			9/ 10		
140	3.85 142.55 - 146.4: <u>QUARTZITE - SHALE.</u> Light grey massive quartzite with minor interbedded shale, locally disrupted.			11/ 9		
	17.6 146.4 - 164.0: <u>SHALE.</u> Dark grey to black faintly bedded shales varying locally to siltstones. Minor interbedded siltstones locally.					
160	164.0 - 165.25: <u>QUARTZ-FELDSPAR/PORPHYRY.</u> Feldspar partly replaced by pyrite.					
	165.25 - 187.8: <u>SHALE.</u> As for preceding section (146.4 - 164.0).					
180	187.8 - 190.5: <u>QUARTZITE - SHALE.</u> Light to dark grey massive to disrupted quartzite with local shale beds.			11/ 9		trace pyrite.
200						



FOR LEGEND  
SEE DRAWING  
NO.



**METALS  
EXPLORATION  
LIMITED**

**SUMMARY  
DRILL LOG**  
Scale

Prospect or project  
**Mt. Bischoff Tin**

HOLE No. MBD 24 X  
LOG SHEET 2 OF 2

