


DEPTH (length from collar)	DEPTH from - to : <u>ROCK UNIT</u>	CAPITAL LETTERS, UNDERLINED	MINERALISATION	ASSAYS AVAILABLE	BULKED ASSAYS
	INTERVAL	Depth Description and notes INDENTED ABOUT 10mm	POINTER A CODE	GRAPHIC LOG	POINTER B CODE

NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D.A. BERRMAN & W.R. RYALL (ED.), MONOGRAPH NO. 9. AUSTRALAS. INST. MIN. METALL. - 1978
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES

100		START 112.5 m.			
29.0		<u>112.5 - 141.5: SILTSTONE - SHALE.</u> Variable sequence of massive to slumped siltstones and shales. Local sections rich in carbonate.	10/9		
120					
17.1		<u>141.5 - 158.6: SILTSTONE - QUARTZITE.</u> Well bedded sequence of siltstone with about 15% quartzite. Quartzite beds often pyritic.	10/11		
140					
		<u>158.6 - 159.8: QUARTZ FELDSPAR PORPHYRY.</u> Highly pyritic.	1	trace disseminated Sn O ₂ near veinlet at 159.4 m.	
		END OF HOLE 159.8 m.			



FOR LEGEND
SEE DRAWING
NO.



**METALS
EXPLORATION
LIMITED**

**SUMMARY
DRILL LOG**
Scale

Prospect, or project	HOLE No. MBD 43 X
	LOG SHEET 2 OF 2

