


DEPTH (length from collar)	INTERVAL	DEPTH from - to : ROCK UNIT Depth: Description and notes INDENTED ABOUT 10mm	CAPITAL LETTERS, UNDERLINED	POINTER 8 CODE	GRAPHIC LOG	POINTER 8 CODE	MINERALISATION	ASSAYS AVAILABLE	BULKED ASSAYS Ni
----------------------------------	----------	--	-----------------------------	-------------------	----------------	-------------------	----------------	---------------------	------------------------

NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D. A. BERKMAN & W. R. RYALL (ED.), MONOGRAPH NO. 9. AUSTRALAS INST. MIN. METALL. - 1978
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES

0	3.0	0 - 3.0: <u>TRICONE</u> . Not cored.							
43.0	1.0 - 46.0	<u>QUARTZITE, SILTSTONE</u> , minor <u>SHALE</u> . Weakly disrupted in parts. Mainly fine siliceous siltstone and qtzite. Qtzite beds up to 1'm thick. Occasional beds of black shale. Weak sericite alteration of qtzite in parts.		11/ 10/ 9			trace po as rare thin veins and stringers, also disseminated in some thin siltstone beds. trace py in thin veins and stringers.		
20									
40									
60		<u>END OF HOLE: 46.0 m.</u>							



FOR LEGEND
SEE DRAWING
NO.



**METALS
EXPLORATION
LIMITED**

**SUMMARY
DRILL LOG**
Scale

Prospect or project
MT. BISCHOFF

HOLE No. MBD 112
LOG SHEET 2 OF 2

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER VAL	Sn	Sn	Cu	Pb	Zn	g	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
	130227	30	50	20		26								
	28	50	70			14								
	29	70	90			14								
	230	90	110			18								
	31	110	130			26								
	32	130	150			24								
	33	150	170			14								
	34	170	190			16								
	35	190	210			20								
	36	210	230			24								
	37	230	250			26								
	38	250	270			30								
	39	270	290			70								
	240	290	310			120								
	41	310	330			170								
	42	330	350			65								
	43	350	370			370								
	44	370	390			150								
	45	390	410			110								
	46	410	45.5	25		46								
	47	45.5	460			280								

Notes:- XRF B1 Method

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT
 ASSAY SUMMARY SHEET HOLE NO. m60 112
 SAMPLE TYPE : DRILL CORE FROM 30 TO 460

832537 526