


DEPTH (length from collar)	INTERVAL	DEPTH from - to : ROCK UNIT Depth: Description and notes INDENTED ABOUT 10mm	CAPITAL LETTERS, UNDERLINED			MINERALISATION	ASSAYS AVAILABLE	BULKED ASSAYS Ni
			POINTER & CODE	GRAPHIC LOG	POINTER & CODE			

NOTES: 1. FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", O. A. BERKMAN & W. R. RYALL (ED.), MONOGRAPH NO. 9. AUSTRALAS. INST. MIN. METALL. - 1976
 2. ATTITUDE OF BEDDING, VEIN, ETC. IS 'ANGLE' BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3. LENGTH IS GIVEN AS METRES OR MILLIMETRES

0	3.0	0 - 3.0: <u>TRICONE</u> . Not cored.					
	2.9	3.0 - 5.9: <u>DOLOMITE</u> , minor <u>DOLOMITE SULPHIDE LODE</u> . Fine grey dolomite with minor wiggilite veins.	2			2% py, sph, po - disseminated through wiggilite veins.	
	7.9	5.9 - 13.8: <u>DOLOMITE SULPHIDE LODE</u> . 5.9 - 9.2: 45% talc, 35% po, 20% qtz-carbonate 9.2 - 13.8: 30% talc, 30% serpentine, 15% po, 25% qtz-carbonate.	6/4/3			35% po, 2nd py, trace cpy	
20	37.2	13.8 - 51.0: <u>SILTSTONE</u> , lesser <u>QUARTZITE</u> . Moderately disrupted in parts. Mainly pale grey siltstone with lesser darker fine qtzite. Trace po, py in stringers and po occurs disseminated in rare thin beds.	10/11			trace py, po in stringers and rare po-rich beds.	
40		43.2 - 51.0: po becomes more common, both as stringers and thinly bedded.				43.2 - 5% po as thin beds and stringers.	
60		END OF HOLE: 51.0 m.					



FOR LEGEND
SEE DRAWING
NO.



**METALS
EXPLORATION
LIMITED**

**SUMMARY
DRILL LOG**
Scale

Prospect or project

MT. BISCHOFF

HOLE No. MBD 113

LOG SHEET 2 OF 2

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
130124		3.4	4.4	1.0	170									
130		4.4	5.8	1.4	920									
31		5.8	6.8	1.0	4									
32		6.8	7.8	"	6									
33		7.8	8.8	"	6									
34		8.8	9.8	"	48									
35		9.8	10.8	"	X									
36		10.8	11.8	"	190									
37		11.8	12.9	1.1	7300									
38		12.9	13.7	0.8	6900									
39		13.7	15.1	1.4	120									
140		15.1	16.1	1.0	100									
	130148	16.1	18.1	2.0		46								
	49	18.1	20.1	"		28								
	250	20.1	22.1	"		20								
	51	22.1	24.1	"		26								
	52	24.1	26.1	"		24								
	53	26.1	28.1	"		28								
	54	28.1	30.1	"		38								
	55	30.1	32.1	"		40								
	56	32.1	34.1	"		30								
	57	34.1	36.1	"		48								
	58	36.1	38.1	"		24								
	59	38.1	40.1	"		42								
	260	40.1	42.1	"		45								
	61	42.1	44.1	"		55								
	62	44.1	46.1	"		28								
	63	46.1	48.1	"		22								
	64	48.1	51.1	3.0		26								

Notes: - XRF BI Method

X < 1

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT

ASSAY SUMMARY SHEET HOLE NO. mBD 113

SAMPLE TYPE : DRILL CORE

FROM 3.4 TO 51.1

1
not split

832540

529