

MOUNT BISCHOFF JOINT VENTURE

HOLE N°: MBD 115

Objective and Anticipated Lengths to Targets: To test DSL - possibly delineate western extent of ore-body

Drilling Commenced: 8/10/81 Drilling Completed: 9/10/81 Drilling Contractor: PARRY EXPL. DRILLING Rig Type: BOYLES 37

Bearing of Hole: 180°	Length From Collar	Mid Point and End	Survey Data			Mag. Brg	Collar and Change Points			
			Length Between M.P.	Dip	Grid Brg		Length to C.P.	North	East	R. L.
Angle of Hole: 75°		0					0	1919.54	940.23	686.89
Final Depth of Hole: 60.0 m	0		15.0	75°	180°					
Core Sizes:		15.0					15.0	1915.66	940.23	622.40
	30.0		30.0	74°	184°	154°				
From 0 To 3.0 = TRICONE		45.0					45.0	1907.41	939.65	593.56
From 3.0 To 60.0 = NQ	60.0		15.0	74.5°	186°	156°				
From To =		60.0					60.0	1903.42	939.23	579.11
From To =	-60.0									
From To =										
From To =										
Logged By: D. COMPSTON										
Date Logged: 20/10/81										
Stored Rack N°:										
						Survey By: D. COMPSTON	Date: 9/10/81			
						Calculated By: R.J. REID	Date: 15/10/81			

HOLE N°: MBD 115


832572

560

DEPTH (length from collar)	INTERVAL	DEPTH from - to : ROCK UNIT	CAPITAL LETTERS, UNDERLINED	POINTER & CODE	GRAPHIC LOG	POINTER & CODE	MINERALISATION	BULKED ASSAYS Ni
		Depth Description and notes INDENTED ABOUT 10mm						

NOTES 1 FOR ABBREVIATIONS SEE "FIELD GEOLOGIST'S MANUAL", D A BERKMAN & W R RYALL(ED), MONOGRAPH NO 3 AUSTRALAS INST. MIN METALL - 1976
 2 ATTITUDE OF BEDDING, VEIN, ETC IS ANGLE BETWEEN PLANAR STRUCTURE AND LONG AXIS OF CORE 3 LENGTH IS GIVEN AS METRES OR MILLIMETRES

0	3.0	0 - 3.0: <u>TRICONE.</u>						
	28.9	<u>3.0 - 31.9: DOLOMITE, minor RECRYSTALLIZED DOLOMITE.</u> Finely crystalline pale grey dolomite with rare small patches of recrystallized dolomite.		2/3			trace py, sph in occasional veins and stringers.	
20	4.6	<u>31.9 - 36.5: DOLOMITE SULPHIDE LODGE.</u> Mainly fluorite-sellaite wiggilite with abundant carbonate, po and serpentine.		4/8, 7			30% bronze po - in irregular bands and aggregates. Minor py.	
40	15.0	<u>36.5 - 51.5: DOLOMITE, minor RECRYSTALLIZED DOLOMITE.</u> Finely crystalline grey dolomite with lesser recrystallized dolomite as occasional patches.		2/3			trace sph, py in occasional veins and stringers.	
	8.5	<u>51.5 - 60.0: SILTSTONE, lesser QUARTZITE.</u> Mid grey siliceous siltstone with lesser fine qtzite. Strongly disrupted. Occasional thin carbonate veins.		10/ 11			py, sph - trace in occasional veins up to 1.5 cm.	
60		<u>END OF HOLE: 60.0 m.</u>						



FOR LEGEND
SEE DRAWING
NO



SUMMARY
DRILL LOG
Scale

Prospect or Project Mt. Bischoff Tin	HOLE No. MBD 115
	LOG SHEET 2 OF 2

SAMPLE NO.	SAMPLE NO	FROM	TO	INTERVAL	Sn	Sn	Cu	Pb	Zn	Ag	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
	130273	7.0	9.0	2.0		760								
	74	9.0	11.0	"		1450								
	75	11.0	13.0	"		230								
	76	13.0	15.0	"		1150								
	77	15.0	17.0	"		680								
	78	17.0	19.0	"		3150								
	79	19.0	21.0	"		510								
	80	21.0	23.0	"		920								
	81	23.0	25.0	"		350								
	82	25.0	27.0	"		120								
	83	27.0	29.0	"		150								
	84	29.0	30.9	1.9		38								
131026		30.9	31.9	1.0	50									
27		31.9	32.9	"	9700									
28		32.9	33.9	"	8100									
29		33.9	34.9	"	8200									
30		34.9	35.9	"	5900									
31		35.9	36.5	0.6	8000									
32		36.5	37.5	1.0	34									
	130285	37.5	39.5	2.0		180								
	86	39.5	41.5	"		350								
	87	41.5	43.5	"		240								
	88	43.5	45.5	"		110								
	89	45.5	47.5	"		12								
	90	47.5	49.5	"		8								
	91	49.5	51.5	"		22								
	92	51.5	53.5	"		120								
	93	53.5	55.5	"		60								
	94	55.5	57.5	"		30								
	95	57.5	60.0	2.5		38								

Notes: - XRF BI method

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT
 ASSAY SUMMARY SHEET HOLE NO. MBD 115

SAMPLE TYPE : DRILL CORE FROM 7.0 TO 60.0

↑
 Np split

832574
 562