Amoco Minerals Australia Company

DRILL LOG — HOLE No. ZT-80A-2 — PAGE 1 OF 7

PROJECT ZEEHAN-TAS No. A79-60-B	ELEVATION meters	COMMENCED 14/3/80	
PROSPECT AUSTRAL - Flux Quarry.	DIP COLLAR 60° GW	COMPLETED 8/4/80	
CO-ORDINATES 1850 mN 1300 mE	CORE SIZE HQ, NQ	TOTAL LENGTH 331 meters	
BEARING 251° TN 240° MN 270 GN	LOGGED BY P.A. JONES.		

BORE HOLE SURVEY Depth (m)	Dip	Bearing	Depth (m)	Dip	Bearing
50	60°	240.5	200 m	61.5	238
100	60°	241°	250	61.5	239
150	61°	241	300	61.5	239

INSTRUMENT: Depth (m) | Dip | Bearing

METERAGE From	To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	To	Length	ASSAYS Cu	Pb	Zn	Ag
0.00	5.00	Tricone - Alluvial quartzite & conglomeratic gravels		21682	5	6	1	18	2680	1550	1.2
START HQ	CORING.			21683	6	7	1	34	720	9520	<1.0
5.00	6.40	DOLOMITE: Completely weathered brown/black carbonaceous silty dolomite.		21684	7	8	1	<5	243	9460	1.1
				21685	8	9	1	<5	144	7580	<0.5
				21686	9	10	1	<5	186	6950	<0.5
6.40	7.50	DOLOMITE: olive grey to brown, siderite veined, highly weathered clayey silty dolomite. Minor disseminated sphalerite associated with siderite.	Minor disseminated sphalerite.	21687	10	11	1	<5	846	2490	0.5
				21688	11	12	1	<5	225	7940	<0.5
				21689	12	13	1	<5	501	7280	<0.5
				21690	13	14	1	13	305	3670	1.3
7.50	26.00	SIDERITE/ANKERITE ROCK: massive, hard and dense grey, weakly siderite veined ankerite rock interbedded with minor silty dolomites, grey to black of weakly mineralized. Massive, mineralized Ankerite/siderite vughy breccia from 9.00 to 11.00 metres. Minor Pb/Zn and pyritic mineralization.	Minor Pb/Zn and pyritic mineralization associated with siderite veining in breccia.	21691	14	15	1	NO	CORE	RECOVERY	
				21692	15	16	1	<5	368	3970	0.8
				21693	16	17	1	8	240	8850	1.5
				21694	17	18	1	<5	383	3770	0.9
				21695	18	19	1	5	82	985	<0.5
				21696	19	20	1	5	72	940	<0.5
				21697	20	21	1	<5	93	1230	0.5
26.00	39.00	SANDSTONE: Poorly sorted, white to light grey, speckled coarse grained arkosic sandstone. Large quartz phenocrysts present. Ground badly broken.		21698	21	22	1	<5	370	1530	0.8
				21699	22	23	1	5	2800	6720	4.1
				21700	23	24	1	<5	1250	5880	2.5
				21701	24	25	1	<5	259	1870	0.8
		TRICONED 26.10 m to 34.50 NO SLUDGE SAMPLES.		21702	25	26	1	5	107	1440	1.0
				-	26	27	1	TRICONED -	NO SLUDGE/CORE.		
39.00	46.00	Ankerite Siderite Mineralized Breccia: massive, dense yellow/grey/green, vughy Pb/Zn mineralized breccia. 40-42 m ≈ 2% Pb/Zn combined 42-45 m ≈ 5% Pb/Zn combined. Zone very weathered but mineralized material hard and resistant. Poor recoveries in some badly broken areas. Lot of accessory pyrite to mineralization.	Pb/Zn 2% 40-42m. Pb/Zn 5% 42-45 m. 5% pyrite	-	27	28	1	"			"
				-	28	29	1	"			"
				-	29	30	1	"			"
				-	30	31	1	"			"
				-	31	32	1	"			"
				-	32	33	1	"			"
				-	33	34	1	"			"
				-	34	35	1	"			"
46.00	48.00	DOLOMITE: Black to olive green, silty, completely weathered dolomite. Very minor calcite veining.		21703	35	36	1	<5	476	3510	1.0
				21704	36	37	1	9	66	1160	<0.5
				21705	37	38	1	<5	58	1180	<0.5
48.00	50.20	COQUINA: silicified, grey, very light, fossiliferous (coralline fragments as well as shelly debris) coquina.		21706	38	39	1	19	330	9260	<1.0
				21671	39	40	1	<5	700	2300	4.8
				21672	40	41	1	<5	1.76%	1.08%	13.7
50.20	51.50	SILTSTONE: weathered, grey, clayey, weakly calcite veined siltstone. Ground very broken. Poor core recoveries.		21673	41	42	1	<5	3200	6500	3.4
				21674	42	43	1	<5	1.34%	7300	8.8
				21675	43	44	1	<5	5000	9300	3.6
				21676	44	45	1	13	1300	4.97%	3.7
51.50	63.00	SANDSTONE: grey/brown, medium to coarse grained arkosic sandstone containing thin black clayey interbeds (shales?). Core completely weathered, ground badly broken, poor recoveries ≈ 35%. Cavity 54.50 m - 57.50 m.		21677	45	46	1	<5	600	1.38%	1.5
				21678	46	47	1	NO	CORE	RECOVERY	
				21679	47	48	1	<5	1200	4500	2.3
				21680	48	49	1	<5	300	900	<0.5
				21681	49	50	1	<5	200	800	<0.5

64021

Amoco Minerals Australia Company

DRILL LOG — HOLE No. ZT-80A-2 —

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	METERAGE To	Length	ASSAYS Cu	Pb	Zn	Ag
63.00	78.50	CLAYSTONE : mottled, black/grey and minor orange/yellow massive silty fat clays — decomposed DOLOMITE? Very fine grained pyrite present as disseminations.	Pyrite as fine disseminations.	21707	50	51	1	11	1240	4470	1.8
				21708	51	52	1	11	1830	3860	1.9
				21709	52	53	1	13	2480	6210	2.8
				21710	53	54	1	10	1170	4780	1.8
78.50	82.30	DOLOMITE BRECCIA : Dark grey, silty, soft sediment slump brecciated Dolomite. Minor fine grained disseminated pyrite. Minor siderite. Core extensively weathered and broken ≈ 50% recovery.	Pyrite as fine disseminations.	21711	54	55	1	17	1550	5560	3.2
				21712	55	56	1	NO	CORE	RECOVERY	
				21713	56	57	1	NO	CORE	RECOVERY	
				21714	57	58	1	8	250	1650	0.6
				21715	58	59	1	5	203	1580	0.6
82.30	91.40	CALCLUTITE : slumped grey calclutites, highly foliated, very broken, minor calcite veining (minor siderite). Some zones decomposed to fat silty clays.		21716	59	60	1	<5	743	2080	1.0
				21717	60	61	1	<5	1029	2430	1.2
				21718	61	62	1	6	1540	6510	1.5
				21719	62	63	1	<5	268	6350	<0.5
91.40	145.40	CALCLUTITE : Interbedded, light grey and grey foliated calclutites and very fossiliferous (shelly) thinly bedded calclutites. Minor, black, dolomitic clay interbeds present. Black shaley limestone, extremely weathered from 100.90m to 101.40m. Numerous zones throughout sequence are completely weathered giving rise to silty clays with relict rock fragments. Minor calcite veining in general. Vein 101.70 - 101.90 contains 2% sphalerite. (red/brown in colour). Core badly fractured and broken from 106 to 127 metres. Core extensively foliated and microfaulted from 129 m to 135 metres. Calcite healed breccia's (tectonic) 106-107; 131.20-131.40. Bedding 47° to ca at 92.50m; 40° to ca at 128m. Cavities 140.70m - 141.50; 141.70 - 145.40.	Calcite Vein 2% sphalerite 101.70 - 101.90m.	21720	63	64	1	10	1460	8050	0.9
				21721	64	65	1	14	1930	1.25%	<1.0
				21722	65	66	1	8	3430	9320	2.5
				21723	66	67	1	8	706	4750	0.8
				21724	67	68	2	40	1182	1.18	2.2
					68	69					
				21725	69	70	2	14	304	3700	<0.5
					70	71					
				21726	71	72	2	22	128	1530	<0.5
					72	73					
				21727	73	74	2	24	192	1630	<0.5
					74	75					
				21728	75	76	2	14	80	2440	<0.5
					76	77					
				21729	77	78	2	<5	340	1.18	<0.5
					78	79					
145.40	182.20	SILTSTONE / SHALE : laminated clayey siltstones interbedded with completely weather laminar shales. (massive grey/black clays!). Pyrite up to 5% in sections of core. Zone extremely cavernous and honeycombed giving poor recoveries overall ≈ 20%. Some cavities possibly pyrite lined or filled. Cavities: 147.20-156.50; 157.20-160.70; 170-172, honeycombed & porous 172-175.70m; cavity 179.80-182.20m. Minor silicified coquina core ≈ 182 metres. Mineralized (Pb/Zn) siderite/ankerite rock 180-181 probably caved from above. Bedding 30° at 147 metres.	Massive pyrite possibly lining cavities?	21730	79	80	2	14	186	2700	<0.5
					80	81					
				21731	81	82	2	10	216	2020	<0.5
					82	83					
				21739	83	84	1	7	55	246	<0.1
START NQ CORING				21740	84	85	1	5	35	114	<0.1
176	m			21741	85	86	1	<5	30	92	<0.1
				21742	86	87	1	5	26	48	<0.1
				21743	87	88	1	5	26	23	<0.1
				21744	88	89	1	6	105	79	<0.1
				21745	89	90	1	7	56	103	<0.1
				21746	90	91	1	8	35	73	<0.1
182.20	185.60	CALCARENITE : massive, grey, well sorted, medium grained, weakly calcite veined calcarenite, becoming finer grained and laminated towards the base of the sequence.		21747	91	92	1	5	218	2740	<0.1
				21748	92	93	1	5	28	112	<0.1
				21749	93	94	1	6	30	65	<0.1
				21750	94	95	1	<5	34	99	<0.1
				21751	95	96	1	5	25	135	<0.1
185.60	191.00	SANDSTONE : brecciated, Quartz and calcite veined grey and dark grey, very weathered, soft clayey Sandstone in a dark grey dolomite matrix. Cavity 187.00 - 190.70 metres.		21752	96	97	1	5	36	131	<0.1
				21753	97	98	1	5	38	168	<0.1
				21754	98	99	1	6	35	94	<0.1
				21755	99	100	1	<5	34	164	<0.1
				21756	100	101	1	9	349	4630	<0.1
				21757	101	102	1	6	740	1680	<0.1
				21758	102	103	1	10	500	5080	<0.1

Amoco Minerals Australia Company

DRILL LOG — HOLE No. ZT-80A-8 —

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %
191.00	196.30	SANDSTONE: coarsely laminar, medium to coarse grained grey/white quartzose sandstone. Ground very broken with recoveries around 30%. Bedding 37° to c.a at 194.50 metres.	
196.30	197.50	SANDSTONE BRECCIA: completely weathered soft, grey, sediment slump brecciated sandstone with black silty dolomite matrix. Sandstone fragments medium grained and well sorted.	
197.50	199.50	SANDSTONE: grey/white, medium grained, well sorted quartzose sandstone. Minor quartz veinlets. Bedding 35° to c.a at 197.50m.	
199.50	201.70	SANDSTONE BRECCIA: black, soft sediment slump brecciated, medium grained sandstone with carbonaceous and silty dolomite matrix. Minor pyrite.	Minor pyrite as blebs or fine disseminations.
201.70	203.40	SANDSTONE: coarse grained, poorly sorted, fossiliferous porous and vughy grey sandstone.	
203.40	206.00	SANDSTONE: grey/white, medium grained, well sorted, massive in part vughy sandstone.	
206.00	211.10	SANDSTONE BRECCIA: slump brecciated, interbedded grey, quartzose, medium grained sandstone and very laminar, black, pyritic silty dolomites (laminations highly contorted due to slumping). Pyrite as thin beds parallel to contorted bedding planes.	Pyrite 2-3%
211.10	213.00	SANDSTONE: finely laminar, pyritic, grey, well sorted, porous and weakly vughy sandstone. Crystalline pyrite vein x 1cm in width parallel to bedding plane. Bedding 40° to ca at 212.50 metres. Porosity in sandstone may be due to leaching of pyrite!	Vein pyrite 1cm width at 211.80 metres
213.00	227.00	SANDSTONE: interbedded grey and dark grey, fine to coarse grained, in part fossiliferous sandstones. Minor pyrite blebs present. Core generally massive with no bedding. Minor qtz veining. Sandstone very quartzose. Sections of core vughy & very porous (highly weathered)	Minor pyrite.
227.00	228.90	DOLOMITIC SILTSTONE BRECCIA: black, slump brecciated, dolomitic siltstone. Extremely weathered, clayey and very soft. with minor qtz veining. Fragments in breccia up to 3cm across.	
228.90	238.60	BRECCIA: mottled grey/white/black slump brecciated siltstone/fine grained sandstone. Extremely weathered & clayey. Minor quartz and calcite veining. Matrix possibly black dolomitic siltstone. Pyritic in part. Breccia fragments generally 1-2.5 cm across. (well sorted!)	Minor disseminated pyrite.

SAMPLE NUMBER	METERAGE From	METERAGE To	Length	ASSAYS Cu	Pb	Zn	Ag
21759	103	104	1	7	117	411	<0.1
21760	104	105	1	<5	481	954	<0.1
21761	105	106	1	<5	127	707	<0.1
21762	106	107	1	<5	356	1068	<0.1
21763	107	108	1	5	377	1360	<0.1
21764	108	109	1	<5	165	680	<0.1
21765	109	110	1	6	225	513	<0.1
21766	110	111	1	<5	139	467	<0.1
21767	111	112	1	<5	71	219	<0.1
21768	112	113	1	6	74	362	<0.1
21769	113	114	1	6	34	35	<0.1
21770	114	115	1	7	35	63	<0.1
21771	115	116	1	<5	31	73	<0.1
21772	116	117	1	5	29	414	<0.1
21773	117	118	1	6	40	209	<0.1
21774	118	119	1	6	38	88	<0.1
21775	119	120	1	5	36	140	<0.1
21776	120	121	1	6	48	657	<0.1
21777	121	122	1	5	34	44	<0.1
21778	122	123	1	7	35	71	<0.1
21779	123	124	1	8	45	390	<0.1
21780	124	125	1	21	341	2780	<0.1
21781	125	126	1	5	39	611	<0.1
21782	126	127	1	8	282	2190	<0.1
21783	127	128	1	<5	48	922	<0.1
21784	128	129	1	6	45	118	<0.1
21785	129	130	1	8	38	40	<0.1
21809	130	131	1	5	60	37	2.1
21810	131	132	1	<5	49	22	1.7
21811	132	133	1	<5	45	44	1.5
21812	133	134	1	<5	46	25	1.6
21813	134	135	1	5	49	44	1.7
21814	135	136	1	6	25	20	2.1
21815	136	137	1	6	30	76	1.6
21816	137	138	1	5	31	101	1.5
21817	138	139	1	6	48	60	1.6
21818	139	140	1	<5	45	21	1.6
21819	140	141	1	<5	45	47	1.8
–	141	142	1	NO	CORE	RECOVERY (Cavity)	
–	142	143	1	"	"	"	
–	143	144	1	"	"	"	
–	144	145	1	"	"	"	
–	145	146	1	"	"	"	
21820	146	147	1	14	27	145	1.9
–	147	148	1	NO	CORE	RECOVERY (Cavity)	
–	148	149	1	"	"	"	
–	149	150	1	"	"	"	
–	150	151	1	"	"	"	
–	151	152	1	"	"	"	
–	152	153	1	"	"	"	
–	153	154	1	"	"	"	
–	154	155	1	"	"	"	
–	155	156	1	"	"	"	

Amoco Minerals Australia Company

DRILL LOG HOLE No. ZT-809-2

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	METERAGE To	METERAGE Length	ASSAYS Cu	Pb	Zn	Ag
238.60	246.00	DOLOMITIC SILTSTONE BRECCIA: Black, completely weathered, pyritic, dense, slump brecciated dolomitic siltstone. Fragments sub angular to rounded.	Minor pyrite	21821	156	157	1	27	37	90	2.1
				-	157	158	1	NO	CORE	RECOVERY	
				-	158	159	1	NO	CORE	RECOVERY	
				-	159	160	1	NO	CORE	RECOVERY	
246.00	250.00	SANDSTONE / SILTSTONE: grey, massive, fine grained sandstone/siltstone. Badly broken ground gives rise to extremely weathered zones in an otherwise competent sequence. Minor fine grained pyrite as disseminations.	Minor disseminated pyrite.	21822	160	161	1	<5	34	457	1.9
				21823	161	162	1	<5	19	142	2.5
				-	162	163	1	NO	CORE	RECOVERY	
				-	163	164	1	NO	CORE	RECOVERY	
				-	164	165	1	NO	CORE	RECOVERY	
				-	165	166	1	NO	CORE	RECOVERY	
250.00	262.50	LIMESTONE: dark grey, brecciated and very foliated, extremely weathered silty limestone with minor dark grey to black silty dolomites. Minor calcite veining. Abundant fine grained pyrite. Limestones & dolomites occasionally completely decomposed to silty black clays. NO Bedding.	2% pyrite as fine disseminations.	-	166	167	1	NO	CORE	RECOVERY	
				-	167	168	1	NO	CORE	RECOVERY	
				-	168	169	1	NO	CORE	RECOVERY	
				-	169	170	1	NO	CORE	RECOVERY	
				-	170	171	1	NO	CORE	RECOVERY	
				-	171	172	1	NO	CORE	RECOVERY.	
				21824	172	173	1	7	29	59	2.2
262.50	265.10	LIMESTONE ??: Completely weathered dark grey limestone, manifest now by dark grey to black, massive, but silty clays. Completely weathered white calcite veins present.		21825	173	174	1	<5	41	38	1.6
				-	174	175	1	NO	CORE	RECOVERY	
				-	175	176	1	NO	CORE	RECOVERY.	
				21826.	176	177	1	29	6160	490	5.8
265.10	275.90	SILTSTONE: fine grained, well sorted, grey, massive, very broken and pugby siltstone. Pugh zones composed of clayey silts, black & massive. Minor qtz veining. Cavity 267.70 - 268.80 m. Rock in general very weathered.		-	177	178	1	NO	CORE	RECOVERY	
				-	178	179	1	NO	CORE	RECOVERY	
				-	179	180	1	NO	CORE	RECOVERY	
				-	180	181	1	NO	CORE	RECOVERY	
				-	181	182	1	NO	CORE	RECOVERY.	
275.90	284.00	CLAYSTONE: Orange/olive brown/white sandy and silty clays. Minor mottling. Completely weathered and oxidised sandstones and siltstones; minor shales.		21827	182	183	1	<5	53	92	1.7
				21828	183	184	1	<5	45	146	1.9
				21829	184	185	1	15	52	134	2.3
				21830	185	186	1	16	50	123	1.9
284.00	293.50	IRONSTONE BRECCIA: yellow/orange, pugby, very porous sandy, extremely weathered, pugby, ironstone breccia. Pugh zones of silty or sandy yellow to white weakly ferruginous clays. Recoveries through badly broken ground ≤ 65%		21831	186	187	1	17	88	4470	2.0
				-	187	188	1	NO	CORE	RECOVERY	
				-	188	189	1	NO	CORE	RECOVERY	
				-	189	190	1	NO	CORE	RECOVERY.	
				21832	190	191	1	<5	65	206	1.9
				21833	191	192	1	<5	17	227	2.2
293.50	297.50	SILTSTONE BRECCIA: Grey (greeny yellow), massive, very dense, pugby (quartz lined) sideritic, pugby siltstone slump?? breccia. Pugh zones major component of rock and are generally black to dark grey silty clays. More resistant sections of core, less weathered siltstone breccia, up to 20-30 cm in length, angular to sub angular fragments in breccia generally ≤ 2 cm in width. Minor disseminated Galena & sphalerite. Very fine grained Cavity 296.70 - 297.20 m.	Very fine grained, minor galena & sphalerite.	-	192	193	1	NO	CORE	RECOVERY	
				21834	193	194	1	<5	13	47	1.8
				21835	194	195	1	<5	12	43	2.0
				21836	195	196	1	<5	11	32	2.1
				21837	196	197	1	<5	18	24	1.9
				21838	197	198	1	<5	16	40	1.7
				21839	198	199	1	<5	15	22	1.4
				21840	199	200	1	7	23	34	1.6
				21841	200	201	1	6	26	36	1.5
				21842	201	202	1	<5	17	20	1.7
				21843	202	203	1	<5	15	43	2.2
297.50	306.00	Fine grained SANDSTONE / SILTSTONE: Moderately sorted light grey, quartz veined, massive, dense quartzose, fine grained sandstone / siltstone. Major proportion of rock sandy pugby clays - completely weathered sections of core. Minor well bedded, pyritic siltstones (301m) Bedding 32° to c.a. at 301 m.	Bedded minor pyrite in siltstone (laminar)	21844	203	204	1	<5	62	342	2.1
				21845	204	205	1	<5	61	230	1.8
				21846	205	206	1	<5	26	92	2.1
				21847	206	207	1	<5	62	311	2.0
				21848	207	208	1	9	40	350	2.1
				21849	208	209	1	12	25	38	1.6

Amoco Minerals Australia Company

DRILL LOG — HOLE No. ZT-80A-2 —

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	METERAGE To	Length	ASSAYS Cu	Pb	Zn	Ag
306.00	311.00	QUARTZITE: pink to cream, silicified, fine grained, brecciated?, clay veined sandstone. Rock very massive but badly broken.		21850	209	210	1	6	23	50	1.9
				21851	210	211	1	<5	29	29	2.1
				21852	211	212	1	<5	21	437	2.2
				21853	212	213	1	<5	15	338	1.9
311.00	319.80	SANDSTONE: medium to coarse grained, very weathered, grey, foliated sandstone. Poor core recoveries in generally soft porous sandstones.		21854	213	214	1	<5	10	20	2.2
				21855	214	215	1	<5	50	24	2.0
				21856	215	216	1	5	8	48	1.8
				21857	216	217	1	<5	10	63	1.6
319.80	323.70	SANDSTONE: cream to pink/white, medium grained, foliated, weathered, very soft, porous clayey sandstone.		21858	217	218	1	<5	<5	60	2.0
				21859	218	219	1	<5	<5	22	1.3
				21860	219	220	1	<5	16	74	1.7
				21861	220	221	1	14	50	177	2.0
323.70	331.00	SANDSTONE: grey, foliated slumped? weakly siderite veined, medium grained sandstone with minor siltstone interbeds. Trace of galena and sphalerite within siderite veinlets. Poor core recoveries in soft ground ~ 25%.	Trace galena, sphalerite in thin veinlets.	21862	221	222	1	11	60	170	1.9
				21863	222	223	1	<5	46	47	1.7
				21864	223	224	1	<5	40	34	1.6
E.O.H	331.00m			21865	224	225	1	<5	7	604	1.8
				21866	225	226	1	<5	12	54	1.5
				21867	226	227	1	<5	7	77	1.4
				21868	227	228	1	<5	30	160	1.8
				21869	228	229	1	5	15	47	1.6
				-	229	230	1	NO	CORE	RECOVERY	
				-	230	231	1	NO	CORE	RECOVERY	
				21870	231	232	1	<5	<5	26	1.7
				21871	232	233	1	<5	<5	37	1.8
				21872	233	234	1	6	18	158	1.5
				21873	234	235	1	15	<5	45	1.8
				21874	235	236	1	5	21	26	1.6
				21875	236	237	1	<5	27	245	2.7
				21876	237	238	1	<5	18	127	2.3
				21877	238	239	1	11	35	1826	2.9
				21878	239	240	1	37	145	1315	3.0
				21879	240	241	1	6	75	1864	2.4
				21880	241	242	1	10	53	328	2.7
				21881	242	243	1	11	52	197	2.5
				21882	243	244	1	11	65	824	2.9
				21883	244	245	1	16	48	135	2.8
				21884	245	246	1	7	31	164	3.1
				21885	246	247	1	<5	27	136	2.7
				21886	247	248	1	14	75	324	3.3
				21887	248	249	1	<5	32	845	2.8
				21888	249	250	1	<5	197	2790	3.0
				21889	250	251	1	<5	33	95	2.7
				21890	251	252	1	<5	28	41	2.5
				21891	252	253	1	<5	34	74	2.7
				21892	253	254	1	<5	129	430	3.2
				21893	254	255	1	5	42	369	2.8
				21894	255	256	1	10	106	1604	3.2
				21895	256	257	1	<5	118	656	2.6
				21896	257	258	1	16	360	849	3.0
				21897	258	259	1	<5	180	603	2.9
				21898	259	260	1	<5	107	475	2.6
				21899	260	261	1	<5	40	290	2.6
				21900	261	262	1	<5	25	88	2.8

Amoco Minerals Australia Company

DRILL LOG HOLE No. ZT- 80A - 2 PAGE 6 OF 7

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	METERAGE To	Length	ASSAYS Cu	Pb	Zn	Ag.
				21901	262	263	1	10	180	692	3.3
				21902	263	264	1	17	125	155	3.2
				21903	264	265	1	17	157	563	3.6
				21904	265	266	1	9	270	1236	3.4
				21905	266	267	1	<5	121	994	2.9
				21906	267	268	1	<5	72	468	3.3
				-	268	269	1	NO	CORE	RECOVERY.	
				21907	269	270	1	<5	106	2620	2.8
				21908	270	271	1	<5	109	902	3.1
				21909	271	272	1	<5	51	921	3.4
				21910	272	273	1	<5	47	2600	3.2
				-	273	274	1	NO	CORE	RECOVERY.	
				-	274	275	1	NO	CORE	RECOVERY.	
				21911	275	276	1	16	2110	9450	4.4
				21786	276	277	1	28	717	2780	8.8
				21787	277	278	1	33	3660	2100	15.5
				21788	278	279	1	29	3720	3690	9.6
				21789	279	280	1	23	1440	1905	10.2
				21790	280	281	1	20	1570	2020	9.6
				21791	281	282	1	15	1270	1317	1.4
				21792	282	283	1	14	1440	1938	1.8
				21793	283	284	1	12	913	1015	1.5
				21794	284	285	1	22	1.71%	7400	9
				21795	285	286	1	30	1.42	5900	9
				21796	286	287	1	31	9210	3980	0.4
				21797	287	288	1	54	1.69	7500	4
				21798	288	289	1	102	1.75	7200	5
				21799	289	290	1	98	1.16	6600	3
				21800	290	291	1	406	6610	6340	0.4
				21801	291	292	1	614	4390	4610	1.1
				21802	292	293	1	502	5360	4120	20.1
				21803	293	294	1	645	2920	5260	0.8
				21804	294	295	1	12	3900	1.45	5
				21805	295	296	1	<5	5200	2.18	2
				21806	296	297	1	<5	3600	1.81	2
				21807	297	298	2	<5	4000	3.12	20
				-	298	299					
				21808	299	300	1	30	3800	7120	1.2
				21912	300	301	1	76	3820	1790	3.5
				21913	301	302	1	89	1680	3850	2.3
				21914	302	303	1	50	588	1250	1.9
				21915	303	304	1	6	626	522	1.7
				21916	304	305	1	<5	404	867	2.4
				21917	305	306	1	<5	349	660	2.2
				21918	306	307	1	24	319	674	3.2
				21919	307	308	1	30	314	629	3.6
				21920	308	309	1	29	217	326	3.8
				21921	309	310	1	19	105	172	1.4
				21922	310	311	1	<5	45	115	1.4
				21923	311	312	1	<5	62	181	1.9
				21924	312	313	1	17	131	590	2.0
				21925	313	314	1	<5	368	727	2.1
				21926	314	315	1	<5	98	326	1.7

Amoco Minerals Australia Company

DRILL LOG HOLE No. ZT-80A-2 PAGE 7 OF 7

METERAGE From	METERAGE To	DESCRIPTION	MINERALIZATION %	SAMPLE NUMBER	METERAGE From	METERAGE To	METERAGE Length	ASSAYS Cu	Pb	Zn	Ag
				21927	315	316	1	15	1450	3160	2.9
				–	316	317	1	NO	CORE	RECOVERY	
				21928	317	318	1	13	79	374	2.1
				21929	318	319	1	16	42	194	1.9
				21930	319	320	1	<5	79	445	2.3
				21931	320	321	1	<5	107	516	2.0
				21932	321	322	1	<5	17	67	1.6
				21939	322	323	1	<5	329	1112	2.2
				21940	323	324	1	<5	729	175	2.6
				21941	324	325	1	<5	1000	1332	2.6
				21942	325	326	1	48	170	338	4.1
				21943	326	327	1	<5	94	225	2.1
				21944	327	328	1	37	82	329	1.9
				21945	328	329	1	<5	59	140	2.1
				–	329	330	1	NO	CORE	RECOVERY	
				–	330	331	1	NO	CORE	RECOVERY	
				END OF HOLE	331	metres.					

6491621