

DRILLING RECORD

| LOCATION: Woodbury No.1 | | CO-ORDINATES: |
|-------------------------|--------------|---|
| DATE: | METHOD: | DIAMETER: |
| SHEET 2 OF 4SHEETS. | | HOLE ANGLE: |
| COMMENTS: | | |
| DEPTH. | GRAPHIC LOG. | REMARKS. |
| 34 | | Grey sst 15% white silty matrix. 5% mafics. subang. - subrounded Q and F Ave 0.25mm. |
| 36 | | As above |
| 38 | | Grey sst as above |
| 40 | | ditto |
| 42 | | ditto |
| 44 | | ditto |
| 46 | | ditto |
| 48 | | 1. Grey sst. 10% mafics 5% matrix Q and F. subang.-subrounded. Ave 0.25mm. 2. V.fine grained sst. Ave 0.05 mm. |
| 50 | | Fine grained grey sst. < 5% mafics. Ave 0.1mm. |
| 52 | | Similar to above, but Ave 0.2mm. |
| 54 | | As above |
| 56 | | As above |
| 58 | | 1. Sst as above. 2. Coal. |
| 60 | | 1. Sst as above. 2. Coal. 3. Grey siltstone. 4. Very fine grained sst to sandy grey siltstone. |
| 62 | | 1. Grey sst similar to above, but 0.2mm Ave. 2. Similar sst but brownish staining in matrix - slightly darker. |
| 64 | | Grey sst 5 - 10% mafics. Ave 0.25mm. |

| | | | |
|-------------------------|---------|---------------|--|
| LOCATION: Woodbury No.1 | | CO-ORDINATES: | |
| DATE: | METHOD: | DIAMETER: | |
| SHEET 3 OF 4 SHEETS. | | HOLE ANGLE: | |
| COMMENTS: | | | |

| DEPTH. | GRAPHIC LOG. | REMARKS. |
|--------|--------------|--|
| 66 | | As above |
| 68 | | As above |
| 70 | | As above - larger grains up to 0.5mm. |
| 72 | | Similar to 68M interval |
| 74 | | Grey sst 10% mafics Q & F. subang. - subrounded. Ave size 0.2 - 0.25mm. |
| 76 | | As above |
| 78 | | As above |
| 80 | | As above |
| 82 | | 1. Grey sst as above 2. Grey siltstone |
| 84 | | 1. Grey sst. 2. Grey to black siltstone - harder than above |
| 86 | | As above |
| 88 | | As above |
| 90 | | Grey sst. |
| 92 | | Grey sst. 15 - 20% mafics. Q.F. Ave. 0.2mm. sub-rounded. |
| 94 | | As above |
| 96 | | As above |

270

DRILLING RECORD

| | | |
|-------------------------|---------------|-----------|
| LOCATION: Woodbury No.1 | CO-ORDINATES: | |
| DATE: | METHOD: | DIAMETER: |
| SHEET 4 OF 4 SHEETS. | HOLE ANGLE: | |

COMMENTS:

| DEPTH. | GRAPHIC LOG. | REMARKS. |
|--------|--------------|--|
| 98 | | As above |
| 100 | | As above |
| 102 | | As above |
| 104 | | Grey sst. < 5% mafics. - greenish colour in matrix. |
| 106 | | Grey sst - similar to 46 to 51. Fairly soft. 15% matrix - crumbles easily when wet. Bulk sample = small chips. |
| 108 | | As above |
| 110 | | Grey sst 20% matrix subang. - subrounded < 5% mafics. Grains to 0.5mm Ave 0.2 to 0.25mm. |
| 112 | | 1. Grey siltstone - no mafic grains 2. Sst as above. |
| 114 | | Grey siltstone as above |
| 116 | | 1. Grey siltstone as above 2. Light grey siltstone |
| 118 | | Light grey siltstone as above |
| 120 | nr | Light grey siltstone - light grey sandy siltstone. |
| 122 | nr | Light grey sandy siltstone. |
| 124 | nr | 1. Light grey siltstone 2. Yellow hard siltstone - does not scratch. |
| 125 | nr | ? Very small chips - appears to be quite hard grey to dark grey siltstone |

nr nr