

RENISON LIMITED - DRILL CORE RECORD

BT 128

HOLE NUMBER	BT 128	SURVEY			From - To	Distance D	VERTICAL		HORIZONTAL	
		Depth	Bearing	Dip			D.Sin.Dip	R.L.	D.Cos.Dip	Prog. Total
PURPOSE	To test for extensions of Anchor mineralization		GRID					259.56		
		0	-	-	0 - 35	35	33.191	226.37	11.106	11.11
		20m	058	-71.5	35- 50	15	14.204	212.17	4.822	15.93
LOCATION	Anchor Open Cut	50m	057	-71.25						
COLIAR R.L.	259.56									
CO-ORDINATES	5297.81mN 4696.27mE									
LENGTH	50m									
HOLE SIZE	0 - 6m NQ -50m BQ									
DATE DRILLED	6.4.81									
SIGNIFICANT CORE LOSS ZONES										
ORE ZONE GROUND CONDITIONS										
LOGGED BY	A. ROSS									
COMMENTS	Interval 3m to 50m assayed									


SUMMARY - ASSAY DATA

LODE NAME	FROM	TO	LENGTH (m)	AVERAGE WEIGHTED ASSAYS											B.C.A.
				Sn.	Acid Sol. Sn.	Cu.	As.	S.	Pb.	Zn.	Bi.	WO ₃	Ag g/t		
0.2% Cut off	11	13	2	0.46		<0.01					<0.01			<1	
	(249.1RL)	(247.2RL)	(1.9 EPT)												

892113

HOLE BT 128


SCALE :




RENISON LIMITED DIAMOND DRILL HOLE PLOT

BT 128

5 cm



5297.8 N
4696.3 E




5306.5 N
4709.6 E

PLAN

259.6 m

312.2 m



% Sn

DIP PROFILE

892114

DIAMOND DRILL RECORD

HOLE NUMBER : BT 128

LOGGED BY : AFR

NWPS

INTERVAL (m)		RECOVERY		DESCRIPTION	FORM.	% Sn.										
FROM	TO	m	%			FROM	TO	TOTAL	ACID SOL.	% Cu.	% As.	% Mn	% Pb.	% Zn.	% Bi.	g/t Ag
				SUMMARISED LOG		3	4	<0.01		0.0015		0.06		0.0055	<1	
							5	"		0.0015		0.05		0.0045	<1	
0	3			NON-CORING			6	"		0.0010		0.04		0.0055	<1	
							7	"		0.0010		0.035		0.0060	<1	
3.0	50.0			ALKALI GRANITE WITH ZONES AND PATCHES OF FLUORITE, SERICITE ALTERATION (ANCHOR GRANITE).			8	"		0.0010		0.04		0.0045	<1	
							9	"		0.0010		0.04		0.0050	<1	
							10	"		0.0015		0.045		0.0075	<1	
							11	"		0.0015		0.05		0.0075	<1	
							12	0.66		0.0015		0.035		0.0045	<1	
				DETAILED LOG			13	0.25		0.0015		0.04		0.0025	<1	
							14	0.07		0.0015		0.04		0.0055	<1	
0	3	0.0	0.0	Tricone, no recovery.			15	0.01		0.0010		0.045		0.0050	<1	
							16	0.02		0.0015		0.045		0.0075	<1	
3.0	15.5	12.5	100	White cream-yellow, medium grained equigranular alkali granite greisen. Pervasive sericite alteration. Minor (up to 10cms) zones (often vein-like, 30-45° CA) of disseminated fluorite/sericite. Zones of intense lime green clayey feldspar alteration.			17	0.04		0.0010		0.04		0.0065	<1	
							18	0.11		0.0010		0.04		0.0065	<1	
							19	0.05		0.0010		0.035		0.0050	<1	
							20	0.07		0.0010		0.035		0.0045	<1	
							21	<0.01		0.0010		0.04		0.0050	<1	
15.5	16.0	0.5	100	As above but slight brown limonitic staining, disseminated throughout.			22	<0.01		0.0010		0.04		0.0035	<1	
							23	"		0.0010		0.04		0.0045	<1	
16.0	18.8	2.8	100	White-yellow alkali granite-sericite alteration. Sparse patches of fluorite, sericite throughout. No obvious cassiterite.			24	"		0.0015		0.035		0.0045	<1	
							25	"		0.0015		0.04		0.0060	<1	
							26	"								
18.8	19.3	0.5	100	Brown disseminated limonitic staining.			27	"								
							28	"								
19.3	26.3	7.0	100	White yellow green alkali granite with sericite clayey alteration. Sparse patches of fluorite, sericite alteration.			29	"								
							30	"								
							31	"								
26.3	35.5	9.2	100	As before but with abundant lime green clayey alteration as veinlets and patches. Disseminated fluorite/sericitic clay throughout.			32	"								
							33	"								
							34	"								
35.5	50.0	14.5	100	White yellow alkali granite with varying sericite clay alteration. Sparse patches, zones of fluorite, lime clay sericite alteration. Overall the core is very soft and similar to BT 57. No obvious cassiterite.			35	"								
							36	"								
							37	"								
							38	"								
							39	"								
				END OF HOLE			40	"								
							41	<0.01		FROM	TO	% Sn				
							42	<0.01		45	46	<0.01				
							43	<0.01			47	<0.01				
							44	<0.01			48	<0.01				
							45	<0.01			49	<0.01				
											50	<0.01				

Sn Assays by Niwa Dept, Launceston (XRF) / Cu, Zn, Ag, Mo Assays by Renison (AAS)

892115