



SCALE 1:100				LENGTH <u>28.04m</u> NORTHING <u>4344N</u>		M'INTYRE MINES (AUST.) PTY. LTD.	
% CORE RECOVERY		CORE SPLIT REC.		AZIMUTH <u>370° 90°</u> EASTING <u>777E</u>		EXPLORATION DEPARTMENT	
FEATURE		FRACTURING		DIP AT COLLAR <u>45°</u> ELEVATION <u>521.4m.</u>		HOLE No <u>296</u> PAGE / OF <u>1/2.</u>	
INT	PPM NO.3.	BEDDING	GEOLOGY	LOCATION <u>KARA SOUTH. (5-8 JAN 1981)</u>		PROJECT <u>KARA.</u>	
				MINERALISATION		GEOLOGY	
4.27			CL	NIL.		CLAY.	
5.18	100			X		ANGLE READ	
6.40	100			V		ANGLE CORRECTED	
7.32	100		SP	6.40m		AZIMUTH	
7.92	75			V		DEPTH	
9.75	73.2			SANDSTONE - MUDSTONE.		SURVEY	
10.36	100			LIGHT BROWN COLOURED.			
11.89	100			FINE GRAINED.			
13.41	63.2	1.82	Tm. 25-35	ISOLATED SCHEELITE SPECK. Y			
14.63	26.2	1.22		14.40m.			
16.50	62.6	0.91		11.89m			
17.07	100	0.40		SKARN.			
18.29	68.0	0.50		MAGNETITE SKARN.			
20.12	71.0	0.40		25% Fe - 11.89-14.63.			
20.73	100	0.40		35% Fe - 14.63-16.90.			
22.56	91.3	0.40		POOR RECOVERY.			
23.77	100	0.40		16.90m		CONTRACTOR	
92.9				SILTSTONE.		CORE	
				LIGHT GREY-BROWN SILTSTONE.		CASING	
				HOMOGENEOUS - NO LAMINING.			
				FRACTURED AND RUDDY TO 21'60m			
				MORE MASSIVE IN LATER RUNS.			
				F		LOGGED BY	
						DATE	
						STARTED	
						FINISHED	

5 cm

923051

SCALE 1:100				LENGTH <u>28.04m</u> NORTHING <u>R344N.</u>		M'INTYRE MINES (AUST.) PTY. LTD. EXPLORATION DEPARTMENT		
% CORE RECOVERY	CORE SPLIT	FEATURE	FRACTURING	BEDDING	GEOLOGY	MINERAL	AZIMUTH <u>228.90</u> EASTING <u>771E.</u>	
							DIP AT COLLAR <u>-45°</u> ELEVATION <u>521.4m</u>	HOLE No <u>296</u> PAGE / OF <u>2/2</u>
LOCATION <u>KARA SOUTH (5-E. JAN 1981)</u> PROJECT <u>KARA.</u>								
<u>25.60</u>	<u>229</u>						MINERALISATION	
<u>26.42</u>	<u>100</u>						GEOLOGY	
<u>28.04</u>	<u>864</u>						28.04m	
							28.04m	
							END OF HOLE.	

ANGLE READ	_____
ANGLE CORRECTED	_____
AZIMUTH	_____
DEPTH	_____
SURVEY	_____
CONTRACTOR	_____
CORE	_____
CASING	_____
LOGGED BY	_____
DATE	_____
STARTED	_____
FINISHED	_____