

AMDEX MINING LIMITED - NORTH EAST TASMANIA DRILL LOG

Area: STH.MT. CAMERON - BONSER CREEK Hole No. B.C.6 Collar Co-ordinates: mN mE Drilling Method: Percussion

Surface R.L.: 50.6 m Basement R.L.: 32.4 m Cutting Shoe / Bit diameter: 16.02cm. Theoretical Volume: 40.3 litres.

Date: 14/9/81 Driller: G. Selby Assistant: B. Blake Sample Washer: S. Moore Geologist: R. Munro

Section		Metres	Sample No.	Recovered Volume (l)	Weight Conc. (g)	Conc. Assay (%Sn)	Recovered Tin (gSnO ₂)	Grade * (gSnO ₂ /m ³)	Grade † (gSnO ₂ /m ³)	Description of Sample
From	To									
0	2		5485	23LTRS	93.7	0.08	0.11	4.6	3.3	Black mud, c & f sand, heavy drift, yellow clay. Ilmenite, pyrite.
2	4		5486	22 "	129.4	0.06	0.11	5.0	3.4	Black mud, c & f sand, heavy drift. Ilmenite, pyrite.
4	6		5487	25 "	120.0	0.76	1.30	52.1	40.4	c & f sand, med. & lge. wash, grey silty clay. Tr. of tin, pyrite.
6	8		5488	25½"	102.9	0.14	0.21	8.1	6.4	c & f sand, grey silt. Tr. of tin, pyrite.
8	10		5489	27 "	138.0	0.08	0.16	5.8	4.9	c & f sand, organic silt. Pyrite.
10	12		5490	35 "	100.8	0.08	0.12	3.3	3.6	c & f sand, organic silt, sm. wash, wood, pyrite lumps. Pyrite.
12	14		5491	23 "	194.8	B.L.D. 0.02	0	0	0	c & f sand, organic silt, wood, pyrite lumps. Pyrite.
14	16		5492	20 "	169.4	B.L.D. 0.01	0	0	0	c & f sand, organic silt, wood, pyrite lumps. Pyrite.
16	18		5493	21½"	161.9	B.L.D. 0.01	0	0	0	Organic silt, wood. Pyrite.
18	19		5494	14 "	198.5	B.L.D. 0.01	0	0	0	c & f sand, decomposed granite (1 piece of wash). Pyrite.
19	20		5495	13 "	681.4	B.L.D.	0	0	0	Decomposed granite. Lge. amount pyrite.
20	21		5496	11 "	811.7	B.L.D.	0	0	0	Decomposed granite. Lge. amount pyrite.
										648018

* Grade calculated by relating recovered volume to recovered tin † Grade calculated by relating Radford factored theoretical volume to recovered tin Rad F = 80%
 Drillers reported basement at 18.30 m. Grade from surface to inferred basement at m g SnO₂ / m³ *
 Total recovered volume, surface to basement l. at 18.3 m g SnO₂ / m³ †