

AMDEX MINING LIMITED - NORTH EAST TASMANIA DRILL LOG

Area: STH.M.T CAMERON - BONSER CREEK Hole No.: B.C.8 Collar Co-ordinates: mN mE Drilling Method: Percussion

Surface R.L.: 53.8 m Basement R.L.: m Cutting Shoe / Bit diameter: 16.02cm. Theoretical Volume: 40.3 litres.

Date: 18/9/81 Driller: G. Selby Assistant: B. Blake Sample Washer: S. Moore Geologist: R. Munro

Section Metres		Sample No.	Recovered Volume (l)	Weight Conc. (g)	Conc. Assay (%Sn)	Recovered Tin (gSnO ₂)	Grade * gSnO ₂ /m ³	Grade + gSnO ₂ /m ³	Description of Sample
From	To								
0	2	5714	29½LTRS	95.7	0.18	0.25	8.3	7.6	Yellow & grey clay, c & f sand, V. f. tr. of tin, ilmenite.
2	4	5715	23½ "	127.7	0.07	0.12	5.4	3.7	C & f sand, yellow & white clay, heavy drift. Tr. of tin, ilmenite.
4	6	5716	16 "**	116.7	BLD 0.02	0	0	0	C & f sand, white & yellow clay. Pyrite.
6	8	5717	18 "**	151.7	BLD 0.01	0	0	0	C & f sand, white clay. Pyrite.
8	10	5718	33 "**	92.7	0.20	0.26	8.0	8.2	C & f sand, sm. wash, white & brown clay. Pyrite.
10	12	5719	25 "**	89.0	0.10	0.13	5.0	3.9	C & f sand, white clay. Pyrite.
12	14	5720	15 "**	98.6	0.04	0.06	3.7	1.7	White silty clay, c & f sand. Pyrite.
14	16	5721	27 "**	319.4	BLD	0	0	0	C & f sand, sm. & med. wash, grey clay. Pyrite.
16	18	5722	27 "**	247.2	0.03	0.11	3.9	3.2	C & f sand, sm. & med. wash. Pyrite.
18	19	5723	15 "**	165.7	0.19	0.45	30.0	27.9	C & f sand, sm. & med. wash, decomposed granite. Pyrite.
19	20	5724	10 "**	90.0	0.06	0.07	7.7	4.8	Decomposed granite. Pyrite.
20	21	5725	26 "**	249.6	0.05	0.18	6.8	6.8	Decomposed granite, med. wash. Pyrite.
									648020

* Grade calculated by relating recovered volume to recovered tin + Grade calculated by relating Radford factored theoretical volume to recovered tin Rad.F = 80%
 Drillers reported basement at 18.20 Grade from surface to inferred basement at m g SnO₂ / m³ *
 Total recovered volume, surface to basement l at 18.2 m 5 g SnO₂ / m³ *