

AMDEX MINING LIMITED - NORTH EAST TASMANIA DRILL LOG

A

Area: PIONEER Hole No: K136 Collar Co-ordinates: 452900 mN 76700 mE Drilling Method: Percussion

Surface R.L.: 89.82 m Basement R.L.: 46.32 m Cutting Shoe / Bit diameter: 16.02cm. Theoretical Volume: 40.3 litres

Date: 30th April 1981 Driller: T. King Assistant: J. Petrie Sample Washer: S. Moore Geologist: K. Morrison

Section	Metres	Sample No.	Recovered Volume (l)	Weight Conc (g)	Conc. Assay (%Sn)	Recovered Tin (gSnO ₂)	Grade * gSnO ₂ /m ³	Grade + gSnO ₂ /m ³	Description of Sample
From	To								
0	2	5041	5LTRS	243.3	1.44	5.00		8.62	Black top soil, c & f sand, white clay. Tr. of v.f. tin, ilmenite.
2	4	5042	32 ""					8.62	White clay. Tr. of monazite.
4	6	5043	33½""					8.62	White clay, c & f sand, Tr. of ilmenite, monazite.
6	8	5044	31 ""					8.62	C & f sand, white clay. Ilmenite, monazite.
8	10	5045	36 ""					8.62	C & f sand, white clay. Ilmenite, monazite.
10	12	5046	33½"					8.62	C & f sand, heavy drift, yellow clay. Ilmenite, pyrite.
12	14	5047	20½"					8.62	C & f sand, heavy drift, white clay. Ilmenite, monazite.
14	16	5048	23 ""					8.62	C & f sand, heavy drift, white clay. Ilmenite, monazite.
16	18	5049	32½""					8.62	C & f sand, heavy drift, white clay. Ilmenite, monazite.
18	20	5050	23 ""					8.62	C & f sand, white sandy clay. Ilmenite, monazite.
20	22	5051	66 ""					4.21	C & f sand, heavy drift, white & yellow clay, sm. & Med. wash. Tr. of tin, ilmenite, monazite.
22	24	5052	26 ""					8.62	C & f sand, heavy drift, sm. & med. wash, yellow & clay. Tr. of tin, ilmenite, monazite.
24	26	5053	24 ""					8.62	C & f sand, heavy drift, med. wash, white & yellow clay. Tr. of tin, ilmenite, monazite.
26	28	5054	29½""					8.62	C & f sand, sm, med & lge. wash, white sandy clay. F. tr. of tin, ilmenite, monazite.
28	30	5055	17½""					8.62	C & f sand, yellow clay. Ilmenite, monazite.

648123

Contd./

* Grade calculated by relating recovered volume to recovered tin + Grade calculated by relating Radford factored theoretical volume to recovered tin Rad F = 80%
 Drillers reported basement at 43.5 m Grade from surface to inferred basement at m
 Total recovered volume, surface to basement 572.5 l at 43.5 m m 12 g SnO₂ / m³ *
 Total recovered tin 8.86 gSnO₂ at m g SnO₂ / m³ +

