

220766

AMDEX MINING LIMITED - NORTH EAST TASMANIA DRILL LOG

Area: **STH. MT. CAMERON** Hole No: **S.P. 41** Collar Co-ordinates: mN mE Drilling Method: **Percussion**

Surface R.L.: **72.75** m Basement R.L.: **54.25** m Cutting Shoe / Bit diameter: **16.03 cm.** Theoretical Volume: **40.3** litres

Date: **17.2.81** Driller: **G. Selby** Assistant: **G. Wainwright** Sample Washer: **S. Moore** Geologist: **R. Munro**

Section	Metres	Sample No.	Recovered Volume (l)	Weight Conc (g)	Conc. Assay (%Sn)	Recovered Tin (gSnO ₂)	Grade * g SnO ₂ /m ³	Grade + g SnO ₂ /m ³	Description of Sample
From	To								
0	2	5275	17LTBS	286.9	1.13	14.6		18.0	C & f sand, wash, clay & drift (tailings). Tr. of tin, ilmenite, pyrite.
2	4	5276	22 "					18.0	Black mud, c & f sand, grey clay. ilmenite, pyrite.
4	6	5277	18 "					18.0	C & f sand, grey clay. ilmenite, pyrite.
6	8	5278	17 "					18.0	C & f sand, white clay. Tr. of tin, ilmenite, pyrite.
8	10	5279	20 "					18.0	C & f sand, white & yellow clay. ilmenite, pyrite.
10	12	5280	22 "					18.0	C & f sand, white clay. ilmenite, pyrite.
12	14	5281	11 "					18.0	C & f sand, organic silt, pyrite lumps. Pyrite.
14	16	5282	25 "					18.0	C & f sand, heavy drift, pyrite lumps, wood. Tr. of tin, pyrite.
16	18	5283	23 "	123.6	0.81	1.4		44.4	C & f sand, heavy drift, pyrite lumps, brown clay, wood. Tr. of tin, pyrite.
18	19	5284	12 "	116.6	2.06	3.4		212.9	C & f sand, heavy drift, brown clay, granite. Sm. amount tin, pyrite.
19	20	5285	9 "	111.0	0.78	1.2		76.7	Decomposed granite. Tr. of tin, pyrite.
20	21	5286	18 "	120.4	0.32	0.6		34.1	Decomposed granite. Pyrite.

* Grade calculated by relating recovered volume to recovered tin + Grade calculated by relating Radford factored theoretical volume to recovered tin Rad.F = 80%
 Drillers reported basement at **18.50** m. Grade from surface to inferred basement at m g SnO₂ / m³ *
 Total recovered volume surface to basement **183.25** l at **18.5** m **38** g SnO₂ / m³ +
 Total recovered tin **11.20** g SnO₂