

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Gladstone Drill: Casey Ref No: 1310 **33**
 Bore No: 6R Commenced: 5th Sept. 1941. Completed: 9th Sept.
 Location of Bore: 1 chain east of No 5 R.
 Co-ordinates of Collar: AM6 Co-ords: 583838 E 5469167 N R.L. of Collar: _____
 Bearing: _____ Inclination: vertical Final Depth: 106 (101)

976

BORE LOG

| Date (1941) | Footage | Total Depth | BORE LOG | | | | | Details of Ore Intersection |
|----------------|---------|----------------|----------|-----|------|-----------|---------------------|---|
| | | | From | To | Core | Thickness | Particulars of Core | |
| Sept. 5 | 51 | 51 | 0 | 1 | 1 | 1 | surface | 88 - 95' 4" 11.0 oz. 70% con. per c.f. 95' 4" - 101 31.2 |
| 8 | 31 | 82 | 1 | 3 | 2 | 2 | sand | |
| 9. | 24 | 106 | 3 | 6 | 3 | 3 | sediment | Av. 254 oz. 70% con. per c.f.d. |
| | | | 6 | 9 | 3 | 3 | clay | |
| | | | 9 | 30 | 21 | 21 | sediment | |
| | | | 30 | 33 | 3 | 3 | air | |
| | | | 33 | 40 | 7 | 7 | puggy air | |
| | | | 40 | 83 | 43 | 43 | air | |
| | | | 83 | 101 | 18 | 18 | wash | |
| | | | 101 | 106 | 5 | 5 | slate bottom. | |

10 010