

DIAMOND DRILL RECORD

HOLE NUMBER	S284	SURVEY			PURPOSE																																																																													
		DEPTH	BEARING	DIP																																																																														
LOCATION	ARGENT - KAPI	COLLAR	BAG 321	-50	To locate and test the cause of I.P. S.P. anomalies A13 along traverse 4100 West on the Pine Hill Grid. Cf C.G.G. report pages 18, 19 and the comprehensive map. (1970). COMMENTS Anomaly A13 thought to be caused by pyrite - pyrrhotitic quartzose zone.																																																																													
		100	321	-51																																																																														
COLLAR R.L.		200	325	-50																																																																														
CO-ORDINATES	52155N 51050E	300	335	-49																																																																														
MINE LEVEL	SURFACE	400	331	-48																																																																														
LENGTH	788'	500	329	-47																																																																														
HOLE SIZE	8x8x	600	333	-47																																																																														
		700	334	-46																																																																														
COMMENCED		750	329	-46																																																																														
MACHINE	F52A-6-51	788	331	-46	ASSAY DATA																																																																													
COMPLETED					<table border="1"> <thead> <tr> <th>LODE NAME</th> <th>FROM</th> <th>TO</th> <th>FEET</th> <th>AV. WEIGHTED ASSAY</th> <th>CUT-OFF LIMIT/GRADE</th> <th>INITIALS AND DATE</th> </tr> </thead> <tbody> <tr> <td colspan="7" style="text-align: center;">No significant assays.</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	LODE NAME	FROM	TO	FEET	AV. WEIGHTED ASSAY	CUT-OFF LIMIT/GRADE	INITIALS AND DATE	No significant assays.																																																																					
LODE NAME	FROM	TO	FEET	AV. WEIGHTED ASSAY	CUT-OFF LIMIT/GRADE	INITIALS AND DATE																																																																												
No significant assays.																																																																																		
TOTAL CORE RECOVERY	100.1%																																																																																	
PLOTTING																																																																																		
SCALE	SECTIONS	PLANS																																																																																
40'																																																																																		
100'																																																																																		

