

No.	ANGLE TO CCAL AXIS	GEOLOGICAL DESCRIPTION	ALTERATION	MINERAL PT	Fracturing	Sample No	From (m)	To (m)	Roc (m)	SW %	W %	ANALYSES							
												Ca %	Fe %	Al %	Si %	Mo %	Other		
10	45	Tyrone Zone. Green chlorite mica and shale. Clots of pyrite along s.s. Quartz, pyrite, muscovite, albite, minor calcite, 70% to 100% 100m. 2cm near quartz, muscovite, pyrite, minor calcite, 70% to 100% 30 Pyrite muscovite chlorite filling cleavage fracture voids Very chlorite in patches. 30 Between 55-56 units along S ₁ quartz, pyrite, siderite 100 2cm near quartz, pyrite, chlorite, albite, siderite parallel to S ₁ Zone of interest. No increase in pyrite content or alteration				533449	40	41	1	152	20	80	55	200	30	120	0.9	X	
							450	41	42	1	X	X	50	X	85	3.5	16	0.2	X
							451	42	43	1	167	X	106	20	75	2.4	52	0.7	X
							452	43	44	1	6	X	95	X	90	3.2	19	0.2	X
							453	44	45	1	X	X	15	5	50	2.3	2	X	X
							454	45	46	1	8	X	10	5	55	2.6	1	X	X
							455	46	47	1	7	X	10	8	56	2.7	2	X	X
							456	47	48	1	X	X	20	10	60	3.0	19	0.5	X
							457	48	49	1	194	X	30	30	185	2.3	360	0.3	X
							458	49	50	1	6	X	20	10	55	2.3	19	0.2	X
						459	50	51	1	X	X	20	5	55	2.5	5	0.2	X	
						460	51	52	1	3	X	15	10	20	4.6	3	0.1	X	
	35					461	52	53	0.3	X	X	5	5	55	2.4	3	0.1	X	
						462	53	54	1.2	X	X	15	5	70	3.3	2	0.1	X	
						463	54	55	1	X	X	15	5	80	3.9	1	X	X	
						464	55	56	1	X	X	10	5	40	2.6	2	0.2	X	
						465	56	57	1	X	X	5	10	65	3.4	1	X	X	
						466	57	58	1	29	X	25	5	180	3.0	2	0.1	X	
						467	58	59	1	X	X	X	5	50	2.4	1	0.2	X	
						468	59	60	1	4	X	25	10	65	2.6	5	0.3	X	
						469	60	61	1	62	X	30	10	90	2.0	65	0.3	X	
						470	61	62	1	28	X	10	5	90	5.0	9	0.2	2	
						471	62	63	1	X	X	40	5	100	4.3	22	0.2	X	
						472	63	64	1	X	X	15	10	75	2.6	18	0.5	X	
						473	64	65	1	X	X	7	20	90	4.8	3	0.2	X	
						474	65	66	1	X	X	15	35	90	3.9	13	0.2	X	
						475	66	67	1	8	X	25	35	105	4.6	64	0.2	X	
						476	67	68	1	9	X	10	40	165	3.2	25	0.3	X	
						477	68	69	1										
						478	69	70	1										
						479	70	71	1										
						480	71	72	1										
						481	72	73	1										
						482	73	74	1										
						483	74	75	1										
						484	75	76	1										
						485	76	77	1										
						486	77	78	1	10	X	25	30	80	3.5	12	0.3	X	
						487	78	79	1	34	X	90	50	155	3.2	140	0.4	X	

036

GFOPEKO TASMANIA DRILL LOG

Prospect BALFOUR File no. DOB 15

795037

DEPTH (m)	ANGLE TO CC-E AXIS		GEOLOGICAL DESCRIPTION	Alteration	MINERALIZATION	Fracturing	Sample No.	From (m)	To (m)	Rec (m)	ASSAYS									
	S ₀	S ₁									W	Cu	Pb	Zn	Fe	As	Ag	Bi	Mo	
79			14 18.1m Quartz, pyrite consistent vein Subparallel to S ₀ 0.7mm thick		V		91148	79	80	0.75	X	25	25	75	2.9	34	0.2	X		
80					V		489	80	81	0.8	X	35	50	95	4.5	10	0.2	X		
81					V		490	81	82	1.0	X	95	10	75	4.6	5	0.1	X		
82					V		491	82	83	1.1	X	30	35	75	4.0	4	0.1	X		
83					V		492	83	84	1.2	X	15	X	50	2.3	2	0.2	X		
84					V		493	84	85	1.3	X	45	15	65	3.3	14	0.1	X		
85					V		494	85	86	1.4	X	25	X	50	2.4	1	X	X		
86					V		495	86	87	1.5	X	30	25	90	2.4	30	X	X		
87					V		496	87	88	1.6	X	25	25	125	2.5	10	0.2	X		
88					V		497	88	89	1.7	X	40	10	80	3.0	5	0.1	X		
89					V		498	89	90	1.8	X	15	30	90	2.5	4	0.2	X		
90					V		499	90	91	1.9	X	75	10	75	6.2	3	0.1	X		
91					V		500	91	92	2.0	X	10	5	55	2.6	X	0.1	X		
92					V		791	92	93	2.1	X	40	5	56	2.5	1	0.1	X		
93					V		792	93	94	2.2	X	45	5	55	2.4	1	0.1	X		
94					V		793	94	95	2.3	X	35	20	140	2.8	X	0.2	X		
95					V		794	95	95.55	2.4	X	20	10	60	2.7	X	0.2	X		

604 95 55m

35°