

COMSTAFF J/V.

DRILL HOLE DETAILS		DRILLING DETAILS
AREA/GRID.	GODKIN	Collar is 10 metres east of Surveyors steel peg at AGS. HW casing to 38.5m Reduced to BQ at 113.10 m.
HOLE NUMBER.	GDK8.	
COLLAR CO-ORDS	342 406 E 5367 628 N	
AZIMUTH.	70° M.	
INCLINATION	-45°	
R.L.	340 m.	
DEPTH OF HOLE	± 300 m.	
COST.		
TARGET ZONES.	To Traversa : down. dip expression of andalusite (brown) soil geochemistry + PGM conductor	

GEOLOGICAL SUMMARY.

FROM - TO	LITHOLOGY.	MINERALISATION	STRUCTURE
0 - 38.5.	TRICONED.		CIA's.
38.50 - 65.0	Weathered brown. Fine to medium gr. sandstone 30% and siltstone 70%. Coarser sa units appear at 55.0m. and beds become fresh + grey colored.	oxidised to 48.5m -Manganese coated fractures	B. 40-60°
65.0 - 96.0	Medium gr. grey/white sandstone (plus minor mica) interbedded with minor grey siltstone. Unit becomes coarser grained towards base.	68.0-70.0 broken vuggy leached qtz vein disseminated py in coarse units	B. 40-60° B. 20° (96.0) B. 60° (98.0)
96.0 - 98.0	Mix of m. gr. and coarse grained sa.	} minor qtz veins with py.	
98.0 - 105.0	Coarse gr. sa with bands of fine gr. gnt/conglomerate - minor siltstone.		
105.0 - 128.0	Banded grey/brown. m. to f. grained sandstone with siltstone and minor gnt bands.	Rare (transite/ andalusite like fractures unfilled)	B. 45° (125.0)
128.0 - 129.0	Bedded, fractured and brecciated sa and ss with core of massive qtz + sulphide.	10% Aspy Py, Cp.	V. 40° sub // to bedding.
129.0 - 164.70	Coarse grained sandstone with minor siltstone - variable bedding		B. 15-40° (129.0)

EASTMAN CAMERA SURVEYS.			GENERAL COMMENTS.
DEPTH.	AZIMUTH	INCL.	Repeat - minor sulphide Repeat - basaltic affect. 2/14
0	70°	45	
50	42.25	46.5	
80	90°	44.5	
110	210 !!	49.5	
150	70°	48°	
160	70°	48°	
210	60.25	48°	
240	138.25 !!	48°	







