

GOLD

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

487

Locality: Beaconsfield TASMANIA MINE Drill: Sullivan B" Diamond Drill  
 Bore No.: 3 Commenced: 31-3-41 Completed: \_\_\_\_\_  
 Location of Bore: See Plans 846, 847, 848 & 848A/30  
 Co-ordinates of Collar: MG 6-ords: 484300E 5438675 N R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Inclination: vertical Final Depth: \_\_\_\_\_

COTO

BORE LOG

Date	Footage	Total Depth	BORE LOG						Details of Ore Intersection
			From	To	Core	Thickness	Particulars of Core		
1941									
Oct	31 <sup>st</sup>	10	0	30	8	30	Clay		
April	1 <sup>st</sup>	420	30	52	nil	22	coarse & fine sandstone		
	2 <sup>nd</sup>	13	43	52	90	38	blue pug		
	5 <sup>th</sup>	16	59	90	186	41	blue pug to coarse grit		
	4 <sup>th</sup>	31	90	131	158	27	some black clay or pug but mostly grit.		
	7	37	129	158	290	132	soft slate		
	8	2	131	290	326	36'	slate & clay		
	22	27	158	326	366	40	slate, quartz rubble & sand slate at bottom		
	28	27	185	366	373	7	decomposed sandstone		
	29	24	209	373	460	87	decomposed sandstone with <sup>hard</sup> pieces of some		
	30	28	237				running quartz pebbles.		
May	1	23	260	460	486	26	sand & rubble		
	2	30	290	486	502	16	sand & grit		
	12	18	308	502	518	16	decomposed sandstone. made 1/11 core at 502'		
	13	3	311				then very soft.		
	14	25	336	518	538	20	decomposed sandstone & white sand.		
	15	26	362	538	560	22	white sand & very coarse <sup>1/11</sup> grit		
	16	4	366	560	573	13	sand & rubble		
	23	7	373	573	581	8	limestone & sand (poor class limestone)		
	26	14	387	581	585	4	limestone		
	27	18	405	585	590	5	quartz grit		

30  
150  
0

Ref No 1683

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Beaconsfield Drm: Sullivan "B" Diamond Drill  
 Bore No: Nº 3 Commenced: 31-3-41 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Inclination: Vertical Final Depth: \_\_\_\_\_

Date	Footage	Total Depth	BORE LOG					Details of Ore Intersection
			From	To	Core	Thickness	Particulars of Core	
1941								
28	9	413						
29			596	607	1' 6"	11' 0"	limestone	
30	28	441	607	618	3' 6"	11' 0"	quartzite	
31	19	460	618	620	nil	2' 0"	quartz	
2	11	471	620	623	0' 2"	3' 0"	quartzite has a coarse rubble	
3	2	473	623	628	1' 3"	5' 0"	quartzite in bands of few inches	
4	5	478	628	643	6' 0"	15' 0"	quartzite limestone	
5	8	486	643	645	2' 0"	2' 0"	"	
9	5	491	646	662	11' 6"	16' 0"	"	
10	6	497	662	694	20' 0"	32' 0"	poor class limestone & quartzite.	
11	7	504	694	711	6' 8"	17' 0"	quartzite & limestone very hard & very broken	
12	14	518	711	738	10' 0"	27' 0"	mostly quartzite with bands of limestone.	
17	6	524	738	767	18' 0"	29'	very hard & broken quartzite.	
18	26	550	767	799	18' 0"	32'	quartzite.	
19	10	560	799	826	13' 6"	27'	very hard & broken quartzite.	
24	6	566	826	854	18' 0"	28'	very broken quartzites in bands with soft filling in between	
25	1	567						
26	6	573	854	879	10' 6"	25'	broken quartzite	
27	2	581	879	906	14' 6"	27'	broken quartzite soft slate partings	
30	10	590						
4	6	596						

DEPARTMENT OF MINES, TASMANIA - DRILLING RECORD.

1925

Locality: Beaconsfield Drill: Sullivan "B" Diamond Drill  
 Bore No.: Nº 3 Commenced: 31-3-41 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Incination: Vertical Final Depth: \_\_\_\_\_

0187

Date		Footage	Total Depth	BORE LOG					Particulars of Core	Details of Ore Intersections
1941				From	To	Core	Thickness			
July	7	6	602	906	939	20	33	mostly quartzite, some quartzitic sandstone + a few inches of slate.		
	8	6	608							
	9	6	614	939	968	19	29	quartzite.		
	10	6	620	968	989	14'6"	21	broken quartzite.		
	17	2	622	989	1018	15'	29	very broken quartzite		
	18	1	623	1018	1038	14'6"	20	hard + broken quartzite.		
	24	2	625	1038	1057	11'6"	19	quartzite.		
	25	3	628	1057	1083	12'6"	26	slightly hard + broken quartzite.		
	28	2	630	1083	1110	16'	27	quartzite.		
	29	1	631	1110	1122	8'4"	12	quartzite.		
30	7	638	1122	1130	7'6"	8	limestone			
Aug	31	5	643	1130	<del>1140</del>	8'0"	10'	quartzite.		
	8	2	645	1140	1154	10'0"	14	quartzite.		
	11	2	648	1154	1188	27'6"	28	quartzitic sandstone, quartzite all showing same line.	50	
	12	4	652	1188	1226	30'	30	quartzite + quartzitic sandstone.	101	
	13	4	656							
	14	3	659	1226	1254	26	28	quartzite.		
	15	3	662	1254	1281	24'6"	27	quartzite.		
	18	8	670	1281	1312	27'6"	31	mostly quartzite patch of quartz conglomerate.		
	19	7	677	1312	1340	20'6"	28	quartzite.		
	20	6	683	1340	1354	10'6"	14	dark quartzite very broken		

DEPARTMENT OF MINES, TASMANIA - DRILLING RECORD.

1925

Locality: Beevorfield

Drill: Sullivan B Diamond Drill

Bore No: 3 Commenced: 31.3.41

Completed: .....

Location of Bore: .....

Co-ordinates of Collar: ..... R.L. of Collar: .....

Bearing: ..... Inclination: Vertical Final Depth: .....

Date 1941	Footage	Total Depth	BORE LOG					Particulars of Core	Details of Ore Intersection
			From	To	Core	Thickness			
Aug 21	6	689	1354	1369	12'6"	15'0"	quartzite		
22	5	694	1369	1380	10'6"	11'0"	quartz conglomerate.		
25	2	696	1380	1412	28'	32'	quartz grit + quartz conglomerate.		
26	2	698	1412	1419	6'6"	7'	quartz conglomerate		
27	3	701	1419	1422	2'3"	3'	dark quartzite.		
28	6	707	1422	1428	4'6"	6'	mixture quartzite + cabbage tree		
29	4	711	1428	1435	7'	7'	Cabbage tree.		
Sept 1	5	716	1435	1455	18'	20'	Cabbage tree with bands of dark quartzite.		
2	2	718	1455	1473	15'6"	18'	quartzite.		
3	2	720	1473	1503	26'0"	30	quartzite.		
4	10	730	1503	1536	30'	33	quartzite.		
5	8	738	1536	1526	28'	30'	quartzite + cabbage tree.		
8	6	744							
9	4	748							
10	4	752							
11	8	760							
12	7	767							
15	6	773							
16	6	779							
17	6	785							
18	8	793							

**DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.**

7825

Locality: Beaconsfield Drill: Sullivan B. Diamond Drill  
 Bore No.: 3 Commenced: 3.1.3.41 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ Bearing: \_\_\_\_\_ Inclination: Vertical Final Depth: \_\_\_\_\_

0189

**BORE LOG**

Date 1941	Folage	Total Depth	BORE LOG				Details of Ore Intersection
			From	To	Core	Thickness	
Sept. 19	6	799					
22	6	805					
23	6	811					
24	5	816					
25	4	820					
26	6	826					
29	5	831					
30	5	836					
Oct. 1	6	842					
2	6	848					
3	6	854					
6	6	860					
7	6	866					
8	5	871					
9	4	875					
10	4	879					
13	5	884					
14	7	891					
15	5	896					
16	4	900					
17	6	906					

30 152

**DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.**

7825

Locality: Beaconsfield Drill: Sullivan B.  
 Bore No.: 3 Commenced: ..... Completed: .....  
 Location of Bore: .....  
 Co-ordinates of Collar: ..... R.L. of Collar: .....  
 Bearing: ..... Inclination: Vertical Final Depth: .....

**BORE LOG**

**Details of Ore Intersection**

Date 1941	Footage	Total Depth	BORE LOG				Particulars of Core	Details of Ore Intersection
			From	To	Core	Thickness		
Oct. 20	19	915						
21	7	922						
22	5	927						
23	6	933						
24	6	939						
27	5	944						
28	6	950						
29	5	955						
30	6	961						
31	7	968						
Nov. 4	6	974						
5	2	976						
6	6	982						
7	7	989						
10	5	994						
11	6	1000						
12	6	1006						
13	6	1012						
14	6	1018						
17	7?	1025						
18	6	1030						

0610

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7225

Locality: Roosamsfield Drill: Sullivan 'B'  
 Bore No.: 3 Commenced: 31-3-41 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Inclination: Vertical Final Depth: \_\_\_\_\_

0191

Date 1941	Footage	Total Depth	BORE LOG					Details of Ore Intersection
			From	To	Core	Thickness	Particulars of Core	
Nov. 19	7	1038						
24	5	1043						
25	6	1049						
26	6	1055						
28	2	1057						
Dec 1	6	1063						
2	5	1068						
3	6	1074						
4	4	1078						
5	5	1083						
8	7	1090						
9	5	1095						
10	6	1101						
11	4	1105						
12	5	1110						
15	6	1116						
16	6	1122						
17	8	1130						
18	4	1134						
19	6	1140						

36 153

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Reasonsfield Drill: Sullivan - 6  
 Bore No: 3 Commenced: 31-3-41 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Inclination: Vertical (?) Final Depth: \_\_\_\_\_

Date	Footage	Total Depth	BORE LOG					Details of Ore Intersection
			From	To	Core	Thickness	Particulars of Core	
1942								
Jan 8	4	1144						
9	8	1152						
10	2	1154						
12	6	1160						
13	6	1166						
14	9	1175						
15	6	1181						
16	7	1188						
19	8	1196						
20	9	1205						
21	9	1214						
22	6	1220						
23	6	1226						
27	5	1231						
28	9	1240						
29	8	1248						
30	6	1254						
Feb 2	8	1262						
3	5	1267						
4	3	1270						
5	5	1275						
6	6	1286						

01924

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

0193

Locality: Bencaupfield Drill: Sullivan "B"  
 Bore No.: 3 Commenced: 31-3-46 Completed: \_\_\_\_\_  
 Location of Bore: \_\_\_\_\_  
 Co-ordinates of Collar: \_\_\_\_\_ R.L. of Collar: \_\_\_\_\_  
 Bearing: \_\_\_\_\_ Inclination: vertical (?) Final Depth: \_\_\_\_\_

Date 1942	Footage	Total Depth	BORE LOG					Details of Org. Intersection
			From	To	Core	Thickness	Particulars of Core	
Feb 9	6	1287						
10	6	1293						
11	6	1299						
12	5	1304						
13	8	1312						
16	8	1320						
17	5	1325						
18	5	1330						
19	5	1335						
20	5	1340						
23	3	1343						
24	3	1346						
25	6	1352						
26	2	1354						
Mar 2	5	1359						
3	4	1363						
4	4	1367						
5	5	1372						
6	8	1380						
9	7	1387						
10	7	1394						

36 154

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Beaconsfield Drill: Sullivan B  
 Bore No.: 3 Commenced: 31-3-41 Completed: .....

Location of Bore: .....

Co-ordinates of Collar: ..... R.L. of Collar: .....

Bearing: ..... Inclination: ..... Final Depth: .....

BORE LOG

Date	Footage	Total Depth	BORE LOG				Particulars of Core	Details of Ore Intersection
			From	To	Core	Thickness		
1942								
Mar	11	1398						
	12	1405						
	13	1412						
	16	1417						
	17	1420						
	18	1424						
	19	1428						
	20	1435						
	23	1441						
	24	1445						
	25	1450						
	27	1455						
	30	1461						
	31	1464						
April	1	1468						
	2	1473						
	6	1478						
	7	1482						
	8	1488						
	9	1496						
	10	1503						

ACTO

**DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.**

7825

Locality: Bassonfield Drill: Sullivan B.  
 Bore No.: 3 Commenced: ..... Completed: 24-4-42  
 Location of Bore: .....  
 Co-ordinates of Collar: ..... R.L. of Collar: .....  
 Bearing: ..... Inclination: ..... Final Depth: 1576

0195

**BORE LOG**

Date 1942	Footage	Total Depth	BORE LOG					Details of Ore Intersection
			From	To	Core	Thickness	Particulars of Core	
April 13	8	1511						
14	6	1517						
15	6	1523						
16	8	1531						
17	5	1536						
20	4	1540						
21	6	1546						
22	6	1552						
23	9	1561						
24	5	1566						

36 155