Aberfoyle Resources Limited

EXPLORATION DIVISION

DIAMOND DRILL LOG

HOLE No. T3

GEO. ES

DATE 21-10-93

Depth (m)	Core tray no.	Stratigraphy	Rock type	Colour	Fragments composition	Max. size (mm)	Sorting	Shape	Matrix composition	Volume %	Lower contact style	Alteration texture	Alteration intensity	Alteration mineralogy	Veining intensity	Max. width (mm)	Veining mineralogy	Mineralisation texture	Mineralogy & contents	Fault position of base	Downhole width (cm)	Core axis angle	Gouge	Foliation type	Core axis angle	Remarks	Sample no.
0–4.6	TRAY 1		Gravel & Scree																							Casing Run. No core	
4.6–4.95			MBa	Gn-Wh	BaQz				BaQzCa		P													Brd	40	4.6–4.95	4.6–4.95 624651
4.95–5.6																				5.6	65	?	ClPaBx			very broken Fault zone	
5.6–7.4			No Core Recovery																							Sandy Wash – Ground Core washed away	No Sample
7.4–12.0		HT	Shd m.G vlcl		Hm alt AID	15	M	SA-SR	mkd Fd	?	12.0	P / P	2-3 / 3	CL+Hm, Gl Su / HmClCa	2-3	8	SiCaCl	Ds / Ds	Py 1% / Mgt 1-2%	11.7 / 12.0	10 / 10	?	ClPyBx / HmBx			with SiCaCl veinlets x cutting & // to clvg. ~sus 330 -20	625121, 625122, 625123, 625124, 625125
12.0–15.6	TRAY 2	HT	Sheared fG HA vlcl?	PkRd								lenses / wispy / " / " / P	of: / 4 / " / 3 / 2 / 3	Hm ± Mgt, Mgt, Si ± Ca, Ca, Ba mtx	1 / 1	10 / 4	BaGaPy / PyBa	Vnd / Ds / Vnd/Ds	Ga 1% / Py 1-2% / Mgt 5%	13.65 / 15.5	90	?	ShHmBx / ClCaBx	Brd Fol / Shd	40°	Relict Hm alt after mgt: Majority of mgt likely hydrothermal alteration. mGt form nodules/core c in sheared fabric. BaGaPy vein:  9119 Mag sus SI	625126, 625127, 625128
15.6–16.2			Qz Fd xtal lithic rich D-vlcl	GnBn	R-I FP	20 6	M W	SR R	Qz Fd	5% 8%		P	2	Si				Ds	Py 1% Mgt 1% tr Ba								625129
16.2–17.0			HA Bx																	16.9	100		ClHd Bx			17.0	625130
17.0–17.2			Brd Zo - SuP	GnBn														Brd	100% SSP ...					Brd	70		625131
17.2–17.4			vlcl	GnGy								P	4	Si													
17.4–17.65			3MS	Gy Bl											17.65			Brd	10% Ssp 60% Ba 15%							17.65	625132
17.65–20		HT	xtal rich lithic vlcl	PpGy	R-I; Common Sc, Invert Fd lith	20; Gz Gt 15; 5	M; P; M	SR; A; SR	Fd Qz	10 10		P	3	CaBa Sc	3 wispy; <1	8 veinlets; 10	Ca±Si; BaPyGa	Ds / Ds / Ds	Py 5-8% / f.G Ga 1% / Ba in mtx 10-15					Shd		Pervasive Ba alteration lends to mottled Gy colouration. Strong fol c clvg wrapping around xtals in mtx	625133, 625134

Aberfoyle Resources Limited

EXPLORATION DIVISION

HOLE No. TL3

PAGE 1 OF 2

GEO. RS

DATE 21-10-93

DIAMOND DRILL LOG

DRILLING | LITHOLOGY | VESICLES | ALTERATION | VEINING | MINERALISATION | FAULTS | FOLIATION | WEATHERING | STANDARD COLOUR LOG | REMARKS | SAMPLE NO. | DEPTH

LITHOLOGY: STRATIGRAPHY; ROCK TYPE; COLOUR; VOLCANICLASTICS — FRAGMENTS: COMPOSITION, MAX. SIZE (MM), SORTING, SHAPE; MATRIX: COMPOSITION, VOLUME %; LOWER CONTACT: GRADATION, STYLE

VESICLES: CONCENTRATION, MAX. SIZE (MM), SHAPE

ALTERATION: TEXTURE, INTENSITY, MINERALOGY

VEINING: INTENSITY, MAX. WIDTH (MM), MINERALOGY

MINERALISATION: TEXTURE, MINERALOGY & CONTENTS

FAULTS: POSITION OF BASE, DOWNHOLE WIDTH (CM), CORE AXIS ANGLE, GOUGE

FOLIATION: TYPE, CORE AXIS ANGLE

REMARKS

Showing increased abundance of Fd Qtz lithics upto 3D contacts elongate into chlor

21.3

26.05

Hornblend crystals show Ps & Ge rind & are Generally anhedral
No bedding / stratification
Massive unit.

32.45 EOH

TRAY 4

TRAY 5

log.01931.wor