

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

Locality: Waldron Drill: guma shaft line 1935
 Bore No. 2 Commenced: 27th Nov. 1942 Completed: Dec 23rd 1942
 Location of Bore: #B line - see plan by G. Botha 24/2/42 No 1047/32
 Co-ordinates of Collar: AMG Co-ords: 573900E 5441700N R.L. of Collar: 1395.6'
 Bearing: 51°30' Inclination: -60° Final Depth: 160'

Date	Footage	Total Depth	BORE LOG				Details of Ore Intersection				
			From	To	Core	Thickness	Particulars of Core	Per Cent			
Nov	27	10	0	8	-	8	soft granite	124' 8 3/4" - 124' 11 1/2"	Tin Nil	Copper Nil	
	30	8	8	10	0' 11"	2'	soft granite with hard bars.	124' 11 1/2" - 125' 5"	less 0.1	0.12	
Dec	1	3	10	14	1' 3"	4'	" " " "	125' 5" - 125' 8 1/2"	less 0.1	Nil	
	2	12	14	42	28	28	hard grey & red granite	125' 8 1/2" - 126' 5 1/2"	0.15	0.17	
	4	14	47	42	47	5'	5'	blue crystalline granite.	126' 5 1/2" - 126' 8 1/2"	Nil	Nil
	7	12	59	47	53	6'	6'	hard blue gneiss granite	126' 8 1/2" - 126' 9 1/2"	less 0.1	less 0.1
	8	13	72	53	97	44	44	granite	126' 9 1/2" - 127' 1 1/2"	less 0.1	Nil
	10	11	83	97	125	28	28	granite	127' 1 1/2" - 127' 8 3/4"	0.25	0.27
	11	14	97	125	134' 4"	9' 4"	9' 4"	Tin-copper lode	127' 8 3/4" - 127' 10 1/4"	less 0.1	Nil
	14	12	109	134' 4"	141'	6' 8"	6' 8"	gneiss or granite containing small values.	127' 10 1/4" - 128' 2"	0.21	less 0.1
	15	12	121						128' 2" - 128' 3"	Nil	Nil
	16	4	125	141	160	16' 1"	19' 0"	granite soft seams of white feldsp.	128' 3" - 128' 10 1/2"	less 0.1	Nil
	17	6	131						128' 10 1/2" - 129' 0"	Nil	Nil
	18	10	141						129' 0" - 129' 2"	0.11	less 0.1
	21	8	149						129' 2" - 129' 5"	Nil	Nil
	22	7	156						129' 5" - 133' 8"	0.46	0.48
	23	4	160						133' 8" - 134' 6 1/2"	0.26	0.19

Ref No 9775

0302