

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

Junior Stratini 1825 (599)

Locality: Wahroona Drill: No 3 Diamond
 Bore No: 4 Commenced: 26th Feb 1943 Completed: 17th March 1943
 Location of Bore: See plan by J. E. ... 10.47/32 32
 Co-ordinates of Collar: AM6 Co-ords: 578900 E 5441825 N RL of Collar: 1406.4'
 Bearing: 229° Inclination: 45° Final Depth: 110'

0301

BORE LOG

Date 1943	Footage	Total Depth	BORE LOG					Details of Ore Intersection	
			From	To	Core	Thickness	Particulars of Core		
Feb 26	12	12	0	9'	3'3"	9'	coarse granite		
Mar 1	12	24	9	12	3'	3'	fine (lin) granite		
2	10	34	12	44' 4"	32' 4"	32' 4"	hard fine grained granite	60	
4	9	43	44' 4"	44' 11"	7"	7"	lode showing tin + copper	60	
5	10	53	44' 11"	53' 0"	8' 1"	8' 1"	hard fine grained granite.	60	
9	11	64	53'	70' 9"	17' 9"	17' 9"	hard granite	60	
10	10	74	70' 9"	71'	0' 3"	0' 3"	lode matter Tin copper	0' 3"	vein Tin + copper
11	9	83	71' 00"	73' 6"	2' 6"	2' 6"	hard granite		
12	5	88	73' 6"	74'	0' 6"	0' 6"	lode matter Tin + copper	0' 6"	vein
15	8	96	74'	80'	6' 0"	6' 0"	hard granite containing traces small seams of tin + copper		
16	10	106							
17	4	110	80'	88'	8' 0"	8' 0"	tin - copper lode formation.		
			88'	92'	4' 0"	4' 0"	lode formation.		
			92'	99'	7' 0"	7' 0"	granite showing tin + copper lode		
			99'	110'	11' 0"	11' 0"	granite.		

Interval	Tin %	Copper %	Other
75' - 76'	Tr.	Tr.	
76' - 77'	Tr.	Tr.	
77' - 77' 5"	0.16	0.23	
77' 5" - 78' 4"	Tr.	Tr.	
78' 4" - 81' 2"	0.16	0.1	
81' 2" - 81' 10"	0.21	0.35	
81' 10" - 82' 5"	0.35	0.81	
82' 5" - 83' 1"	0.28	0.81	
83' 7" - 84' 1"	0.30	Tr.	
84' 1" - 85' 7"	0.45	1.03	4' 9"
85' 7" - 86' 5"	0.83	1.55	5m 02
86' 5" - 87' 5"	0.40	0.68	0.09
87' 5" - 88' 10"	0.37	0.63	True
88' 10" - 89' 6"	0.24	0.23	width
89' 6" - 89' 10"	Tr.	Tr.	3' 2"
89' 10" - 91' 5"	0.33	0.35	
91' 5" - 91' 11"	0.11	0.1	
91' 11" - 92' 4"	Tr.	Tr.	
92' 4" - 92' 7"	0.20	0.25	
92' 7" - 93' 2"	Tr.	0.1	
93' 2" - 93' 7"	0.39	0.38	
93' 7" - 95'	Tr.	Tr.	

Ref No 1777