

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

Locality: UPPER NATONE

Drill: G33 PERCUSSION

Bore No.: 1 2 Commenced 9:9:59 21:9:59 Completed 17:9:59 7:10:59

Location of Bore: UPPER NATONE - NEAR HAMPSHIRE A. CRANE'S TIN LEASE

Co-ordinates of Collar: AM6 Co-ords: 403000 E 5432400 N RL of Collar: BORE No.1 BORE No.2

Bearing: Bore No.1 plotted Inclination: VERTICAL Final Depth: 56 feet 6 inches 85 feet

BORE LOG

Date 1959	Footage	Total Depth	BORE LOG						Particulars of Core	Details of One Intersection
			From	To	Core	Thickness				
Sep. 9	20'	20'	0'	1'	-	1'	Basaltic Soil.	ref NOS : 1797		
" 10	25'	45'	1'	40'	-	39'	Basaltic Clay.			
" 11	9'	54'	40'	54'	-	14'	Boulders and gravel.			
" 15	1'	55'	54'	56'6"	-	2'6"	Basalt wash.		1798	
" 17	1'6"	56'6"								
<u>BORE No.2.</u>										
" 21	8'	8'	0'	1'	-	1'	Basaltic Soil.	36 332		
" 22	12'	20'	1'	8'	-	7'	Basaltic Clay.			
" 24	15'	35'	8'	14'	-	6'	Basalt stones and clay.			
" 25	12'	47'	14'	16'	-	2'	Boulders			
" 28	1	48'	16'	22'	-	6'	Clay and Stones.			
Oct. 1	4	52'	22'	47'	-	25'	Weathered Basalt			
" 2	1	53'	47'	53'	-	6'	Basalt Boulders.			
" 5	17'	70'	53'	59'	-	6'	ditto.			
" 7	15'	85'	59'	73'	-	14'	Decomposed basalt and sand.	No VALUES.		
			73'	85'	-	12'	Granite Bottom.			