# DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: ~~Tullah Road~~ North Mt Farrell Drill: Junior Diamond Drill Co

Bore No.: 21 Commenced 2nd December 1946 Completed 1st May 1947.

Location of Bore: North of Mine, Nth Western part of Section 11257M, Farrell Mg. Co Lim. See PLAN 1048-44

Co-ordinates of Collar: AMG Co-ords 386300E 5379850N. R.L. of Collar:

Bearing: Inclination: 55° Final Depth: P/L NO 1839

11257M

| Date | Footage | Total Depth | BORE LOG From | To | Core | Thickness | Particulars of Core | Details of Ore Intersection |
|---|---|---|---|---|---|---|---|---|
| Dec 2 | 8 | 8 | 0'0" | 8'0" | [illegible]" | 3'0"4" | Conglomerate | |
| 3 | 14 | 22 | 3'0" | 44'0" | 3'3" | 41'0" | Dacite porr felsite and phorphyry | |
| 5 | 16 | 38 | | | | | | |
| 6 | 6 | 44 | 44'0" | 84'0" | 22'0" | 40'0" | Felsites and phorphyry in soft & hard bands. Many small Hx & Chamosh | |
| 10 | 20 | 64 | | | | | | |
| 12 | 14 | 78 | | | | | | |
| 13 | 6 | 84 | 84'0" | 85'0" | 1'8" | 1'8" | ~~Phorphyry~~ PORPHYRY | |
| 16 | 12 | 96 | 85'0" | 125'0" | 30'0" | 39'4" | Black slate in some small quartz seam | |
| 17 | 10 | 106 | | | | | | |
| 19 | 11 | 117 | | | | | | |
| 20 | 8 | 125 | 125'0" | 145'0" | 16'6" | 20'0" | Black slate twisted bedding from pyrites. | |
| Feb 27 | 10 | 135 | | | | | | |
| 28 | 10 | 145 | 145'0" | 163'0" | 141'0" | 18'0" | Black & grey slate with some small quartz seam | |
| March 4 | 10 | 155 | | | | | | |
| 5 | 8 | 163 | 163'0" | 222'0" | 33'0" | 59'0" | Dark slate with some small quartz seam | |
| 24 | 8 | 171 | | | | | | |
| 26 | 12 | 183 | | | | | | |
| 27 | 14 | 197 | | | | | | |
| 28 | 13 | 210 | | | | | | |
| 29 | 12 | 222 | 222'0" | 249'0" | 22'4" | 27'0" | Grey & Black slate, pyrites & some small quartz seams | |
| 31 | 13 | 235 | | | | | | |

CO.

# DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Tullah Lead North Mt. Farrell Drill: Jumbo Chestline

Bore No.: 2 Commenced: 2nd December 1946 Completed: 1st May 1947

Location of Bore:

Co-ordinates of Collar: R.L. of Collar:

Bearing: Inclination: 55° Final Depth: 347 ft.

66.09

| Date | Footage | Total Depth | BORE LOG From | To | Core | Thickness | Particulars of Core | Remarks Details of Ore Intersection |
|---|---|---|---|---|---|---|---|---|
| April 1 | 14 | 249 | 249'0" | 270'0" | 18'2" | 21'0" | Black slate. | |
| 17 | 12 | 261 | 270'0" | 272'0" | 2'0" | 2'0" | ~~Greywacke~~ = Greywacke | |
| 18 | 12 | 273 | 272'0" | 273'0" | 1'0" | 1'0" | Black slate schist | |
| 21 | 10 | 283 | 273'0 | 279'0 | 5'0" | 6'0" | Slate (wafer) | |
| 22 | 8 | 291 | 279'0" | 284'0" | 5'0" | 5'0" | Slate (solid) | |
| 23 | 8 | 299 | 284'0" | 292'0" | 8"0" | 8'0" | Lode matter. | |
| 24 | 11 | 310 | 292'0" | 294'0" | 2'0" | 2'0" | Quartz. | |
| 28 | 8 | 318 | 294'0" | 295'0" | 1'0" | 1'0" | Slate. | |
| 29 | 12 | 330 | 295'0" | 295'6" | 6" | 6" | Quartz. | |
| 30 | 12 | 342 | 295'6" | 296'0" | 6" | 6" | Black mineralised slate. | |
| May 1 | 5 | 347 | 296'0" | 296'8" | 8" | 8" | Quartz. | |
| | | | 296'8" | 302'0" | 5'4" | 5'4" | Slate. | |
| | | | 302'0" | 303'0" | 1'0" | 1'0" | Quartz. | |
| | | | 303'0" | 305'0" | 1'0" | 2'6 | Schist | |
| | | | 305'0" | 306'6" | 1'6" | 1'6" | Quartz. | |
| | | | 306'6" | 310'0" | 2'6" | 3'6" | Schist | |
| | | | 310'0" | 315'0" | 4'6" | 5'0" | Greywac (schist) | |
| | | | 315'0" | 317'0" | 2'0" | 2'0" | Quartz with small slate seams | |
| | | | 317'0" | 329'0" | 11'4" | 12'0" | Black lode slate quartz seams from solid slate in Bands & splashes | |
| | | | 329'0" | 347'0" | 17'0" | 18'0" | Black slate | NO values, good lode channel |