

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Storeys Creek 3/4 mile N.W. of

Locality: Near Rossarden (Brock) GIM 40ac H.E. Brock A/pt Drill: Goldfields No 10 D.D.

Bore No.: 1 Commenced: 29-10-51 Completed:

Location of Bore:

Co-ordinates of Collar: General AMG 6-ords: 561400E 5387150N R.L. of Collar:

Bearing: Inclination: 60° Final Depth: Ref No.: 1848

715

Date	Footage	Total Depth	BORE LOG					Particulars of Core	Details of Ore Intersection
			From	To	Core	Thickness			
Oct 29	11'	11'	0'	22'	-	22'	Surface soil, clay, soft shale & conglomerate		
30	11'	22'	22'	23'	-	1'	Soft shale		
Nov 7	10'	32'	23'	28'	2'	5'	Quartzite, quartzitic slate & slate		
8	10'	42'	28'	32'	4'	4'	Quartzitic slate		
9	8'	50'	32'	34'	2'	2'	Slate		
13	10'	60'	34'	34' 2"	2"	2"	Quartz		
14	8'	68'	34' 2"	36' 6"	2' 2"	2' 4"	Quartzitic slate		
16	9'	77'	36' 6"	36' 10"	4"	4"	Quartz		
19	9'	86'	36' 10"	37' 10"	9"	1'	Slate		
20	9'	95'	37' 10"	38'	2"	2"	Quartz		
21	7'	102'	38'	44'	5' 6"	6'	Slate		
26	5'	107'	44'	50'	5' 3"	6'	Quartzite		
28	8'	115'	50'	77'	22' 3"	27'	Broken Quartzite		
29	8'	123'	77'	78'	10"	1'	Quartzite		
30	9'	132'	78'	78' 3"	3"	3'	Quartz		
Dec 3	4'	136'	78' 3"	94'	13' 0"	15' 9"	Quartzite		
4	7'	143'	94'	94' 4"	4"	4'	Quartz		
5	7'	150'	94' 4"	102'	6'	7' 8"	Quartzite		
6	9'	158'	102'	107'	1' 6"	2'	Quartzite & Slate		
7	8'	166'	104'	104' 6"	6"	6"	Quartz		
10	8'	174'	104' 6"	106' 3"	1' 8"	1' 9"	Quartzite		

34 024

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: 3/4 mile N.W. of Rossarden (BROOK) Drill: Goldfields No 10 DD
 Bore No.: 1 Commenced: 29-10-51 Completed:
 Location of Bore:
 Co-ordinates of Collar: R.L. of Collar:
 Bearing: Inclination: 60° Final Depth:

BORE LOG

Details of Ore Intersection

Date	Footage	Total Depth	From	To	Core	Thickness	Particulars of Core
1951							
Dec 11	7'	181'	106'3"	106'5"	2"	2"	Quartz
12	7'	188'	106'5"	108'4"	1'5"	1'11"	Quartzite
13	4'	192'	108'4"	110'6"	2'2"	2'2"	Quartz
14	8'	200'	110'6"	113'	2'	2'6"	Slate
17	6'	206'	113'	114'6"	1'2"	1'6"	Quartzite
18	5'	211'	114'6"	114'8"	2"	2"	Quartz
			114'8"	117'6"	2'9"	2'10"	Slate
			117'6"	117'7"	1"	1"	Quartz
			117'7"	125'6"	7'	7'11"	Slate
			125'6"	126'10"	1'4"	1'4"	Quartzite
			126'10"	127'	2"	2"	Quartz
			127'	129'6"	2'6"	2'6"	Quartzite
			129'6"	129'8"	2"	2"	Quartz
			132'0"	144'11"		12'11"	Quartzite
			144'11"	145'0"	1"	1"	Quartz
			145'0"	146'7"		1'7"	Quartzite
			146'7"	146'11"		4"	Quartz
			146'11"	147'11"		1'0"	Quartzite
			147'11"	149'0"		1'1"	Slate
			149'0"	153'0"		4'0"	Quartzite

~~Dec 3~~

1000

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: 3/4 mile N.W. of Rossenden (BRACK) Drill: Guldfidds No 10 D.D.
 Bore No.: 1 Commenced: _____ Completed: 18-12-51
 Location of Bore: _____
 Co-ordinates of Collar: _____ R.L. of Collar: _____
 Bearing: _____ Inclination: 60° Final Depth: 211

0360

BORE LOG

Date	Footage	Total Depth	From	To	Core	Thickness	Particulars of Core	Details of Ore Intersection
1951.			153' 0"	153' 2"	2"	2"	Quartz	
			153' 2"	166' 0"		12' 10"	Quartzite.	
			166' 0"	169' 6"	2' 0"	2' 0"	"	
			168' 0"	171' 0"	3' 0"	3' 0"	Slate	
			171' 0"	172' 6"	1' 6"	1' 6"	Quartzite	
			172' 6"	192' 4"	9' 8"	9' 10"	Slate	
			182' 4"	185' 0"	2' 8"	2' 8"	Quartzite	
			185' 0"	196' 0"	10' 6"	11' 0"	Slate	
			196' 0"	197' 0"	1' 0"	1' 0"	Quartzite	
			197' 0"	198' 6"	1' 6"	1' 6"	Slate	
			198' 6"	200' 0"	1' 6"	1' 6"	Quartzite	
			200'	202'	2'	2'	"	
			202'	204' 6"	2' 6"	2' 6"	Slate	
			204' 6"	210'	5' 6"	5' 6"	Quartzite	
			210'	211'	1'	1'	Slate	

34 025