

Category: M/E

CLEVELAND TIN MINE

REF No 18571

Hole No: C1524

Objective: LOWER B Stk

Location: 17 B Stk Ag Sect

Bearing of Hole: 12° 33' 50" (110)

Angle of Hole: -28 44' 53" (-33)

Final Depth: 168 (110)

Core Size: BQ TT46

Logged By: _____

Drilled By: WONGYEAR P KAYE

Rig Type: L24

Drilling Commenced: 3/6/80

Drilling Completed: 18-6-80

NWPS 3477

Program Data			Survey Data				Interpolated Data			Depth	Plan			X-Sect.		Long. Proj.	
			Surv. By Inst.	Depth	Az.	Dip	Depth	Az.	Dip		N	E	RL	M. From HRP	M. From BRP	M. From	M. From Ag
1	Attitude + -	—	Survey P/U	∅	112.6	33.5	12 1/2	111 1/2	33	0							
			CAN. RE	10m	111 (110)	-33	37 1/2	113	35	25							
2	Hole No.	C1524	"	30m	113 (110)	-35	62 1/2	112 1/2	34 1/2	50							
			"	60m	112 (117)	-34	87 1/2	113	34 1/2	75							
3	Down Hole Interval	25		100	114 (119)	-35	112 1/2	114	35	100							
				160	114 (119)	-35	137 1/2	114	35	125							
4	Collar	15190-534 15190-253 N					162 1/2	114	35	150							
							168	114	35	175							
5	Co-ords	10614-497 10614-497 E															
6	Collar RL	131-195															
7	Hall's Sect. Intersect		N														
8	Point		E														
9	Batt. Sect. Intersect	15146-610 N															
10	Point Ag	10740-957 E															
11	Start Plot (Depth)	∅															

Hole No: C1524

HOLE No. : C-1924

SAMPLE DATA

LENS	SAMPLE No.	ROCK TYPE	Σ	INTERVAL		Length (L)	Assays (A)			Product (A x L)		
				From	To		% Snt	% Sns	% Cu	P. Snt	P. Sns	P. Cu
	248588	lode		121.4	122.0	0.60	0.13	0.04	2.00			
	248589	"		122.0	123.0	1.00	0.26	0.02	1.00			
	248590	L = sh/cl		123.0	124.0	1.00	0.52	0.02	0.10			
	248591	Lode		120.0	125.0		0.47	0.02	0.52			
	248592	"		125.0	126.0		2.57	0.05	0.62			
	248593	"		126.0	127.0		1.75	0.10	0.64			
	248594	"		127.0	128.0		1.03	0.04	0.37	} 7.3 x 1.39		
	248595	"		128.0	129.0		0.94	0.06	0.56			
	248596	"		129.0	130.0		1.97	0.05	0.36			
	248597	"		130.0	131.0		1.46	0.05	0.68			
	248598	"		131.0	131.3	0.30	1.49	0.05	0.20			
	248599	"		131.3	131.9	0.60	0.22	0.02	0.15			
	248599	"		131.9	132.4	0.50	0.05	0.02	0.23			
	248600	"		132.4	133.0	0.60	1.25	0.04	0.68			
	248601	"		133.0	134.0	1.00	1.34	0.04	0.57			
	248602	"		134.0	134.7	0.70	1.15	0.04	0.45			
	248603	mic sh		134.7	135.2	0.50	0.04	0.02	0.10			
	248604	sh lode		135.2	136.0	0.80	4.25	0.06	0.42			

N.W.P.S.

HOLE No. : C152U

SAMPLE DATA

LENS	SAMPLE No.	ROCK TYPE	Σ	INTERVAL		Length (L)	Assays (A)			Product (A x L)		
				From	To		% Snt	% Sns	% Cu	P. Snt	P. Sns	P. Cu
	248601	116/14		136.0	137.2	1.20	0.30	0.02	0.16			
	248602	Lode		137.2	138.0	0.80	1.75	0.05	0.22	68 x 1.49		
	248603	"		138.0	139.0	1.00	1.03	0.06	0.37			
	248604	"		139.0	140.0	1.00	1.67	0.08	0.26			
	248605	"		140.0	141.0	1.00	1.01	0.08	0.32			
	248606	"		141.0	142.0	1.00	1.87	0.09	0.41			
	248607	"		142.0	143.0	1.00	3.14	0.28	0.57			
	248608	"		143.0	144.0	1.00	0.87	0.11	0.18			
	248609	"		144.0	145.0	1.00	1.46	0.18	0.45			
	248610	"		145.0	146.0	1.00	0.72	0.08	0.23			
	248611	"		146.0	147.0	1.00	1.06	0.07	0.36			
	248612	"		147.0	148.0	1.00	1.33	0.09	0.16			
	248613	"		148.0	149.0	1.00	1.32	0.03	0.17			
	248614	"		149.0	150.0	1.00	0.62	0.02	0.08			
	248615	Chert 14.2		150.0	151.0	1.00	0.04	0.01	0.03			
	248616	Ch/SH/L		151.0	152.0	1.00	0.18	0.01	0.05			
			Σ	132.0	150.0	28.0	1.28		0.38			
			Σ	121.4	150.0	28.6	1.25		0.41			

N.W.P.S.