

Category: P/A

CLEVELAND TIN MINE

REF No 18573

Hole No: C1534

Objective: HALLS LENS 20-22 LEVEL

Location: 22 HENRY'S Q2 SECTION

Bearing of Hole: 142°58'16" (132)

Angle of Hole: +4°48'57" (46°)

Final Depth: 81.00m

Core Size: TT46

Logged By: PF8

Drilled By: PHILPOTT: L.A. & K.N.

DATA ENTERED INTO COMPUTER BY K.A.F. DATE 26/5/82 Rig Type: D 250

Drilling Commenced: 8-7-80

Drilling Completed: 11-7-80

NWPS 34773

Program Data			Survey Data				Interpolated Data			Depth	Plan			X-Sect.		Long. Proj.	
			Surv. By Inst.	Depth	Az.	Dip	Depth	Az.	Dip		N	E	RL	M. From HRP	M. From BRP	M. From Q2	M. From PA
1	Attitude + -	+	SURVEY PU	0	143	+4 1/2	12 1/2	141 1/2	+5								
			CAM DG	30	140 (100)	+4 1/2	37 1/2	140	+4 1/2								
2	Hole No.	1534	" "	80	139 (100)	+6 1/2	62 1/2	139 1/2	+5 1/2								
							81	139	+6.5								
3	Down Hole Interval	25															
4	Collar	10330 10342 N															
5	Co-ords	10330 10356															
6	Collar RL	1050-282															
7	Hall's Sect. Intersect Point	15623-936 N															
8		15925-717 E															
9	Batt. Sect. Intersect Point	15407-213 N															
10		10830-117 E															
11	Start Plot (Depth)	0															

Hole No. C1534

22 008

HOLE No. : C 1534

SAMPLE DATA

SHEET No. : 1

LENS	SAMPLE No.	ROCK TYPE	Σ	INTERVAL		Length (L)	Assays (A)			Product (A x L)		
				From	To		% Snt	% Sns	% Cu	P. Snt	P. Sns	P. Cu
	223936	lode + sh		27.6	28.55	0.95 (lode only = 0.6)	0.68	0.03	0.16 ✓			
	223937	lode		28.75	29.8	1.05	0.91	0.02	0.10 ✓			
	223938	lode + sh		29.9	31.1	1.2 (lode only = 1.0)	0.98	0.03	0.15 ✓			
			(Σ)	27.6	31.1	3.5	0.79	0.02	0.12			
A EAST	223939	lode		35.7	36.2	0.5	2.38	0.03	0.19 ✓			
	40											
	2239 40	lode		44.6	45.7	1.1	0.45	0.03	0.08 ✓			
	41	"		45.7	46.8	1.1	0.72	0.03	0.17 ✓			
	42	"		46.8	48.0	1.2	0.85	0.03	0.11 ✓			
	43	"		49.4	49.75	0.35	0.57	0.03	0.22 ✓			
	44	"		51.2	52.1	0.9	0.38	0.03	0.16 ✓			
	45	lode + sh		52.5	53.5	1.0 (lode only = 0.8)	0.16	0.02	0.18 ✓			
	46	lode		53.5	54.5	1.0	0.41	0.02	0.26 ✓			
	47	"		54.5	55.5	1.0	0.67	0.02	0.09 ✓			
	48	"		56.2	56.75	0.55	0.19	0.03	0.13 ✓			
	49	lode + sh		57.8	59.2	1.4 (lode only = 1.0)	1.22	0.02	0.11 ✓			
	50	lode		60.4	61.2	0.8	0.44	0.02	0.09 ✓			22 009

