

# CLEVELAND TIN MINE

REF No 18574

Hole No: 1536

Category: M/E

Objective: LOWER B&H

Location: 17B<sup>5</sup>ph Ah sect

Bearing of Hole: 110° 1' (110)

Angle of Hole: -29.7 (-32)

Final Depth: 157.50m

Core Size: NQ, BQ, AQ

Logged By: PFB

Drilled By: LONGYEAR, DET, VINCE KEV,

Rig Type: L2A

Drilling Commenced: 11/7/80

Drilling Completed: 23-7-80

NWPS 34773

Program Data		Survey Data			Interpolated Data			Depth	Plan			X-Sect.		Long. Proj.		
		Surv. By Inst.	Depth	Az.	Dip	Depth	Az.		Dip	N	E	RL	M.From HRP	M.From BRP	M.From	M.From
1	Attitude + -	—	∅													
2	Hole NO.	1536	15m	109.2 (14.5)	-33	37.2										
			73	115 (120)	-35	62.2										
3	Down Hole Interval	25	115	115 (120)	-34.5	87.2										
			155	117.2 (122)	-34	112.2										
4	Collar	N				137.3										
						162.3										
5	Co-ords	E				∅	110	-34.7								
						12.5	109.4	-32								
6	Collar RL					57.5	110.6	-34.5								
						62.5	113.5	-35								
						87.5	114.8	-34.9								
7	Hall's Sect. Intersect Point	15203.645				112.5	114.5	-34.5								
		10853.675				137.5	115.5	-34								
8	Batt. Sect. Intersect Point	15117.536				157.5	117.8	-34								
		10730.200														
11	Start Plot (Depth)	∅														

CALLER ME 30/10/80

22 0.9

Hole No: 1536



















