

Category: M/E

CLEVELAND TIN MINE

REF No 18575

Hole No: 1537

Objective: HALLS LENS 24-26

Location: 22 HENRY'S Qd SECT

Bearing of Hole: 127°57'50" (132)

Angle of Hole: -29°38'09" -32

Final Depth: 138.00m

Core Size: TT46

Logged By: END

Drilled By: PHILPOTT; L. ANDERSON, K. NEWMAN


DATA ENTERED INTO COMPUTER BY K.A.T. DATE 24/5/82 Rig type: DIAMEC 250

Drilling Commenced: 4/7/80

Drilling Completed: 23-7-80

D250

NWPS 3477

Program Data			Survey Data				Interpolated Data			Depth	Plan			X-Sect.		Long. Proj.	
			Surv. By Inst.	Depth	Az.	Dip	Depth	Az.	Dip		N	E	RL	M.From HRP	M.From BRP	M.From Qa	M.From Fa
1	Attitude + -	-	SURVEY P/U	∅	128°	-29½	12½	125½	-30	✓							
			CAM. ME	20	125½ (132)	-30	37½	126½	-29	✓							
2	Hole No.	1537	"	83	128½ (132)	-25½	62½	128	-27	✓							
			"	138	129 (132)	-19	87½	128½	-25	✓							
3	Down Hole Interval	25					112½	129	-22½	✓							
							137½	129	-19	✓							
4	Collar	15531.330 N															
5	Co-ords	11039.496 E															
6	Collar RL	1049.651															
7	Hall's Sect. Intersect Point	15623.938 N															
8	Point Qa	10935.748 E															
9	Batt. Sect. Intersect Point	15409.213 N															
10	Point Fa	10838.117 E															
11	Start Plot (Depth)																

22 080

Hole No. 1537

SAMPLE ASSAY DATA FINAL ASSAY REPORT

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	%Zn
		LENS	LEVEL	DATE												
261364	C1537			—		0.9	1.2	0.3	L	1.00	0.02	0.06 ✓				
65	"					6.9	7.3	0.4	L	0.16	<0.01	0.03 ✓				
66	"	A WEST				31.0	31.3	0.3	L	0.90	<0.01	0.45 ✓				
66																
67	"					41.1	42.0	0.9	L	1.77	<0.01	0.23 ✓				
68	"					42.0	42.7	0.7	L	2.57	<0.01	0.19 ✓				
69	"					44.6	44.9	0.3	L	1.14	<0.01	0.26 ✓				
		A EAST			Σ	41.1	44.9	3.8		0.98	<0.01	0.11				
70	"					50.7	51.6	0.9	L	0.70	0.05	0.09 ✓				
71	"					51.6	52.5	0.9	L	0.77	0.03	0.13 ✓				
72	"					52.5	53.4	0.9	L	0.47	0.06	0.09 ✓				
73	"					53.4	54.1	0.7	L	0.30	0.03	0.05 ✓				
74	"					55.9	57.1	1.2	L	0.35	0.04	0.18 ✓				
75	"					57.1	58.3	1.2	L	0.28	0.03	0.16 ✓				
76	"					58.5	59.0	0.5	L	0.29	0.02	0.15 ✓				22 103

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	%Zn
		LENS	LEVEL	DATE												
261377	CLS37			-		59.3	60.3	1.0	L	0.37	0.04	0.11				
78	"					60.3	61.0	0.7	L	0.40	0.03	0.18				
79	"					61.0	61.7	0.7	L	0.25	0.06	0.08				
80	"	A WEST				61.8	63.0	1.2	L	0.22	0.04	0.11				
81	"					63.0	64.0	1.0	L	0.28	0.03	0.15				
82	"					64.0	65.0	1.0	L	0.35	0.02	0.13				
83	"					65.0	66.0	1.0	L	0.31	0.01	0.21				
84	"					66.0	67.4	1.4	L	0.64	0.02	0.14				
85	"	A EAST			Σ	67.8	68.8	1.0	L	0.28	0.01	0.11				
x 86	"	C			Σ	68.8	69.7	0.9	L	0.42	0.05	0.05				
87	"					69.7	70.6	0.9	L	0.58	0.03	0.13				
88	"					70.6	71.4	0.8	L	1.00	0.01	0.09				
89	"					71.8	72.8	1.0	L	0.40	0.01	0.12				
90	"					72.8	74.0	1.2	L	0.36	0.01	0.12				
91	"					74.4	75.2	0.8	L	0.22	0.01	0.13				
y 92	"					75.2	76.0	0.8	L	0.38	0.01	0.15				
		HALLS B			Σ	50.7	76.0	25.3		0.36	0.02	0.11				

22 104