

FOLEY'S ZONE - VEIN DENSITY

P. LALOR

1/4/81

HOLE NO. - C1611

MEASURED BY: _____

DATE: 3/2/81

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
0.0	2.0	180	7	4
2.0	5.0	280	86	31
5.0	7.5	249	37.5	15
7.5	10.0	247	31	13
10.0	12.5	250	25	10
12.5	15.0	221	24	11
15.0	17.5	229	49	21
17.5	20.0	239	18	8
20.0	22.5	250	43	17
22.5	25.0	250	73	29
25.0	27.5	242	52	21
27.5	30.0	243	25	10
30.0	32.5	246	21	9
32.5	35.0	244	72	30
35.0	37.5	249	46	18
37.5	40.0	247	16	6
40.0	42.5	220	29	13
42.5	45.0	244	17	7
45.0	47.5	236	63	27
47.5	50.0	250	17	7
50.0	52.5	238	101	42
52.5	55.0	250	62.5	25
55.0	57.5	240	25	10
57.5	60.0	245	105.0	43
60.0	62.5	246	26	11
62.5	65.0	240	62	26
65.0	67.5	224	118	53
67.5	70.0	250	87	35
70.0	72.5	240	104	43
72.5	75.0	236	106	45
75.0	77.5	243	20	10
77.5	80.0	241	17	7
80.0	82.5	250	134	54

22 268

FOLEY'S ZONE-VEIN DENSITY

HOLE NO. C1611

MEASURED BY P. LALOR

DATE 1/4/81

FROM	TO	RECOVERY-cm	VEINS-cm	VEIN DENSITY-%
82.5	85.0	2.42	164	68
85.0	87.5	2.48	100	40
87.5	90.0	2.40	101	42
90.0	92.5	2.50	50	20
92.5	95.0	2.35	41.5	18
95.0	97.5	2.50	65	26
97.5	100.0	2.37	62	26
100.0	102.5	2.29	34	15
102.5	105.0	2.50	61	24
105.0	107.5	2.49	21	8
107.5	110.0	2.46	27.5	11
110.0	112.5	2.44	41	17
112.5	115.0	2.50	50	20
115.0	117.5	2.42	9	4
117.5	120.0	2.49	56	22
120.0	122.5	2.46	26	11
122.5	125.0	2.43	20	8
125.0	127.5	2.03	6	3
127.5	130.0	2.50	29	11
130.0	132.5	2.41	25	10
132.5	135.0	2.46	39	16
135.0	137.5	2.42	52	21
137.5	140.0	2.35	68	29
140.0	142.5	2.40	53	22
142.5	145.0	1.70	47	28
145.0	147.5	2.41	26	12
147.5	150.0	2.20	77	35
150.0	152.5	2.45	29	12
152.5	155.0	2.47	38	15
155.0	157.5	2.44	18	20
157.5	160.0	2.50	37	15
160.0	162.5	2.40	51	21
162.5	165.0	2.41	22	9

602 22

51

22

159

16

8

19

24

15

FOLEY'S ZONE - VEIN DENSITY

HOLE NO: 516/1

MEASURED BY: P. Labor

DATE: 2/4/81

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
165.0	167.5	2.43	42	17 } 14
167.5	170.0	2.50	25	10
170.0	172.5	2.31	15	6
172.5	175.0	2.46	13	5
175.0	177.5	2.50	29	12 } 7
177.5	180.0	1.79	8	4
180.0	182.5	2.37	29	12
182.5	185.0	2.41	25	10
185.0	187.5	2.47	18	7 } 8
187.5	190.0	2.50	9	4
190.0	192.5	2.42	30	12
192.5	195.0	2.50	18	7
195.0	197.5	2.50	18	7 } 7
197.5	200.0	2.50	6	2
200.0	202.5	2.49	52	21
202.5	205.0	2.42	27.5	11
205.0	207.5	2.50	29	12 } 13
207.5	210.0	2.42	21.5	9
210.0	212.5	2.50	36	14
212.5	215.0	2.44	18.5	8
215.0	217.5	2.50	12	5 } 10
217.5	220.0	2.49	34	14
220.0	222.5	2.44	100	41
222.5	225.0	2.44	3	1
225.0	227.5	2.80	16	6 } 13
227.5	230.0	2.44	10	4
230.0	232.5	2.50	20.5	8
232.5	235.0	2.34	8	3
235.0	237.5	2.39	16	7
237.5	240.0	2.38	4	2
240.0	242.5	2.41	13	5
242.5	245.0	2.50	11	7

SAMPLE ASSAY DATA FINAL ASSAY REPORT

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG
		LENS	LEVEL	DATE													
300961	C1611	Holey's Zone	25	-		210	212.5	2.5	SS	0.01	<0.01	0.02	0.285	0.060	0.075	4.85	2.84
62						212.5	215			0.01	<0.01	0.01	0.105	0.020	0.020	3.20	2.85
63						215	217.5			0.03	<0.01	0.02	0.705	0.020	0.020	4.70	2.92
64						217.5	220			0.03	<0.01	0.02	0.190	0.020	0.095	4.95	2.79
65						220	222.5			0.02	<0.01	0.03	0.845	0.005	0.080	3.75	2.89
66						222.5	225			0.01	<0.01	0.02	0.030	0.010	0.010	2.35	2.86
67						225	227.5			0.01	<0.01	0.02	0.045	0.010	0.005	4.70	2.86
300975						227.5	230			0.02	<0.01	0.02	0.070	0.030	0.005	3.60	2.81
76						230	232.5			0.01	<0.01	0.02	0.045	0.025	0.005	3.35	2.84
77						232.5	235			0.02	<0.01	0.03	0.035	0.015	0.040	3.40	2.81
78						235	237.5			0.01	<0.01	0.02	0.300	0.060	0.055	3.80	2.82
79						237.5	240			0.02	<0.01	0.01	0.040	0.010	0.005	2.80	2.81
80						240	242.5			0.01	<0.01	0.01	0.080	0.010	0.005	3.75	2.85
81						242.5	245			0.01	<0.01	0.02	0.040	0.015	0.005	3.25	2.82
82						245	247.5			0.05	<0.01	0.02	0.470	0.045	0.005	2.40	2.81
83						247.5	250			0.01	<0.01	0.02	0.025	0.010	0.005	3.00	2.81
84						250	252	2.0		0.01	<0.01	0.02	0.065	0.005	0.005	2.55	2.79
						147.5	150			0.01	<0.01	0.01	0.300	0.015			
													38 Samples.				

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	C _{Ca} F ₂ Wt%	SG
		LENS	LEVEL	DATE													
300794	C1611	Felays Zone	25	-		157.5	160	2.5	Visual SS.	0.02	<0.01	0.03	0.315	0.020	0.015	2.90	2.81
95						160	162.5			0.03	<0.01	0.02	0.335	0.050	0.035	2.65	2.78
96						162.5	165			0.04	0.01	0.03	0.160	0.005	0.010	18.0 3.70	2.82
97						165	167.5			0.02	<0.01	0.02	0.215	0.080	0.030	9.60 3.70	2.82
98						167.5	170			0.02	<0.01	0.02	0.095	0.035	0.025	19.5 3.90	2.80
300855						170	172.5			0.01	<0.01	0.01	0.110	0.020	0.060	2.95 3.30	2.78
56						172.5	175			0.01	<0.01	0.02	0.175	0.020	0.015	2.65 2.75	2.77
57						175	177.5			0.01	<0.01	0.06	0.075	0.015	0.050	2.50 3.45	2.80
58						177.5	180			0.01	<0.01	0.02	0.135	0.055	0.035	2.55 3.10	2.79
59						180	182.5			0.02	<0.01	0.02	0.135	0.005	0.015	2.70 5.65	2.81
60						182.5	185			0.03	<0.01	0.02	0.090	0.020	0.070	3.00	2.81
61						185	187.5			0.02	<0.01	0.02	0.105	0.015	0.040	2.45 3.80	2.84
62						187.5	190			0.01	<0.01	0.01	0.080	0.010	0.055	3.46	2.81
63						190	192.5			0.02	<0.01	0.03	0.045	0.015	0.035	4.40 4.05	2.84
64						192.5	195			0.02	<0.01	0.09	0.100	0.010	0.035	17.5 2.45	2.81
65						195	197.5			0.03	<0.01	0.02	0.125	0.030	0.185	14.94 3.85	2.86
66						197.5	200			0.01	<0.01	0.01	0.095	0.010	0.025	14.6 3.65	2.81
67						200.5	202.5			0.02	<0.01	0.02	0.240	0.025	0.085	12.0	2.79
300958						202.5	205			0.02	<0.01	0.02	0.745	0.060	0.065	15.3	2.85
59						205	207.5			0.01	<0.01	0.02	0.080	0.030	0.060	2.70	2.82
60						207.5	210			0.02	<0.01	0.02	0.040	0.020	0.080	3	2.87

SAMPLE ASSAY DATA FINAL ASSAY REPORT

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	CaF ₂	S.G.
		LENS	LEVEL	DATE											%Zn	
300484	1611				52.5	55.0	2.5		0.07	<0.01	0.03	0.200	0.010	0.015	30.0	2.82
85					55.0	57.5	2.5		0.01	<0.01	0.03	0.095	0.020	0.020	*9.60	2.82
86					57.5	60.0	2.5		0.02	<0.01	0.03	0.355	0.020	0.025	*1.95	2.76
87					60.0	62.5	2.5		0.02	<0.01	0.03	0.095	0.015	0.020	*2.95	2.81
88					62.5	65.0	2.5		0.02	<0.01	0.03	0.405	0.010	0.020	*2.65	2.79
89					65.0	67.5	2.5		0.03	<0.01	0.16	0.660	0.060	0.035	*2.30	2.75
90					67.5	70.0	2.5		0.03	<0.01	0.06	0.215	0.020	0.025	*2.55	2.78
300520					70.0	72.5	2.5		0.02	<0.01	0.03	0.600	0.005	0.010	*2.70	2.80
21					72.5	75.0	2.5		0.03	<0.01	0.03	0.370	0.020	0.015	*3.00	2.83
300579					75.0	77.5	2.5		0.01	<0.01	0.03	0.100	0.010	0.015	*2.45	2.81
80					77.5	80.0	2.5		0.09	<0.01	0.06	0.025	0.015	0.035	*2.15	3.00
81					80.0	82.5	2.5		0.03	<0.01	0.10	0.750	0.015	0.030	*17.5	2.89
82					82.5	85.0	2.5		0.08	0.01	0.04	0.400	0.015	0.030	*14.9	2.83
300601					85.0	87.5	2.5		0.16	0.01	0.04	0.785	0.020	0.035	*14.6	2.94
02					87.5	90.0	2.5		0.25	0.01	0.05	0.275	0.005	0.025	*12.0	2.99
03					90.0	92.5	2.5		0.02	<0.01	0.04	0.400	0.005	0.030	*13.3	3.01
04					92.5	95.0	2.5		0.12	<0.01	0.07	0.555	0.015	0.075	*7.70	2.98
300668					95.0	97.5	2.5		0.02	<0.01	0.04	0.625	0.005	0.035	*3.40	2.92
69					97.5	100.0	2.5		0.01	<0.01	0.02	0.145	0.005	0.005	*10.0	2.84
70					100.0	102.5	2.5		0.01	<0.01	0.02	0.195	<0.005	0.005	*19.60	2.86
71					102.5	105.0	2.5		0.07	<0.01	0.04	0.520	0.005	0.020	*1.95	2.94