

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	CaF ₂ %Zn	SG
		LENS	LEVEL	DATE													
301501	1627	FOREY'S	25			000	16	16	PP	0.01	<0.01	<0.01	0.075	0.040	0.010	4.00	2.79
2						16	50	34		0.02	<0.01	0.01	0.030	<0.005	0.005	2.85	2.77
3						50	75	25		0.01	<0.01	<0.01	0.045	0.005	0.005	2.70	2.77
4						75	100			0.01	<0.01	0.30	0.150	0.020	0.030	3.30	2.82
5						100	125			0.02	<0.01	0.01	0.070	0.020	0.020	3.85	2.82
6						125	150			0.02	<0.01	0.01	0.090	0.020	0.020	4.35	2.79
7						150	175			0.02	<0.01	0.01	0.085	0.025	0.015	5.80	2.78
8						175	200			0.02	<0.01	<0.01	0.120	0.015	0.015	5.25	2.84
9						200	225			0.01	<0.01	0.01	0.030	0.110	0.015	2.95	2.82
10						225	250			0.01	<0.01	<0.01	0.130	0.010	0.005	1.40	2.76
11						250	275			0.01	<0.01	<0.01	0.075	0.035	0.025	3.30	2.77
12						275	300			0.02	<0.01	0.01	0.100	0.040	0.020	3.80	2.94
13						300	325			0.01	<0.01	0.01	0.085	0.025	0.015	3.95	2.82
14						325	350			0.01	<0.01	<0.01	0.055	0.020	0.010	1.80	2.76
15						350	375			0.01	<0.01	0.01	0.145	0.030	0.015	2.40	2.79
16						375	400			0.01	<0.01	0.01	0.105	0.025	0.020	2.35	2.73
17						400	425			0.01	<0.01	0.01	0.155	0.050	0.010	3.30	2.83
18						425	450			0.03	<0.01	0.01	0.085	0.015	0.020	4.15	2.83
19						450	475			0.03	<0.01	0.01	0.110	0.040	0.030	5.40	2.81
20						475	500			0.01	<0.01	0.01	0.180	0.020	0.045	4.10	2.85
21						500	525			0.03	<0.01	<0.01	0.205	0.155	0.040	3.25	2.79

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	%Zn Ca.F ₂	56
		LENS	LEVEL	DATE													
301522	C1627	TURKIS	SS		58.5	55.0	25	9P	0.04	10.01	0.01	0.280	0.025	0.080	4.25	2.88	
23					55.0	57.5			0.01	10.01	0.01	0.035	0.010	0.010	2.00	2.84	
24					57.5	60.0			0.01	10.01	0.01	0.120	0.020	0.015	1.25	2.80	
25					60.0	62.5			0.01	10.01	0.01	0.175	0.020	0.030	2.95	2.75	
26					62.5	65.0			0.01	10.01	0.01	0.265	0.170	0.045	3.15	2.80	
27					65.0	67.5			0.01	10.01	0.01	0.095	0.015	0.020	2.15	2.76	
28					67.5	70.0			0.01	10.01	0.01	0.035	0.035	0.020	2.20	2.78	
29					70.0	72.5			0.01	10.01	0.01	0.200	0.010	0.015	2.95	2.79	
30					72.5	75.0			0.03	10.01	0.01	0.120	0.025	0.010	2.65	2.83	
31					75.0	77.5			0.02	10.01	0.01	0.505	0.020	0.020	8.85	2.90	
32					77.5	80.0			0.07	10.01	0.06	0.325	0.015	0.070	12.85	3.23	
33					80.0	82.5			0.28	10.01	0.13	0.265	0.005	0.070	9.00	3.19	
34					82.5	85.0			0.07	10.01	0.06	0.175	0.030	0.035	8.70	3.09	
35					85.0	87.5			0.02	10.01	0.01	0.175	0.015	0.010	2.50	2.88	
36					87.5	90.0			0.05	10.01	0.01	0.295	0.005	0.030	10.75	3.06	
37					90.0	92.5			0.04	10.01	0.04	0.075	0.005	0.010	7.10	3.00	
38					92.5	95.0			0.03	10.01	0.01	0.210	0.010	0.025	21.55	3.11	
39					95.0	97.5			0.05	10.01	0.01	0.025	0.025	0.015	3.15	2.89	
40					97.5	100.0			0.01	10.01	0.01	0.065	0.015	0.015	4.90	2.89	
41					100.0	102.5			0.04	10.01	0.01	0.172	0.005	0.015	3.50	2.88	
42					102.5	105.0			0.01	10.01	0.01	0.115	0.060	0.015	2.40	2.83	

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn CaF ₂	SG
		LENS	LEVEL	DATE													
301823	C1627	1041.9	25		1050	1075	25	RP	0.02	20.01	0.02	0.110	0.010	0.010	2.75	2.86	
44					1075	1100	"		0.01	20.01	0.01	0.180	0.010	0.025	3.40	2.89	
45					1100	1125	"		0.04	20.01	0.02	0.050	0.010	0.005	2.65	2.82	
46					1125	1150	"		<0.01	20.01	0.01	0.235	0.015	0.025	5.25	2.84	
47					1150	1175	"		0.01	20.01	0.02	0.185	0.020	0.015	6.40	2.87	
48					1175	1200	"		<0.01	20.01	0.01	0.165	0.030	0.020	3.85	2.84	
49					1200	1225	"		0.03	20.01	0.01	0.210	0.085	0.010	4.65	2.93	
50					1225	1250	"		0.02	20.01	0.02	0.040	0.020	0.035	2.10	2.90	
51					1250	1275	"		0.02	20.01	0.01	0.060	0.015	0.015	2.25	2.90	
52					1275	1300	"		0.01	20.01	0.01	0.185	0.010	0.010	3.75	2.88	
53					1300	1325	"		0.01	20.01	0.01	0.060	0.005	0.010	3.00	2.85	
54					1325	1350	"		<0.01	20.01	0.01	0.040	0.025	0.005	4.35	2.85	
55					1350	1375	"		<0.01	20.01	<0.01	0.045	0.035	0.010	2.30	2.72	
56					1375	1400	"		<0.01	20.01	0.01	0.135	0.010	0.025	2.30	2.83	
57					1400	1425	"		<0.01	20.01	0.01	0.105	0.025	0.025	3.70	2.87	
58					1425	1450	"		<0.01	20.01	<0.01	0.065	0.030	0.030	3.85	2.86	
59					1450	1475	"		0.02	20.01	0.01	0.070	0.005	0.020	7.55	2.89	
60					1475	1500	"		0.06	20.01	0.02	0.095	0.035	0.060	4.75	2.89	
61					1500	1525	"		0.01	20.01	0.01	0.110	0.030	0.025	4.10	2.88	
62					1525	1550	"		<0.01	20.01	<0.01	0.225	0.020	0.015	4.65	2.86	
63					1550	1575	"		0.05 80	<0.01	0.01	0.100	0.025	0.030	4.25	2.93	

FOLEY'S ZONE - VEIN DENSITY

HOLE No:- C1627

MEASURED BY:-

DATE:-

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
0	2.5		7.9	
2.5	5.0		0.5	
5.0	7.5		2.9	
7.5	10.0		8.0	
10.0	12.5		6.1	
12.5	15.0		8.1	
15.0	17.5		9.7	
17.5	20.0		7.8	
20.0	22.5		8.3	
22.5	25.0		1.7	
25.0	27.5		5.6	
27.5	30.0		8.0	
30.0	32.5		9.1	
32.5	35.0		5.5	
35.0	37.5		6.1	
37.5	40.0		20.2	
40.0	42.5		2.2	
42.5	45.0		4.5	
45.0	47.5		8.9	
47.5	50.0		7.4	
50.0	52.5		7.7	
52.5	55.0		8.0	
55.0	57.5		3.5	
57.5	60.0		8.7	
60.0	62.5		13.4	
62.5	65.0		13.1	
65.0	67.5		8.9	
67.5	70.0		6.0	
70.0	72.5		15.3	
72.5	75.0		16.4	
75.0	77.5		21.2	
77.5	80.0		21.4	
80.0	82.5		7.1	

FOLEY'S ZONE - VEIN DENSITY

HOLE No:- C/627

MEASURED BY:-

DATE:-

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
82.5	85.0		27.1	
85.0	87.5		16.6	
87.5	90.0		8.4	
90.0	92.5		15.0	
92.5	95.0		14.4	
95.0	97.5		15.2	
97.5	100.0		5.5	
100.0	102.5		29.8	
102.5	105.0		6.8	
105.0	107.5		9.3	
107.5	110.0		16.3	
110.0	112.5		4.3	
112.5	115.0		17.1	
115.0	117.5		29.2	
117.5	120.0		9.5	
120.0	122.5		15.2	
122.5	125.0		8.0	
125.0	127.5		6.7	
127.5	130.0		11.3	
130.0	132.5		11.4	
132.5	135.0		14.9	
135.0	137.5		6.8	
137.5	140.0		10.6	
140.0	142.5		10.5	
142.5	145.0		18.9	
145.0	147.5		29.3	
147.5	150.0		50.8	
150.0	152.5		15.7	
152.5	155.0		28.8	
155.0	157.5		8.8	
157.5	160.0		28.7	
160.0	162.5		15.4	
162.5	165.0		20.1	

