



SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	BOX TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%Mo	%Bi	%Zn
		LENS	LEVEL	DATE												
301628	C1630					102.9	103.9	1.0	SH L	0.02	20.01	0.11	.040			
29						103.9	104.9		"	0.03	20.01	0.14	.040			
30						104.9	105.9		"	0.03	20.01	0.12	.025			
31						105.9	106.8	0.9	"	0.02	20.01	0.05	.030			
		Henry's E			Σ	102.9	106.8	3.9		0.03	20.01	0.11				
301632						169.5	170.5	1.0	L	0.17	0.03	0.02	.060			
33						170.5	171.2	0.7	L	0.05	20.01	0.12	.065			
34						171.2	171.9	0.7	L	0.17	20.01	0.05	.045			
301635						174.7	175.3	0.6	V L	0.06	20.01	0.07	.025			
301636						176.7	177.3	0.6	SH L	0.04	20.01	0.02	.120			
37						177.3	178.0	0.7	CH L	0.05	20.01	0.15	.075			
301638						179.1	179.7	0.6	CH L	0.34	20.01	0.09	.045			
301639						181.3	182.3	1.0	SH L	0.05	20.01	0.06	.120			
40						182.3	183.3	1.0	"	0.09	20.01	0.09	.060			
41						183.3	184.3	1.0	"	0.14	20.01	0.09	.060			
42						184.3	185.3	1.0	"	0.14	20.01	0.04	.060			
43						185.3	186.3	1.0	"	0.10	20.01	0.07	.055			

155

116

22 393

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%Mo	%Bi	%Zn
		LENS	LEVEL	DATE												
301644	C 1630				1863	870	0.7	CH L	0.10	0.01	0.07	.045				
301645					1882	1884	0.2	Lv	0.04	0.01	0.03	.050				
301646					1893	1903	1.0	CH L	0.02	0.01	0.08	.040				
47					1903	1913	"	CH L	0.02	0.01	0.10	.045				
48					1913	1923	"	L	0.17	0.01	0.05	.0450				
49					1923	1933	"	CH L	0.10	0.01	0.10	.045				
50					1933	1943	"	L	0.39	0.01	0.07	.045				
51					1943	1953	"	L	0.16	0.01	0.12	.050				
52					1953	1963	"	CH L	0.55	0.01	0.52	.030				
53					1963	1973	"	L	0.18	0.01	0.11	.040				
54					1973	1983	"	L	0.03	0.01	0.09	.035				
55					1983	1993	"	L	0.20	0.02	0.85	.040				
56					1993	2003	"	L	0.13	0.01	0.40	.270				
57					2003	2013	"	L	0.05	0.01	0.50	.075				
58					2013	2018	0.5	L	0.05	0.01	0.03	.130				
		Halls B		Σ	169.5	201.8	32.3		0.09	0.01	0.12	.0474				
59					2192	2202	10	L	0.16	0.01	0.49	.060				
60					2202	2212	"	L	0.75	0.01	0.57	.045			22	394
61					2212	2222	"	L	0.32	0.01	0.12	.025				

