

C1634

CLEVELAND TIN — GEOLOGY DEPT.

Hole No - C1634

DRILL HOLE RECORD SHEET

Location: 24/25 Decline Loading Bay. Sect: Ga

Objective: Foley's Zone Category: F/E

Proposed Azimuth: 132° Proposed Dip: -64°

Survey P/U Azimuth: 130° 20' 07" Survey P/U Dip: -62° 19' 27"

Instrument Azimuth Correction Factor: -3

Collar Co-ords: 15405.601 N. 10789.060 E.

Collar R.L.: 993.394 Final Depth: 383


Drilled By: Philpott - N. Wescombe, W. Mollinson

Rig Type: M30 Core Size: BQ

Drilling Commenced: 6/7/81 Drilling Completed: 18/8/81

Survey Data				Interpolated Data		
Survey Inst.	Depth	Az.	Dip	Depth	Az.	Dip
Surv. P/U	0	130.25	-62.25	0	130.25	-62.25
Cam NH	15	133.5	-62	12.5	130.25	-62
NH	80	135.5	-63	37.5	131	-62
NH	150	139	-64	62.5	131.75	-62.5
NH	200	139.5	-63	87.5	132.75	-63
NH	250	140	-63	112.5	134	-63.75
NH	300	142	-63	137.5	135.25	-64
				162.5	136	-64
				187.5	136.5	-63.5
				212.5	136.5	-63
				237.5	136.75	-63
				262.5	137.5	-63
				287.5	138.5	-63
				312.5	139.25	-63
				337.5	140.25	-63
				362.5	141.25	-63
				383	142	-63

Calced by N.J. Hall
(20/8/81)



SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	CaF ₂ %Zn	SG
		LENS	LEVEL	DATE													
302001	C1631	FOKETS	15			0.0	9.07	9.07	SS	0.03	<0.01	<0.01	0.090	0.020	0.005	3.7	50 2.82
02						9.07	25	0.13		0.03	<0.01	<0.01	0.030	<0.005	<0.005	2.95	2.83
03						25	50	25		0.02	<0.01	0.01	0.025	0.005	0.005	3.05	2.80
04						50	75			0.01	<0.01	0.02	0.035	0.060	0.035	5.10	2.83
05						75	100			<0.01	<0.01	<0.01	0.085	0.010	0.005	3.10	2.78
06						100	125			0.03	<0.01	<0.01	0.030	0.005	0.025	4.00	2.88
07						125	150			0.02	<0.01	<0.01	0.050	0.005	0.010	3.60	2.82
08						150	175			0.01	<0.01	0.01	0.455	0.255	0.020	5.55	2.87
09						175	200			0.02	<0.01	0.01	0.135	0.020	0.040	6.35	2.87
10						200	225			0.01	<0.01	<0.01	0.020	0.035	0.010	2.70	2.81
11						225	250			0.03	<0.01	0.01	0.050	0.025	0.025	6.85	2.88
12						250	275			0.02	<0.01	<0.01	0.160	0.050	0.020	2.30	2.85
13						275	300			<0.01	<0.01	<0.01	0.040	0.005	0.025	2.85	2.82
14						300	325			0.01	<0.01	<0.01	0.125	0.035	0.020	3.05	2.84
15						325	350			<0.01	<0.01	<0.01	0.050	0.050	0.010	3.75	2.85
16						350	375			<0.01	<0.01	<0.01	0.020	0.015	0.005	2.75	2.84
17						375	400			0.04	<0.01	<0.01	0.080	0.030	0.025	3.75	2.78
18						400	425			<0.01	<0.01	<0.01	0.125	0.030	0.025	1.90	2.77
19						425	450			0.01	<0.01	0.01	0.110	0.030	0.010	3.15	2.82
20						450	475			0.02	<0.01	<0.01	0.140	0.010	0.015	3.55	2.86
21						475	500			0.01	<0.01	0.01	0.125	0.025	0.020	3.05	2.82

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE		Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG.
		LENS	LEVEL DATE													
30	1634	40675	85		50.0	52.5	2.5	85	<0.01	<0.01	<0.01	0.100	0.005	0.010	2.65	2.84
33					54.5	55.0			<0.01	<0.01	0.01	0.105	<0.005	0.025	3.95	2.90
34					55.0	57.5			0.01	<0.01	0.01	0.055	0.010	0.010	4.05	2.85
35					57.5	60.0			<0.01	<0.01	0.01	0.150	0.040	0.020	2.40	2.81
36					60.0	69.5			<0.01	<0.01	0.01	0.150	0.050	0.025	2.30	2.79
37					68.5	65.0			<0.01	<0.01	<0.01	0.070	0.020	0.005	1.65	2.80
38					65.0	67.5			<0.01	<0.01	0.01	0.400	0.065	0.020	2.25	2.84
39					67.5	70.0			<0.01	<0.01	<0.01	0.130	0.010	0.005	2.30	2.79
30					70.0	79.5			<0.01	<0.01	<0.01	0.115	0.020	0.015	2.50	2.80
31					78.5	75.0			0.01	<0.01	0.02	0.130	0.050	0.020	3.10	2.85
32					75.0	77.5			<0.01	<0.01	<0.01	0.275	0.040	0.025	2.20	2.80
33					77.5	80.0			0.01	<0.01	0.04	0.250	0.020	0.020	2.35	2.81
34					80.0	82.5			<0.01	<0.01	<0.01	0.170	0.010	0.010	2.75	2.81
35					82.5	85.0			0.02	<0.01	0.02	0.190	0.030	0.020	3.50	2.85
36					85.0	87.5			<0.01	<0.01	<0.01	0.270	0.015	0.015	2.10	2.80
37					87.5	90.0			0.01	<0.01	0.01	0.170	0.025	0.025	2.35	2.82
38					90.0	94.5			<0.01	<0.01	0.01	0.320	0.075	0.025	2.30	2.79
39					93.5	95.0			<0.01	<0.01	0.01	0.255	0.015	0.015	2.55	2.81
40					95.0	97.5			<0.01	<0.01	0.01	0.150	0.020	0.010	2.35	2.81
41					97.5	100.0			<0.01	<0.01	<0.01	0.210	0.010	0.015	2.45	2.81
42					100.0	102.5			0.02	<0.01	0.01	0.160	0.045	0.015	2.40	2.81

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	CaFe %Zn	SGe
		LENS	LEVEL	DATE													
302043	11636	SOLEY'S	95		1025	1050	25	SS	0.01	20.01	<0.01	0.150	0.020	0.010	3.10	2.85	
44					1050	1075			0.04	<0.01	0.01	0.290	0.010	0.005	1.60	2.79	
45					1075	1100			0.05	<0.01	0.01	0.180	0.020	0.010	1.45	2.77	
46					1100	1155			0.01	<0.01	0.01	0.170	0.020	0.005	2.85	2.83	
47					1155	1150			0.01	<0.01	<0.01	0.260	0.020	0.010	2.70	2.80	
48					1150	1175			0.02	<0.01	0.02	0.210	0.020	0.005	1.95	2.79	
49					1175	1200			0.02	<0.01	0.01	0.225	0.025	0.010	2.15	2.76	
50					1200	1225			0.03	<0.01	0.07	0.135	0.010	0.010	3.10	2.79	
51					1225	1250			0.01	<0.01	0.01	0.195	0.020	0.005	2.65	2.78	
52					1250	1275			0.03	<0.01	0.01	0.045	<0.005	0.005	3.20	2.80	
53					1275	1300			0.06	<0.01	0.12	0.045	0.005	0.005	2.55	2.80	
54					1300	1325			0.05	<0.01	0.02	0.050	0.010	0.005	3.40	2.79	
55					1325	1350			0.01	<0.01	0.11	0.200	0.005	0.005	2.15	2.79	
56					1350	1375			0.03	<0.01	0.01	0.125	0.005	<0.005	2.00	2.82	
57					1375	1400			0.01	<0.01	0.01	0.220	<0.005	0.005	2.20	2.79	
58					1400	1425			0.03	<0.01	0.04	0.120	<0.005	0.005	1.70	2.79	
59					1425	1450			0.01	<0.01	<0.01	0.140	<0.005	0.005	2.55	2.82	
60					1450	1475			0.02	<0.01	0.01	0.420	0.005	0.030	2.30	2.77	
61					1475	1500			0.01	<0.01	0.01	0.200	<0.005	0.005	1.75	2.80	
62					1500	1525			0.05	<0.01	0.01	0.125	0.005	0.005	3.65	2.89	
63					1525	1550			0.03	<0.01	0.01	0.300	0.005	0.005	2.10	2.80	

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	CaF ₂ %Zn	S.G.
		LENS	LEVEL	DATE													
308064	C1634	FOLEY'S	85		1550	1575	8.5	SS	0.04	<0.01	0.02	0.295	0.020	0.010	2.30	2.81	
65					1575	1600			0.01	<0.01	<0.01	0.170	0.015	0.005	2.20	2.80	
66					1600	1625			0.01	<0.01	<0.01	0.275	0.015	0.005	1.65	2.79	
67					1625	1650			0.01	<0.01	<0.01	0.150	0.020	0.005	2.15	2.80	
68					1650	1675			<0.01	<0.01	0.02	0.200	0.015	0.010	2.10	2.80	
69					1675	1700			0.01	<0.01	<0.01	0.140	0.005	0.010	2.95	2.82	
70					1700	1725			<0.01	<0.01	<0.01	0.125	0.015	0.005	1.60	2.76	
71					1725	1750			0.03	<0.01	0.01	0.125	0.005	0.010	2.85	2.85	
72					1750	1775			0.01	<0.01	<0.01	0.285	0.015	0.010	2.70	2.88	
73					1775	1800			<0.01	<0.01	<0.01	0.075	0.015	0.010	2.10	2.82	
74					1800	1825			0.03	<0.01	0.05	0.130	0.045	0.010	2.35	2.85	
75					1825	1850			0.04	<0.01	0.01	0.225	0.030	0.040	4.70	2.98	
76					1850	1875			0.06	<0.01	0.01	0.185	0.040	0.025	4.35	3.05	
77					1875	1900			0.03	<0.01	0.02	0.160	0.005	0.020	13.30	3.13	
78					1900	1925			0.01	<0.01	0.03	0.120	0.035	0.025	5.80	3.03	
79					1925	1950			0.02	<0.01	<0.01	0.105	0.005	0.045	2.50	3.05	
80					1950	1975			<0.01	<0.01	<0.01	0.055	0.005	0.010	3.50	2.86	
81					1975	2000			<0.01	<0.01	<0.01	0.130	0.045	0.015		2.85	
82					2000	2025			<0.01	<0.01	<0.01	0.100	0.030	0.025		2.83	
83					2025	2050			<0.01	<0.01	<0.01	0.340	0.070	0.020		2.87	
84					2050	2075			0.04	<0.01	<0.01	0.730	0.060	0.070		2.86	

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	CaF ₂ %Zn	SG.
		LENS	LEVEL	DATE													
302085	1634	FOLEY	95		207.5	210.0	2.5	SS	0.02	<0.01	0.01	0.085	0.015	0.025	4.80	2.89	
86					210.0	212.5	"		0.07	<0.01	<0.01	0.060	0.010	0.005	1.70	2.81	
87					212.5	215.0	"		0.01	<0.01	<0.01	0.210	0.015	0.055	2.95	2.82	
88					215.0	217.5	"		0.01	<0.01	0.01	0.150	0.025	0.060	3.70	2.85	
89					217.5	220.0	"		0.01	<0.01	<0.01	0.150	0.070	0.040	4.20	2.86	
90					220.0	222.5	"		0.12	<0.01	0.03	0.155	0.020	0.035	4.90	2.87	
91					222.5	225.0	"		0.01	<0.01	0.01	0.745	0.035	0.090	3.80	2.83	
92					225.0	227.5	"		0.04	<0.01	0.01	0.380	0.050	0.060	4.80	2.86	
93					227.5	230.0	"		0.01	<0.01	0.01	0.065	0.010	0.025	3.40	2.83	
94					230.0	232.5	"		0.02	<0.01	0.01	0.385	0.030	0.070	3.35	2.85	
95					232.5	235.0	"		0.03	<0.01	0.06	0.155	0.015	0.060	3.75	2.92	
96					235.0	237.5	"		0.07	<0.01	0.04	0.160	0.075	0.055	4.95	2.93	
97					237.5	240.0	"		0.01	<0.01	0.11	0.275	0.025	0.100	5.25	2.87	
98					240.0	242.5	"		0.01	<0.01	0.03	0.065	0.010	0.025	2.95	2.84	
99					242.5	245.0	"		0.02	<0.01	0.08	0.075	0.035	0.065	4.10	2.87	
302100					245.0	247.5	"		0.01	<0.01	0.05	0.040	0.005	0.015	3.15	2.85	
101					247.5	250.0	"		0.02	<0.01	0.01	0.135	0.045	0.020	2.60	2.85	
102					250.0	252.5	"		0.01	<0.01	0.01	0.100	0.020	0.040	4.65	2.89	
103					252.5	255.0	"		0.01	<0.01	0.01	0.145	0.010	0.040	3.60	2.88	
104					255.0	257.5	"		0.01	<0.01	0.02	0.385	0.005	0.085	4.40	2.88	
105					257.5	260.0	"		0.05	<0.01	0.58	0.090	0.005	0.020	4.90	2.91	

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	CaF ₂ %Zn	SG
		LENS	LEVEL	DATE													
302106	C1634	FOLEY'S	25		260.0	262.5	2.5		0.03	0.01	0.02	0.320	0.035	0.030	3.75	2.84	
7					262.5	265.0			0.01	0.01	0.01	0.115	0.015	0.035	5.75	2.83	
8					265.0	267.5			0.01	<0.01	<0.01	0.170	0.035	0.035	2.25	2.78	
9					267.5	270.0			0.01	0.01	0.01	0.060	<0.005	0.010	2.70	2.83	
10					270.0	272.5			<0.01	<0.01	<0.01	0.050	<0.005	0.015	2.65	2.82	
11					272.5	275.0			0.01	<0.01	0.01	0.175	0.025	0.040	5.05	2.85	
12					275.0	277.5			0.01	<0.01	0.01	0.460	0.080	0.080	4.40	2.85	
13					277.5	280.0			0.01	<0.01	0.01	0.075	0.025	0.040	3.70	2.85	
14					280.0	282.5			0.01	0.01	0.01	0.090	0.005	0.025	3.75	2.86	
15					282.5	285.0			0.03	<0.01	0.01	0.355	0.040	0.050	8.00	2.80	
16					285.0	287.5			0.01	<0.01	0.01	0.060	0.025	0.020	5.15	2.85	
17					287.5	290.0			<0.01	<0.01	0.01	0.145	0.045	0.050	3.35	2.82	
18					290.0	292.5			0.02	<0.01	0.01	0.190	0.010	0.050	3.65	2.82	
19					292.5	295.0			<0.01	0.01	<0.01	0.055	0.010	0.035	2.90	2.82	
20					295.0	297.5			0.01	<0.01	0.01	0.185	0.005	0.020	3.00	2.86	
21					297.5	300.0			0.06	<0.01	0.01	0.025	<0.005	0.005	3.15	2.85	
22					300.0	302.5			0.02	<0.01	0.03	0.065	0.010	0.005	2.85	2.87	
23					302.5	305.0			0.02	0.01	0.01	0.135	0.020	0.030	4.80	2.90	
24					305.0	307.5			0.01	<0.01	0.01	0.335	0.025	0.060	4.35	2.90	
25					307.5	310.0			0.05	<0.01	0.04	0.180	0.035	0.065	5.30	2.91	
26					310.0	312.5			0.02	<0.01	0.01	0.115	0.005	0.015	3.75	2.81	

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%Mo	%Bi	CaF ₂		S.G.
		LENS	LEVEL	DATE												%Zn		
27	C1634	FOUR-5	25			312.5	315.0	25	SS	0.04	<0.01	0.02	0.115	<0.005	0.020	4.75		2.88
28						315.0	317.5	"		0.01	<0.01	0.02	0.030	<0.005	<0.005	4.70		2.89
29						317.5	320.0	"		0.01	<0.01	0.01	0.030	<0.005	0.010	2.10		2.89
30						320.0	322.5	"		0.15	<0.01	0.06	0.160	0.030	0.060	10.15		3.11
31						322.5	325.0	"		0.05	<0.01	0.02	0.115	0.010	0.045	5.40		2.93
32						325.0	327.5	"		0.20	<0.01	0.10	0.390	0.035	0.095	12.15		3.15
33						327.5	330.0	"		0.07	<0.01	0.01	0.155	<0.005	0.020	12.60		3.10
34						330.0	332.5	"		0.02	<0.01	0.01	0.110	0.025	0.080	1.80		2.88
35						332.5	335.0	"		0.03	<0.01	0.01	0.110	0.005	0.015	1.80		2.90
36						335.0	337.5	"		0.10	<0.01	0.08	0.160	0.015	0.075	5.10		2.93
37						337.5	340.0	"		0.02	<0.01	0.03	0.105	0.010	0.040	1.60		2.85
38						340.0	342.5	"		0.01	<0.01	0.01	0.040	0.010	0.025	2.55		2.85
39						342.5	345.0	"		0.05	0.01	0.02	0.425	0.010	0.100	12.85		3.11
40						345.0	347.5	"		0.04	0.02	0.02	0.080	0.010	0.015	8.05		3.06
41						347.5	350.0	"		0.09	0.01	0.01	0.105	0.005	0.060	9.75		3.00
42						350.0	352.5	"		0.09	<0.01	0.02	0.350	0.025	0.040	6.40		2.96
43						352.5	355.0	"		0.12	0.01	0.06	0.325	0.045	0.065	13.45		3.11
44						355.0	357.5	"		0.07	0.01	0.07	0.275	0.100	0.095	12.95		3.19
45						357.5	360.0	"		0.04	<0.01	0.04	0.210	0.150	0.060	15.00		3.17
46						360.0	362.5	"		0.03	<0.01	0.04	0.135	0.010	0.035	10.05		3.07
47						362.5	365.0	"		0.02	<0.01	0.06	0.110	<0.005	0.030	3.05		2.92

CLEVELAND TIN LTD.

FOLEY'S ZONE GEOLOGICAL LOG

HOLE NO 1634

BY DATE PAGE OF

Main geological log table with columns for Interval, Core Recovery, Rock Type, Colour, Grain Size, Text, Structural Features, Fault, Alteration, Country Rock Sulphides, Vein Mineralogy, Location & Thickness, Vein Density, Plotting Symbols, Remarks, and Depth.

Geological log table with columns for Interval, Depth, Core Recovery, Rock Type, Colour, Grain Size, Text, Structural Features, Fault, Alteration, Country Rock Sulphides, Vein Mineralogy, and Remarks. Includes handwritten data points for depths 230-240 and various mineralogical notations.

CLEVELAND TIN LTD.

FOLEY'S ZONE GEOLOGICAL LOG

HOLE NO° 1634

BY	PAGE
DATE	OF

INTERVAL DEPTH M	CORE RECOVERY		ROCK TYPE										COLOUR					GRAIN SIZE			TEXT		STRUCTURAL FEATURES					FAULT	<div style="display: flex; justify-content: space-around; font-size: 8px;"> > 50% 20-50% 5-20% 1-5% < 1% </div>												VEIN DENSITY %	PLOTTING SYMBOLS	REMARKS	DEPTH M									
																													ALTERATION						COUNTRY ROCK SULPHIDES			VEIN MINERALOGY															
																													SIO2	CHL	TM	Ser	Phlog	Fl	Co3	Bleach.	PO	CPY	PY	WO					MO	BI	CASS.	LOC. & THICK.	QTZ	CHL	CO3	SER	TM
250																																					250.1																
251	250.0																																				250.5 250.7																
252		0																																			251.7																
253	253.0																																				253.7																
254																																																					
255		0.1																																																			
256	256.0																																																				
257																																																					
258		0																																																			
259	259.0																																																				
260																																																					

FOLEY'S ZONE - VEIN DENSITY

HOLE No:- C/634

MEASURED BY:-

DATE:-

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
0	2.5		13.2	
2.5	5.0		5.0	
5.0	7.5		3.4	
7.5	10.0		3.1	
10.0	12.5		2.4	
12.5	15.0		18.7	
15.0	17.5		4.1	
17.5	20.0		3.2	
20.0	22.5		3.0	
22.5	25.0		13.7	
25.0	27.5		1.3	
27.5	30.0		5.1	
30.0	32.5		5.6	
32.5	35.0		12.1	
35.0	37.5		2.2	
37.5	40.0		39.9	
40.0	42.5		9.9	
42.5	45.0		8.8	
45.0	47.5		11.9	
47.5	50.0		10.6	
50.0	52.5		11.1	
52.5	55.0		28.9	
55.0	57.5		4.5	
57.5	60.0		6.8	
60.0	62.5		9.0	
62.5	65.0		6.5	
65.0	67.5		11.8	
67.5	70.0		7.1	
70.0	72.5		21.1	
72.5	75.0		23.2	
75.0	77.5		16.6	
77.5	80.0		24.4	
80.0	82.5		8.4	

FOLEY'S ZONE - VEIN DENSITY

HOLE No: C1634

MEASURED BY:

DATE:

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
82.5	85.0		15.6	
85.0	87.5		17.7	
87.5	90.0		18.9	
90.0	92.5		25.6	
92.5	95.0		14.2	
95.0	97.5		11.9	
97.5	100.0		32.1	
100.0	102.5		44.5	
102.5	105.0		104.0	
105.0	109.0		— (g/p)	
109.0	110.0		26.6	
110.0	112.5		65.8	
111.9	112.3		— (g/p)	
112.5	115.0		86.6	
115.0	117.5		63.0	
117.5	120.0		133.9	
120.0	122.5		97.1	
122.5	125.0		80.9	
125.0	127.5		23.7	
127.5	130.0		24.6	
130.0	132.5		50.6	
132.5	135.0		50.6	
135.0	137.5		95.5	
137.5	140.0		77.5	
140.0	142.5		56.7	
142.5	145.0		46.0	
145.0	147.5		105.0	
147.5	150.0		86.0	
150.0	152.5		101.0	
152.5	155.0		57.0	
155.0	157.5		56.0	
157.5	160.0		86.0	
160.0	162.5		82.0	

FOLEY'S ZONE - VEIN DENSITY

HOLE No:- C/1634

MEASURED BY:-

DATE:-

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
162.5	165.0		48.0	
165.0	167.5		74.0	
167.5	170.0		41.5	
170.0	172.5		34.3	
172.5	175.0		58.4	
175.0	177.5		26.7	
177.5	180.0		24.7	
180.0	182.5		12.9	
182.5	185.0		43.1	
185.0	187.5		49.7	
187.5	190.0		32.8	
190.0	192.5		21.9	
192.5	195.0		19.4	
195.0	197.5		29.4	
197.5	200.0		14.5	
200.0	202.5		19.4	
202.5	205.0		26.4	
205.0	207.5		97.5	
207.5	210.0		8.7	
210.0	212.5		34.5	
212.5	215.0		13.6	
215.0	217.5		12.1	
217.5	220.0		11.0	
220.0	222.5		19.5	
222.5	225.0		15.9	
225.0	227.5		38.1	
227.5	230.0			
230.0	232.5			
232.5	235.0			
235.0	237.5			
237.5	240.0		9.0	
240.0	242.5		18.3	
242.5	245.0		26.6	

FOLEY'S ZONE - VEIN DENSITY

HOLE No: C1634

MEASURED BY:

DATE:

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
245.0	247.5		3.9	
247.5	250.0		12.9	
250.0	252.5		11.1	
252.5	255.0		14.6	
255.0	257.5		39.9	
257.5	260.0		2.9	
260.0	262.5		26.3	
262.5	265.0		39.2	
265.0	267.5		3.8	
267.5	270.0		2.3	
270.0	272.5		17.6	
272.5	275.0		27.0	
275.0	277.5		5.8	
277.5	280.0		4.6	
280.0	282.5		46.5	
282.5	285.0		128.3	
285.0	287.5		10.6	
287.5	290.0		13.8	
290.0	292.5		22.2	
292.5	295.0		13.6	
295.0	297.5		11.4	
297.5	300.0		10.9	
300.0	302.5		11.0	
302.5	305.0		32.1	
305.0	307.5		24.3	
307.5	310.0		24.6	
310.0	312.5		22.8	
312.5	315.0		9.1	
315.0	317.5		3.6	
317.5	320.0		4.8	
320.0	322.5		5.1	
322.5	325.0		1.5	
325.0	327.5		20.8	

