

CLEVELAND TIN — GEOLOGY DEPT.

C1642

DRILL HOLE RECORD SHEET

Location: 24-25 L/BAY 4960 E BATT.

Sect: G.A.

Objective: Foley's

Category: M.E.

Proposed Azimuth: 200°

Proposed Dip: +15°

Survey P/U Azimuth: 194° 11' 31" (200°)

Survey P/U Dip: 14° 12' 47" +15°

Instrument Azimuth Correction Factor: +0.2

Calced M.L. HUGHES
11-11-81

Collar Co-ords: 15401.540 N. 10789.522 E.

Collar R.L.: 994.761

Final Depth: 150

Drilled By: Phillipott, W. Badcock & W. Mellinson

Rig Type: M30

Core Size: BQ

Drilling Commenced: 21-9-81

Drilling Completed: 6-10-81

Survey Data				Interpolated Data		
Survey Inst.	Depth	Az.	Dip	Depth	Az.	Dip
Surv P/U	0	194.2	14.25	0	194.2	14.25
Gamma S/U MH	15	194	12.75	12.5	194.2	13.2
	65	195	12.00	37.5	194.5	12.25
	105	196	10.75	62.5	194.9	12.0
	150	196	+10	87.5	195.5	11.2
				112.5	196.0	10.5
				137.5	196.0	10.2
				150.0	196.2	10.0
				150.0	196.0	12.75

FOLEY'S ZONE- VEIN DENSITY

44 057

HOLE NO: C1642

MEASURED BY: _____

DATE: _____

FROM	TO	RECOVERY-cm	VEINS-cm	VEIN DENSITY-%
0	2.5		1.6	
2.5	5.0		4.8	
5.0	7.5		8.4	
7.5	10.0		4.4	
10.0	12.5		3.9	
12.5	15.0		3.4	
15.0	17.5		15.8	
17.5	20.0		5.7	
20.0	22.5		12.1	
22.5	25.0		14.2	
25.0	27.5		14.5	
27.5	30.0		13.4	
30.0	32.5		13.5	
32.5	35.0		7.3	
35.0	37.5		13.8	
37.5	40.0		22.0	
40.0	42.5		11.1	
42.5	45.0		23.4	
45.0	47.5		18.1	
47.5	50.0		26.8	
50.0	52.5		29.3	
52.5	55.0		83.6	
55.0	57.5		23.7	
57.5	60.0		24.4	
60.0	62.5		38.7	
62.5	65.0		53.4	
65.0	67.5		46.2	
67.5	70.0		59.4	
70.0	72.5		33.0	
72.5	75.0		36.9	
75.0	77.5		70.3	
77.5	80.0		17.9	
80.0	82.5		10.0	

SAMPLE ASSAY DATA FINAL ASSAY REPORT

COST CODE 9586

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₄	%Bi	%Zn	SG
		LENS	LEVEL	DATE													
302678	C1642	FOLEY	24	25		105-0	107-5	2.5		0.02		0.01	0.070	0.035	0.005		2.83
79						107-5	110.0	"		<0.01		<0.01	0.105	0.025	0.010		2.80
80						110-0	112.5	"		0.01		<0.01	0.245	0.010	0.035		2.91
81						112.5	115.0	"		<0.01		<0.01	0.055	0.010	0.005		2.84
82						115.0	117.5	"		<0.01		<0.01	0.050	0.005	0.005		2.89
83						117.5	120.0	"		<0.01		<0.01	0.075	0.010	0.005		2.86
84						120.0	122.5	"		<0.01		<0.01	0.045	<0.005	<0.005		2.85
85						122.5	125.0	"		<0.01		<0.01	0.100	0.005	0.010		2.85
86						125.0	127.5	"		0.05		<0.01	0.045	0.020	0.015		2.91
87						127.5	130.0	"		0.01		<0.01	0.055	0.020	0.010		2.91
88						130.0	132.5	"		0.01		0.01	0.040	0.005	0.010.		2.89
89						132.5	135.0	"		0.12	10.01	0.09	0.270	0.075	0.055		3.12
90						135.0	137.5	"		<0.01		<0.01	0.015	0.005	<0.005		2.82
91						137.5	140.0	"		0.01		<0.01	0.020	<0.005	0.005		2.87
92						140.0	142.5	"		<0.01		<0.01	0.025	<0.005	0.005		2.83
93						142.5	145.0	"		0.01		<0.01	0.010	<0.005	0.005		2.85
96						145.0	147.5	"		0.02		<0.01	0.035	0.005	0.005		2.87
95						147.5	150.0	"		0.04		<0.01	0.035	<0.005	0.020.		2.95
					Σ			150					0.1236				
													5=09				
													→ 16574				

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COMPILATION DATE: 16.12.81

COMPILED BY: H. HAY

PAGE 2 OF 3

ASSAY DATES:

Cost Code: 953C

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG
		LENS	LEVEL	DATE												
302657	1642	Foley's	24/25	16.12.81	52.5	55.0	2.5	0.01		0.01	0.160	0.060	0.030		2.83	
" 58					55.0	57.5	"	0.02		<0.01	0.120	0.035	0.010		2.81	
" 59					57.5	60.0	"	0.02		0.01	0.125	0.035	0.015		2.84	
" 60					60.0	62.5	"	0.03		0.04	0.165	0.060	0.030		2.82	
" 61					62.5	65.0	"	0.05		0.02	0.135	0.015	0.020		2.85	
" 62					65.0	67.5	"	0.02		0.02	0.285	0.065	0.010		2.81	
" 63					67.5	70.0	"	0.04		<0.01	0.290	0.055	0.020		2.83	
" 64					70.0	72.5	"	0.03		0.01	0.225	0.040	0.010		2.87	
" 65					72.5	75.0	"	0.03		0.01	0.295	0.045	0.010		2.83	
" 66					75.0	77.5	"	0.04		0.03	0.385	0.060	0.015		2.91	
" 67					77.5	80.0	"	<0.01		<0.01	0.130	0.025	0.005		2.86	
" 68					80.0	82.5	"	0.02		0.01	0.080	0.020	0.010		2.82	
" 69					82.5	85.0	"	<0.01		<0.01	0.065	0.045	0.010		2.87	
" 70					85.0	87.5	"	0.01		<0.01	0.140	0.010	0.010		2.82	
" 71					87.5	90.0	"	0.02		0.01	0.260	0.015	0.015		2.84	
" 72					90.0	92.5	"	0.03		0.01	0.180	0.020	0.025		2.84	
" 73					92.5	95.0	"	<0.01		<0.01	0.110	0.030	0.010		2.84	
" 74					95.0	97.5	"	<0.01		<0.01	0.220	0.035	0.005		2.83	
" 75					97.5	100.0	"	0.02		<0.01	0.335	0.105	0.015		2.81	
" 76					100.0	102.5	"	<0.01		0.01	0.125	0.060	0.015		2.85	
" 77					102.5	105.0	"	<0.01		<0.01	0.050	0.005	0.005		2.83	

FOLLEY'S
G'A

CLEVELAND TIN - GEOLOGY DEPT. **SAMPLE ASSAY DATA** FINAL ASSAY REPORT

COST CODE: 953C

COMPILATION DATE: 15-12-1981

COMPILED BY: *Ma* PAGE 1 OF 3

ASSAY DATES:

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG
		LENS	LEVEL	DATE													
302636	C1642	FOLLEY'S	24/25		0.0	2.5	2.5		0.01		<0.01	0.050	0.010	0.005		2.82	
37					2.5	5.0			<0.01		<0.01	0.065	0.015	0.020		2.78	
38					5.0	7.5			<0.01		<0.01	0.085	0.005	0.005		2.79	
39					7.5	10.0			<0.01		<0.01	0.065	0.005	0.005		2.79	
40					10.0	12.5			<0.01		<0.01	0.050	0.020	0.005		2.79	
41					12.5	15.0			<0.01		<0.01	0.045	0.015	0.005		2.81	
42					15.0	17.5			0.02		<0.01	0.065	0.010	0.020		2.78	
43					17.5	20.0			<0.01		0.02	0.135	0.030	0.015		2.79	
44					20.0	22.5			<0.01		0.01	0.125	0.005	0.010		2.82	
45					22.5	25.0			<0.01		<0.01	0.155	0.010	0.010		2.80	
46					25.0	27.5			0.01		<0.01	0.080	0.025	0.010		2.85	
47					27.5	30.0			<0.01		<0.01	0.065	0.020	0.010		2.79	
48					30.0	32.5			<0.01		<0.01	0.090	0.015	0.010		2.81	
49					32.5	35.0			<0.01		<0.01	0.075	0.025	0.005		2.79	
50					35.0	37.5			<0.01		0.01	0.180	0.105	0.015		2.85	
51					37.5	40.0			0.06		0.01	0.135	0.045	0.020		2.85	
52					40.0	42.5			<0.01		<0.01	0.300	0.065	0.015		2.83	
53					42.5	45.0			0.02		<0.01	0.390	0.010	0.010		2.87	
54					45.0	47.5			<0.01		0.01	0.070	0.010	0.005		2.84	
55					47.5	50.0			0.03		<0.01	0.090	0.015	0.010		2.77	
56					50.0	52.5			0.02		<0.01	0.105	0.045	0.020		2.84	

SMITH PRINT