


FR010



FOLEY'S ZONE - VEIN DENSITY

HOLE No:- C/642

MEASURED BY:-

DATE:-

FROM	TO	RECOVERY - cm	VEINS - cm	VEIN DENSITY - %
0	2.5		1.6	
2.5	5.0		4.8	
5.0	7.5		8.4	
7.5	10.0		4.4	
10.0	12.5		3.9	
12.5	15.0		3.4	
15.0	17.5		15.8	
17.5	20.0		5.7	
20.0	22.5		12.1	
22.5	25.0		14.2	
25.0	27.5		14.5	
27.5	30.0		13.4	
30.0	32.5		13.5	
32.5	35.0		7.3	
35.0	37.5		13.8	
37.5	40.0		22.0	
40.0	42.5		11.1	
42.5	45.0		23.4	
45.0	47.5		18.1	
47.5	50.0		26.8	
50.0	52.5		29.3	
52.5	55.0		83.6	
55.0	57.5		23.7	
57.5	60.0		24.4	
60.0	62.5		38.7	
62.5	65.0		53.4	
65.0	67.5		46.2	
67.5	70.0		59.4	
70.0	72.5		33.0	
72.5	75.0		36.9	
75.0	77.5		70.3	
77.5	80.0		17.9	
80.0	82.5		10.0	

FOLLEY'S
GIA

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COMPILATION DATE: 15-12-1981

COMPILED BY: [Signature] PAGE 1 OF 3

ASSAY DATES:

COST CODE: 953C

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SR
		LENS	LEVEL	DATE												
302636	C1642	FOLLEY'S	24	25	0.0	2.5	2.5		0.01		<0.01	0.050	0.010	0.005		2.82
37					2.5	5.0			<0.01		<0.01	0.065	0.015	0.020		2.78
38					5.0	7.5			<0.01		<0.01	0.085	0.005	0.005		2.79
39					7.5	10.0			<0.01		<0.01	0.065	0.005	0.005		2.79
40					10.0	12.5			<0.01		<0.01	0.050	0.020	0.005		2.79
41					12.5	15.0			<0.01		<0.01	0.045	0.015	0.005		2.81
42					15.0	17.5			0.02		<0.01	0.065	0.010	0.020		2.78
43					17.5	20.0			<0.01		0.02	0.135	0.030	0.015		2.79
44					20.0	22.5			<0.01		0.01	0.125	0.005	0.010		2.82
45					22.5	25.0			<0.01		<0.01	0.155	0.010	0.010		2.80
46					25.0	27.5			0.01		<0.01	0.080	0.025	0.010		2.85
47					27.5	30.0			<0.01		<0.01	0.065	0.020	0.010		2.79
48					30.0	32.5			<0.01		<0.01	0.090	0.015	0.010		2.81
49					32.5	35.0			<0.01		<0.01	0.075	0.025	0.005		2.79
50					35.0	37.5			<0.01		0.01	0.180	0.105	0.015		2.85
51					37.5	40.0			0.06		0.01	0.135	0.045	0.020		2.85
52					40.0	42.5			<0.01		<0.01	0.300	0.065	0.015		2.83
53					42.5	45.0			0.02		<0.01	0.390	0.010	0.010		2.87
54					45.0	47.5			<0.01		0.01	0.070	0.010	0.005		2.84
55					47.5	50.0			0.03		<0.01	0.090	0.015	0.010		2.77
56					50.0	52.5			0.02		<0.01	0.105	0.045	0.020		2.84

Cost Code: 953C

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG
		LENS	LEVEL	DATE												
302657	1642	Fokys	24/25	16.12.81	52.5	55.0	2.5		0.01		0.01	0.160	0.060	0.030		2.83
" 58					55.0	57.5	"		0.02		<0.01	0.120	0.035	0.010		2.81
" 59					57.5	60.0	"		0.02		0.01	0.125	0.035	0.015		2.84
" 60					60.0	62.5	"		0.03		0.04	0.165	0.060	0.030		2.82
" 61					62.5	65.0	"		0.05		0.02	0.135	0.015	0.020		2.85
" 62					65.0	67.5	"		0.02		0.02	0.285	0.065	0.010		2.81
" 63					67.5	70.0	"		0.04		<0.01	0.290	0.055	0.020		2.83
" 64					70.0	72.5	"		0.03		0.01	0.225	0.040	0.010		2.87
" 65					72.5	75.0	"		0.03		0.01	0.295	0.045	0.010		2.83
" 66					75.0	77.5	"		0.04		0.03	0.385	0.060	0.015		2.91
" 67					77.5	80.0	"		<0.01		<0.01	0.130	0.025	0.005		2.86
" 68					80.0	82.5	"		0.02		0.01	0.080	0.020	0.010		2.82
" 69					82.5	85.0	"		<0.01		<0.01	0.065	0.045	0.010		2.87
" 70					85.0	87.5	"		0.01		<0.01	0.140	0.010	0.010		2.82
" 71					87.5	90.0	"		0.02		0.01	0.260	0.015	0.015		2.84
" 72					90.0	92.5	"		0.03		0.01	0.180	0.020	0.025		2.84
" 73					92.5	95.0	"		<0.01		<0.01	0.110	0.030	0.010		2.84
" 74					95.0	97.5	"		<0.01		<0.01	0.220	0.035	0.005		2.83
" 75					97.5	100.0	"		0.02		<0.01	0.335	0.105	0.015		2.81
" 76					100.0	102.5	"		<0.01		0.01	0.125	0.060	0.015		2.85
" 77					102.5	105.0	"		<0.01		<0.01	0.050	0.005	0.005		2.83

COST CODE 9582

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO ₃	%MoS ₂	%Bi	%Zn	SG
		LENS	LEVEL	DATE													
302678	C1642	FOLEY'S	24			105-0	107-5	2.5		0.02		0.01	0.070	0.035	0.005		2.83
79						107-5	110-0	"		<0.01		<0.01	0.105	0.025	0.010		2.80
80						110-0	112-5	"		0.01		<0.01	0.245	0.010	0.035		2.91
81						112-5	115-0	"		<0.01		<0.01	0.055	0.010	0.005		2.84
82						115-0	117-5	"		<0.01		<0.01	0.050	0.005	0.005		2.89
83						117-5	120-0	"		<0.01		<0.01	0.075	0.010	0.005		2.86
84						120-0	122-5	"		<0.01		<0.01	0.045	<0.005	<0.005		2.85
85						122-5	125-0	"		<0.01		<0.01	0.100	0.005	0.010		2.85
86						125-0	127-5	"		0.05		<0.01	0.045	0.020	0.015		2.91
87						127-5	130-0	"		0.01		<0.01	0.055	0.020	0.010		2.91
88						130-0	132-5	"		0.01		0.01	0.040	0.005	0.010		2.89
89						132-5	135-0	"		0.12	<0.01	0.09	0.270	0.075	0.055		3.12
90						135-0	137-5	"		<0.01		<0.01	0.015	0.005	<0.005		2.82
91						137-5	140-0	"		0.01		<0.01	0.020	<0.005	0.005		2.87
92						140-0	142-5	"		<0.01		<0.01	0.025	<0.005	0.005		2.83
93						142-5	145-0	"		0.01		<0.01	0.010	<0.005	0.005		2.85
94						145-0	147-5	"		0.02		<0.01	0.035	0.005	0.005		2.87
95						147-5	150-0	"		0.04		<0.01	0.035	<0.005	0.020		2.95
					Σ			150					0.1236	0.09			
													5=09				
													→ 16574				