

| SAMPLE NUMBER | D.D.H. NUMBER | FACE/STOPE | | | Σ | FROM | TO | LENGTH | ROCK TYPE | %SnT | %SnS | %Cu | %WO ₃ | %MoS ₂ | %Bi | %CaF ₂ | |
|---------------|---------------|------------|-------|------|---|------|------|--------|-----------|------|-------|-------|------------------|-------------------|--------|-------------------|------|
| | | LENS | LEVEL | DATE | | | | | | | | | | | | | |
| 303744 | C1754 | FOLLY | | | | 00 | 2.5 | 2.5 | | 0.01 | | 40.01 | 0.010 | 40.005 | 40.005 | 1.45 | 2.76 |
| 745 | | | | | | 2.5 | 5.0 | 11 | | 0.02 | 40.01 | 0.06 | 0.135 | 0.005 | 0.075 | 13.2 | 2.97 |
| 746 | | | | | | 5.0 | 7.5 | 11 | | 0.07 | | 0.03 | 0.085 | 0.005 | 0.030 | 13.2 | 2.86 |
| 747 | | | | | | 7.5 | 10.0 | 11 | | 0.05 | | 0.01 | 0.055 | 40.005 | 0.020 | 1.75 | 2.73 |
| 748 | | | | | | 11.0 | 12.5 | 11 | | 0.04 | | 0.01 | 0.025 | 0.010 | 0.025 | 5.75 | 2.92 |
| 749 | | | | | | 12.5 | 15.0 | 11 | | 0.07 | | 0.01 | 0.035 | 40.005 | 0.020 | 3.10 | 2.77 |
| 750 | | | | | | 15.0 | 17.5 | 11 | | 0.04 | | 0.01 | 0.060 | 0.010 | 0.020 | 2.10 | 2.72 |
| 751 | | | | | | 17.5 | 20.0 | 11 | | 0.01 | | 0.02 | 0.045 | 0.010 | 0.010 | 2.80 | 2.76 |
| 752 | | | | | | 20.0 | 22.5 | 11 | | 0.01 | | 0.04 | 0.010 | 40.005 | 40.005 | 2.70 | 2.55 |
| 753 | | | | | | 22.5 | 25.0 | 11 | | 0.01 | | 0.04 | 0.080 | 0.025 | 0.055 | 6.60 | 2.87 |
| 754 | | | | | | 25.0 | 27.5 | 11 | | 0.02 | | 0.01 | 0.065 | 40.005 | 0.030 | 17.3 | 2.03 |
| 755 | | | | | | 27.5 | 30.0 | 11 | | 0.02 | | 0.02 | 0.050 | 0.010 | 0.030 | 19.8 | 2.99 |
| 756 | | | | | | 30.0 | 32.5 | 11 | | 0.11 | 40.01 | 0.11 | 0.260 | 40.005 | 0.080 | 19.6 | 3.06 |
| 757 | | | | | | 32.5 | 35.0 | 11 | | 0.04 | | 0.04 | 0.130 | 0.005 | 0.065 | 12.2 | 2.04 |
| 758 | | | | | | 35.0 | 37.5 | 11 | | 0.08 | | 0.05 | 0.100 | 0.005 | 0.030 | 7.75 | 2.00 |
| 759 | | | | | | 37.5 | 41.0 | 11 | | 0.17 | 40.01 | 0.17 | 0.075 | 0.005 | 0.020 | 12.2 | 3.11 |
| 760 | | | | | | 41.0 | 42.5 | 11 | | 0.04 | | 0.03 | 0.050 | 0.035 | 0.020 | 5.40 | 2.89 |
| 761 | | | | | | 42.5 | 45.0 | 11 | | 0.06 | | 0.09 | 0.045 | 0.014 | 0.030 | 9.80 | 3.14 |
| 762 | | | | | | 45.0 | 47.5 | 11 | | 0.06 | | 0.05 | 0.055 | 0.005 | 0.010 | 10.9 | 2.14 |
| 763 | | | | | | 47.5 | 50.0 | 11 | | 0.03 | | 0.01 | 0.050 | 0.005 | 0.015 | 8.40 | 2.19 |

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COST CODE: 955 C
 COMPILATION DATE: 21.5.82
 COMPILED BY: F. E. B.
 ASSAY DATES:
 PAGE 2 OF 2

| SAMPLE NUMBER | D.D.H. NUMBER | FACE/STOPE | | | Σ | FROM | TO | LENGTH | ROCK TYPE | %SnT | %SnS | %Cu | %WO ₃ | %MoS ₂ | %Bi | %CaF ₂ | SG |
|---------------|---------------|------------|-------|------|---|------|-------|--------|-----------|------|------|------|------------------|-------------------|-------|-------------------|------|
| | | LENS | LEVEL | DATE | | | | | | | | | | | | | |
| 303671 | C1754 | FOLEY | | | | 50-0 | 52.5 | 2.5 | | 0.03 | | 0.04 | 0.020 | 0.005 | 0.025 | 4.05 | 3.04 |
| 672 | | | | | | 52.5 | 55.0 | 11 | | 0.02 | | 0.01 | 0.715 | 0.290 | 0.095 | 1.65 | 2.77 |
| 673 | | | | | | 55.0 | 57.5 | 11 | | 0.01 | | 0.01 | 0.045 | 0.035 | 0.020 | 1.50 | 2.73 |
| 674 | | | | | | 57.5 | 60.0 | 11 | | 0.02 | | 0.01 | 0.100 | 0.020 | 0.045 | 9.85 | 2.87 |
| 675 | | | | | | 60.0 | 62.5 | 11 | | 0.10 | | 0.04 | 0.145 | 0.005 | 0.065 | 16.9 | 3.00 |
| 676 | | | | | | 62.5 | 65.0 | 11 | | 0.02 | | 0.01 | 0.090 | 0.005 | 0.055 | 14.0 | 2.88 |
| 677 | | | | | | 65.0 | 67.5 | 11 | | 0.01 | | 0.01 | 0.030 | 0.005 | 0.005 | 1.45 | 2.78 |
| 678 | | | | | | 67.5 | 70.0 | 11 | | 0.01 | | 0.01 | 0.160 | 0.020 | 0.035 | 2.30 | 2.86 |
| 679 | | | | | | 70.0 | 72.5 | 11 | | 0.01 | | 0.01 | 0.030 | 0.005 | 0.020 | 1.80 | 2.78 |
| 680 | | | | | | 72.5 | 75.0 | 11 | | 0.03 | | 0.01 | 0.090 | 0.035 | 0.035 | 2.15 | 2.80 |
| 681 | | | | | | 75.0 | 77.5 | 11 | | 0.04 | | 0.01 | 0.050 | 0.005 | 0.020 | 2.85 | 2.58 |
| 682 | | | | | | 77.5 | 80.0 | 11 | | 0.02 | | 0.01 | 0.075 | 0.030 | 0.030 | 1.90 | 2.74 |
| 683 | | | | | | 80.0 | 82.5 | 11 | | 0.01 | | 0.01 | 0.105 | 0.010 | 0.010 | 1.05 | 2.77 |
| 684 | | | | | | 82.5 | 85.0 | 11 | | 0.02 | | 0.03 | 0.045 | 0.055 | 0.030 | 3.30 | 2.81 |
| 685 | | | | | | 85.0 | 87.6 | 11 | | 0.01 | | 0.01 | 0.130 | 0.055 | 0.030 | 1.65 | 2.72 |
| 686 | | | | | | 87.6 | 90.0 | 11 | | 0.02 | | 0.01 | 0.035 | 0.015 | 0.020 | 3.55 | 2.85 |
| 687 | | | | | | 90.0 | 92.5 | 11 | | 0.01 | | 0.03 | 0.040 | 0.005 | 0.015 | 1.95 | 2.84 |
| 688 | | | | | | 92.5 | 95.0 | 11 | | 0.02 | | 0.01 | 0.095 | 0.030 | 0.020 | 2.70 | 2.82 |
| 689 | | | | | | 95.0 | 97.5 | 11 | | 0.01 | | 0.01 | 0.100 | 0.030 | 0.020 | 1.65 | 2.82 |
| 690 | | | | | | 97.5 | 100.0 | 11 | | 0.01 | | 0.02 | 0.055 | 0.045 | 0.010 | 2.40 | 2.84 |

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COST CODE: 955.C

COMPILATION DATE: 3.6.82

COMPILED BY: E. Brooke

PAGE 3 OF 3

ASSAY DATES:

| SAMPLE NUMBER | D.D.H. NUMBER | FACE/SLOPE | | | Σ | FROM | TO | LENGTH | ROCK TYPE | %SnT | %SnS | %Cu | %WO ₃ | %MoS ₂ | %Bi | S.G. | |
|---------------|---------------|------------|-------|------|-------|-------|-----|--------|-----------|------|------|-------|------------------|-------------------|------|-------------------|------------------|
| | | LENS | LEVEL | DATE | | | | | | | | | | | | %CaF ₂ | CaF ₂ |
| 303 691 | C1754 | FOLEY | | | 100-0 | 102.5 | 2.5 | | 0.03 | | 0.01 | 0.095 | 0.060 | 0.015 | 2.90 | 1.55 | |
| 692 | | | | | 102.5 | 105-0 | 11 | | 0.02 | | 0.01 | 0.070 | 0.010 | 0.010 | 2.85 | 4.35 | |
| 693 | | | | | 105-0 | 107.5 | 11 | | 0.23 | | 0.08 | 0.275 | 0.075 | 0.015 | 2.90 | 8.95 | |
| 694 | | | | | 107.5 | 110-0 | 11 | | 0.02 | | 0.01 | 0.160 | 0.125 | 0.045 | 2.86 | 4.60 | |
| 695 | | | | | 110-0 | 112.5 | 11 | | 0.02 | | 0.02 | 0.075 | 0.010 | 0.010 | 2.87 | 2.05 | |
| 696 | | | | | 112.5 | 115-0 | 11 | | 0.01 | | 0.01 | 0.110 | 0.100 | 0.015 | 2.85 | 3.50 | |
| 697 | | | | | 115-0 | 117.5 | 11 | | 0.01 | | 0.01 | 0.225 | 0.030 | 0.015 | 2.81 | 3.05 | |
| 698 | | | | | 117.5 | 120-0 | 11 | | 0.01 | | 0.01 | 0.095 | 0.025 | 0.015 | 2.83 | 2.45 | |
| 699 | | | | | 120-0 | 122.5 | 11 | | 0.02 | | 0.01 | 0.130 | 0.030 | 0.010 | 2.87 | 5.40 | |
| 700 | | | | | 122.5 | 125-0 | 11 | | 0.01 | | 0.02 | 0.115 | 0.020 | 0.050 | 2.87 | 2.65 | |
| 701 | | | | | 125-0 | 127.5 | 11 | | 0.02 | | 0.02 | 0.090 | 0.020 | 0.020 | 2.88 | 3.45 | |
| 702 | | | | | 127.5 | 130-0 | 11 | | 0.03 | | 0.03 | 0.165 | 0.050 | 0.015 | 2.87 | 3.35 | |
| 703 | | | | | 130-0 | 132.5 | 11 | | 0.04 | | 0.04 | 1.530 | 0.010 | 0.040 | 2.94 | 5.00 | |
| 704 | | | | | 132.5 | 135-0 | 11 | | 0.04 | | 0.03 | 0.150 | 0.010 | 0.020 | 2.90 | 4.25 | |
| 705 | | | | | 135-0 | 137.5 | 11 | | 0.03 | | 0.03 | 0.410 | 0.015 | 0.035 | 2.91 | 4.25 | |
| 706 | | | | | 137.5 | 140-0 | 11 | | 0.05 | | 0.02 | 0.825 | 0.075 | 0.120 | 2.82 | 5.35 | |
| 707 | | | | | 140-0 | 142.5 | 11 | | 0.01 | | 0.01 | 0.465 | 0.030 | 0.020 | 2.79 | 2.60 | |
| 708 | | | | | 142.5 | 145-0 | 11 | | 0.04 | | 0.09 | 0.335 | 0.025 | 0.020 | 2.83 | 3.85 | |
| 709 | | | | | 145-0 | 147.5 | 11 | | 0.03 | | 0.03 | 0.845 | 0.040 | 0.020 | 2.88 | 3.10 | |
| 710 | | | | | 147.5 | 150-0 | 11 | | 0.12 | | 0.02 | 0.445 | 0.070 | 0.025 | 2.80 | 2.50 | |

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COST CODE: 955 C + DRY
 COMPILATION DATE: 15-6-82
 COMPILED BY: E. BROOKE PAGE 4 OF 4
 ASSAY DATES:

| SAMPLE NUMBER | D.D.H. NUMBER | FACE/SLOPE | | | Σ | FROM | TO | LENGTH | ROCK TYPE | %SnT | %SnS | %Cu | %WO ₃ | %MoS ₂ | %Bi | S.G. | |
|---------------|---------------|------------|-------|------|-------|-------|-----|--------|-----------|------|------|-------|------------------|-------------------|------|-------------------|------------------|
| | | LENS | LEVEL | DATE | | | | | | | | | | | | %CaF ₂ | CaF ₂ |
| 303711 | C1754 | FOLEY | | | 150-0 | 152.5 | 2.5 | | 0.02 | | 0.03 | 0.575 | 0.025 | 0.035 | 2.82 | 2.70 | |
| 712 | | | | | 152.5 | 155-0 | 11 | | 0.03 | | 0.09 | 0.285 | 0.030 | 0.025 | 2.76 | 2.55 | |
| 713 | | | | | 155-0 | 157.5 | 11 | | 0.04 | | 0.06 | 0.295 | 0.015 | 0.020 | 2.85 | 2.65 | |
| 714 | | | | | 157.5 | 160-0 | 11 | | 0.03 | | 0.01 | 0.270 | 0.020 | 0.025 | 2.84 | 2.65 | |
| 715 | | | | | 160-0 | 162.5 | 11 | | 0.15 | | 0.17 | 0.420 | 0.025 | 0.030 | 2.87 | 2.95 | |
| 716 | * | | | | 162.5 | 165-0 | 11 | | 0.03 | | 0.02 | 0.260 | 0.030 | 0.030 | 2.77 | 3.30 | |
| 717 | | | | | 165-0 | 167.5 | 11 | | 0.05 | | 0.02 | 0.205 | 0.020 | 0.015 | 2.87 | 3.10 | |
| 718 | | | | | 167.5 | 170-0 | 11 | | 0.03 | | 0.03 | 0.730 | 0.025 | 0.040 | 2.87 | 2.20 | |
| 719 | | | | | 170-0 | 172.5 | 11 | | 0.04 | | 0.02 | 0.460 | 0.065 | 0.050 | 2.92 | 3.10 | |
| 720 | | | | | 172.5 | 175-0 | 11 | | 0.04 | | 0.02 | 0.735 | 0.060 | 0.035 | 2.92 | 3.05 | |
| 721 | | | | | 175-0 | 177.5 | 11 | | 0.05 | | 0.14 | 0.425 | 0.070 | 0.085 | 2.95 | 2.60 | |
| 722 | | | | | 177.5 | 180-0 | 11 | | 0.02 | | 0.01 | 0.285 | 0.020 | 0.055 | 3.01 | 3.20 | |
| 723 | | | | | 180-0 | 182.5 | 11 | | 0.05 | | 0.07 | 1.365 | 0.040 | 0.210 | 2.91 | 3.60 | |
| 724 | | | | | 182.5 | 185-0 | 11 | | 0.02 | | 0.01 | 0.300 | 0.075 | 0.035 | 2.86 | 3.30 | |
| 725 | | | | | 185-0 | 187.5 | 11 | | 0.02 | | 0.01 | 0.185 | 0.045 | 0.040 | 2.87 | 3.30 | |
| 726 | | | | | 187.5 | 190-0 | 11 | | 0.02 | | 0.02 | 0.125 | 0.010 | 0.015 | 2.92 | 3.60 | |
| 727 | | | | | 190-0 | 192.5 | 11 | | 0.01 | | 0.01 | 0.150 | 0.060 | 0.015 | 2.86 | 4.10 | |
| 728 | | | | | 192.5 | 195-0 | 11 | | 0.01 | | 0.01 | 0.135 | 0.045 | 0.065 | 2.88 | 2.60 | |
| 729 | | | | | 195-0 | 197.5 | 11 | | 0.02 | | 0.01 | 0.210 | 0.020 | 0.045 | 2.91 | 2.60 | |
| 730 | | | | | 197.5 | 200-0 | 11 | | 0.01 | | 0.01 | 0.070 | 0.015 | 0.035 | 2.84 | 3.15 | |

44 190

CLEVELAND TIN - GEOLOGY DEPT.

SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COST CODE:
 COMPILATION DATE:
 COMPILED BY: PAGE OF
 ASSAY DATES:

| SAMPLE NUMBER | D.D.H. NUMBER | FACE/STOPE | | | Σ | FROM | TO | LENGTH | ROCK TYPE | %SnT | %SnS | %Cu | %WO ₃ | %MoS ₂ | %Bi | %CaF ₂ | SG |
|----------------|---------------|------------|-------|------|---|------------------|------------------|---------------|-----------|------|------|-------|------------------|-------------------|-------|-------------------|------|
| | | LENS | LEVEL | DATE | | | | | | | | | | | | | |
| 303 731 | C1754 | FOLLY | | | | 200-0 | 202.5 | 2.5 | | 0.15 | | 0.01 | 0.145 | 0.035 | 0.055 | 3.35 | 2.70 |
| 732 | | | | | | 202.5 | 205.0 | 11 | | 0.02 | | 0.01 | 0.233 | 0.180 | 0.065 | 3.35 | 2.76 |
| 733 | | | | | | 205.0 | 207.5 | 11 | | 0.01 | | <0.01 | 0.090 | 0.015 | 0.080 | 4.05 | 2.55 |
| 734 | | | | | | 207.5 | 210.0 | 11 | | 0.01 | | <0.01 | 0.140 | 0.010 | 0.060 | 3.45 | 2.71 |
| 735 | | | | | | 210.0 | 212.5 | 11 | | 0.01 | | 0.08 | 0.530 | 0.020 | 0.130 | 3.70 | 2.74 |
| 736 | | | | | | 212.5 | 215.0 | 11 | | 0.01 | | 0.01 | 0.050 | 0.005 | 0.025 | 4.25 | 2.77 |
| 737 | | | | | | 215.0 | 217.5 | 11 | | 0.03 | | 0.01 | 0.170 | 0.010 | 0.045 | 3.30 | 2.71 |
| 738 | | | | | | 217.5 | 220.0 | 11 | | 0.01 | | 0.01 | 0.105 | 0.005 | 0.045 | 3.20 | 2.77 |
| 739 | | | | | | 220.0 | 222.5 | 11 | | 0.01 | | 0.01 | 0.050 | <0.005 | 0.005 | 3.80 | 2.81 |
| 740 | | | | | | 222.5 | 225.0 | 11 | | 0.04 | | 0.02 | 0.115 | 0.005 | 0.015 | 12.7 | 2.89 |
| 741 | | | | | | 225.0 | 227.5 | 11 | | 0.04 | | 0.03 | 0.390 | 0.015 | 0.040 | 3.80 | 2.84 |
| 742 | | | | | | 227.5 | 230.0 | 11 | | 0.03 | | 0.01 | 0.025 | <0.005 | 0.020 | 3.70 | 2.82 |
| 743 | | | | | | 230.0 | 232.5 | 11 | | 0.03 | | 0.01 | 0.050 | <0.005 | 0.015 | 2.855 | 2.86 |
| 744 | | | | | | 232.5 | 235.0 | 11 | | | | | | | | | |
| 745 | | | | | | 235.0 | 237.5 | 11 | | | | | | | | | |
| 746 | | | | | | 237.5 | 240.0 | | | | | | | | | | |
| 747 | | | | | | 240.0 | 242.5 | | | | | | | | | | |
| 748 | | | | | | 242.5 | 245.0 | | | | | | | | | | |
| 749 | | | | | | 245.0 | 247.5 | | | | | | | | | | |
| 750 | | | | | | 247.5 | 250.0 | | | | | | | | | | |